


# **NEMATODOLOGY LITERATURE LIST**

## **1975-76**

---

ARS-NE-8-3

October 1977



## CONTENTS

General Interest . . . . .	2
Nematode Species . . . . .	3
Nematode Hosts . . . . .	19
Biology of Nematodes . . . . .	22
Ecology . . . . .	35
Disease Associations . . . . .	41
Host-Parasite Relations . . . . .	47
Resistance . . . . .	63
Biological Control . . . . .	68
Cultural Control . . . . .	75
Chemical Control . . . . .	77
Miscellaneous Control . . . . .	96
Methodology . . . . .	97
Miscellaneous (Compilations, Reports, Surveys, Distribution, etc.). . . . .	102

## NEMATOLOGY LITERATURE LIST

1975-76

By Virginia Harrington<sup>1/</sup>

This list records 1,350 publications reviewed by the Nematology Laboratory (formerly Nematology Investigations) during the calendar years 1975-76. Fourteen headings divide the list according to subject matter. Each reference has been listed only once, under the category considered most appropriate.

Most citations were indexed from the original publications or reprints forwarded to us through the courtesy of the authors. Others were indexed from journals of abstracts, while a few were listed from the bibliographies and literature citations of published papers.

---

<sup>1/</sup>Nematology Laboratory, Plant Protection Institute, Northeastern Region, Agricultural Research Service, U.S. Department of Agriculture, Beltsville, Maryland 20705.

## GENERAL INTEREST

- Anon. 1976. Fellows of the American Phytopathological Society, William Frederick Mai. *Phytopathology* 66(1):4.
- Anon. 1976. Noted UCR Nematologist, Samuel Sher, 53, dies. *The Press*, 1 page.
- Anon. 1976. Reniform nematode eradication looks good. *P.I.N. Points* 2(2):3.
- Boardman, Robert M. 1976. S. A. Sher, Authority on Soil Pests, dies at 53, May 22, 1976. *NEWS*, 1 page.
- Caubel, G. 1973. The maize stem nematode. *Sci. Agron. Rennes*: 225-227.
- Chittenden, F. H. 1905. The cabbage hair-worm. Circular, Bureau Entom., U.S. Dept. Agric. 62:1-6.
- Estey, Ralph H. 1975. A note on Casimir-Joseph Davaine, 1812-1882. *Agricultural History* XLIX(3):549-552.
- Fenwick, Harry S. and Richard E. Ohms. 1968. Root-knot nematodes in potatoes. *Idaho Current Info.*, Series No. 77, 2 pages.
- Genung, William G. 1974. Flooding in Everglades soil pest management. *Proceedings Tall Timbers Conference on Ecological Animal Control by Habitat Management* 6:165-172.
- Golden, A. Morgan. 1975. Eulogy - Professor Gerald Thorne. Presentation at Society of Nematologists Meeting, Houston, Texas, August 10-14, 1975, 4 pages.
- Hanson, E. W. and H. M. Darling. 1975. Gerald George Thorne, 1890-1975. *Phytopathology* 65(7):749-750.
- Ichinohe, Minoru. 1976. Nematode problems of black-peppers in Bangka Island, Indonesia. *Japan International Cooperation Agency*, 2 pages.
- Khan, Abrar M. 1974. Presidential Address, Nematology in India. *Indian J. Nematol.* 4(2):109-114.
- Klassen, Waldemar. 1974. A look forward in pest management. *Proceedings Tall Timbers Conference on Ecological Animal Control by Habitat Management* 6:173-193.
- de Moraes, M. V. 1974. Research on coffee tree nematodes. *Soc. Bras. Nematol.* 1:81-90.



Mulvey, R. H., R. V. Anderson, and L. Y. Wu. 1975. A. D. Baker, 1894-1974. *Nematology News Letter* 21(1):1-2.

Noffsinger, E. Mae. 1975. Merlin W. Allen, 1912-1974. *J. Nematol.* 7(2):95-96.

Raski, D. J., W. H. Hart, and A. N. Kasimatis. 1973. *Nematodes and their control in vineyards*. California Agric. Expt. Station Extension Circular 533 Revised, 20 pages.

Rivoal, R. 1973. The vermicular disease of maize caused by the cereal nematode, Heterodera avenae. *Sci. Agron. Rennes*: 223-224.

Sehlstedt, Jr., Albert. 1976. A parasitic Waterloo may await mosquito. *The Sun*, p. 1 & A8.

Taylor, A. L. 1975. Gerald Thorne - 1890-1975. *OTAN Newsletter* 7(1):1-2.

\_\_\_\_\_ 1975. Gerald Thorne - 1890-1975. *J. Nematol.* 7(2):97.

Warren, L. O. 1974. Accomplishments and challenges. *Arkansas Farm Research* 23(2):8.

Wouts, W. M. 1973. The National Nematode Collection of New Zealand. *New Zealand Journal of Science* 16(1):1-8.

#### NEMATODE SPECIES

Abi-Rached, M. and J. L. Brun. 1975. Ultrastructural study of the relation between oocytes and rachis during oogenesis in the nematode Caenorhabditis elegans. *Nematologica* 21(2):151-162.

Ali, S. Sharafat and E. Geraert. 1975. Helicotylenchus species from Cameroon. *Med. Fac. Landbouww. Rijksuniv. Gent*. 517-519.

Ali, S. Sharafat and P. A. A. Loof. 1975. Two new species of Helicotylenchus Steiner, 1945 (Nematoda:Hoplolaiminae). *Nematologica* 21(2):207-212.

Alvira, M. P. and A. Bello. 1975. Observations of the excretory pore of the female of Tylenchulus semipenetrans Cobb through the scanning electron microscope. *Nematropica* 5(1):1-5.

Anderson, R. V. and J. R. Byers. 1975. Ultrastructure of the esophageal procorpus in the plant-parasitic nematode, Tylenchorhynchus dubius, and functional aspects in relation to feeding. *Canadian J. Zoology* 53(11):1581-1595.

- Andersson, Stig. 1974. Heterodera hordecalis n. sp. (Nematoda: Heteroderidae) a cyst nematode of cereals and grasses in southern Sweden. *Nematologica* 20(4):445-454.
- Baccetti, Baccio and Floriana Rosati. 1971. Electron microscopy on tardigrades. 3 The integument. *J. Ultrastructure Research* 34:214-243.
- Baldwin, J. G. and Hedwig Hirschmann. 1975. Fine structure of cephalic sense organs in Heterodera glycines males. *J. Nematol.* 7(1):40-53.
- \_\_\_\_\_. 1975. Body wall fine structure of the anterior region of Meloidogyne incognita and Heterodera glycines males. *J. Nematol.* 7(2):175-193.
- \_\_\_\_\_. 1975. Comparative fine structure of the esophagus of males of Heterodera glycines and Meloidogyne incognita. (Abstract) *J. Nematol.* 7(4):319-320.
- \_\_\_\_\_. 1976. Comparative fine structure of the stomatal region of males of Meloidogyne incognita and Heterodera glycines. *J. Nematol.* 8(1):1-17.
- Baqri, Qaiser H. and M. Shamim Jairajpuri. 1969. Two known and three new species of nematodes associated with fibrous crops in India. *Ann. Zool. Ecol. Anim.* 1(3):327-337.
- Baqri, Z. H., A. Coomans, and A. van der Heiden. 1975. A taxonomic revision of the nematode species described by S. Stekhoven & Teunissen (1938) and S. Stekhoven (1944) from National Virunga Park, Zaïre Republic. II. Actinolaimidae. *Rev. Zool. Afr.* 80(3):567-586.
- Basson, Johanna B. E. and Juan Heyns. 1974. The genus Mesodorylaimus in South Africa (Nematoda: Dorylaimoidea). *Phytophylactica* 6:261-288.
- van den Berg, E. and J. Heyns. 1974. South African Hoplolaiminae. 3. The genus Rotylenchus Filipjev, 1936. *Phytophylactica* 6(3):165-184.
- \_\_\_\_\_. 1975. South African Hoplolaiminae. 4. The genus Helicotylenchus Steiner, 1945. *Phytophylactica* 7:35-52.
- Birchfield, W. and A. A. Antonopoulos. 1976. Scanning electron microscopic observations of Duboscqia penetrans parasitizing root-knot larvae. *J. Nematol.* 8(3):272-273.
- Bird, A. F. and M. A. McClure. 1976. The tylenchid (Nematoda) egg shell, structure, composition, and permeability. *Parasitology* 72(1):19-28.

- Blinova, S. L. and B. S. Vosilite. 1974. Study of individual and geographic variability in the nematode Parasitorhabditis sexdentati Rhabditidae a parasite of the bark beetle Ips sexdentatus. Trudy. Gel'mintol. Lab. 24:25-29.
- Boonduang, Ahnon and Darunee Ratanaprappa. 1974. Identification of plant-parasitic nematodes of Thailand. Systematic study of Criconematidae in Thailand with descriptions of three new species. Plant Protection Service Technical Bulletin 22:1-16.
- Booth, C. and R. H. Stover. 1974. Cylindrocarpon musae sp. nov. commonly associated with burrowing nematode (Radopholus similis) lesions on bananas. Trans. Br. Mycol. Soc. 63(3):503-507.
- Bravo, Maria A. C. 1976. Merlinius intermedius (Nematoda:Tylenchoidea) a new species from Portugal intermediate between M. icarus and M. macrurus. Nematropica 6(1):29-34.
- Brzeski, Michal W. 1974. Taxonomy of Hemicycliophorinae (Nematoda: Tylenchida). Zeszyty Problemowe Postepow Nauk Rolniczych 154:237-330.
- Brzeski, Michal W. and Adam Szczygiel. 1974. Nematodes of the genus Trichodorus Cobb (Nematoda:Trichodoridae) in Poland. Roczniki Nauk Rolniczych Seria E 4(1):59-66.
- Canto, M. and Maria M. de Scurrah. 1975. Variability of potato cyst nematode (Heterodera spp.) in the Andean region. (Abstract) Nematropica 5(2):20.
- Chin, D. A. 1975. Variation of tail shape of Cylindrocorpus curzii (Nematoda:Cylindrocorporidae). J. Nematol. 7(3):317.
- Chit, W. and J. M. Fisher. 1975. Anguina mobilis n. sp., a parasite of capeweed (Arctotheca calendula). Nematologica 21(1):53-61.
- Choi, Y. E. and E. Geraert. 1975. Additional list of Tylenchida (Nematoda) from Korea with description of two new species. Nematologica 21(1):26-34.
- \_\_\_\_\_. 1975. Criconematids from Korea with the description of eight new species (Nematoda:Tylenchida). Nematologica 21(1):35-52.
- Choleva, Boriana. 1975. Nematodes of the family Longidoridae in Bulgaria. NATO Advanced Study Institutes Series, Series A: Life Science 2:355-356.

- Colgan, P. W., P. K. Ballantyne, and M. V. H. Wilson. 1976. Numerical taxonomy of hybridizing Lepomis (Centrarchidae) in Lake Opinicon, Ontario. Canadian J. Zoology 54(1):42-47.
- Cook, R. 1975. Observations on the relationship between morphological variation and host range in populations of cereal cyst-nematode. Ann. appl. Biol. 81(2):199-205.
- Coomans, A. 1975. Morphology of Longidoridae. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:15-37.
- Coomans, A. and Pankajam Nair. 1975. The genus Axonchium (Nematoda: Belondiridae). VI. Atypical species, keys, subgenera, and conclusions. Nematologica 21(3):296-332.
- Croll, N. A., A. A. F. Evans, and J. M. Smith. 1975. Comparative nematode photoreceptors. Comp. Biochem. Physiol. 51A(1):139-143.
- Dalmasso, A. 1975. Cytogenetics and reproduction in Xiphinema and Longidorus. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:139-151.
- Decraemer, W. 1974. Scientific report on the Belgian expedition to the Great Barrier Reef in 1967. Nematodes. V. Observations on Desmoscolex (Nematoda:Desmoscolecida) with description of three new species. Zool. Scripta 3(5-6):243-255.
- Edward, J. C. and S. L. Misra. 1969. Occurrence of some new species of Aphelenchoidea in the rhizosphere of certain field crops of Uttar Pradesh, India, with a note on an intersex. Allahabad Farmer 43(1):1-6.
- Edward, J. C., S. L. Misra, B. B. Rai, and E. Peter. 1969. Association of Pratylenchus chrysanthus n. sp. with chrysanthemum root rot. Allahabad Farmer 43(3):175-179.
- Edward, J. C. and S. L. Misra. 1970. Two new species of Trichodorus from Uttar Pradesh, India. Allahabad Farmer 44(4):167-171.
- Edward, J. C., S. L. Misra, and B. B. Rai. 1970. Criconema coffeae n. sp. associated with the roots of coffee in Mysore State, India. Allahabad Farmer 44(1/2):13-15.
- Edward, J. C. and B. B. Rai. 1970. Plant parasitic nematodes association with hill orange (Citrus reticulata Blanco) in Sikkim. Allahabad Farmer 44(5):251-254.
- \_\_\_\_\_. 1971. Hemicycliophora demani (Nematoda: Hemicyclioridae) from Allahabad Agricultural Institute, U.P., India. Allahabad Farmer 45(1):7-8.

Elmiligy, I. A. 1970. Three new species of the genus Helicotylenchus Steiner, 1945 (Hoplolaiminae:Nematoda). Med. Fac. Landbouww. Rijksuniv. Gent. 35(4):1099-1106.

\_\_\_\_\_ 1970. On some Hoplolaiminae from Congo and Egypt. Med. Fac. Landbouww. Rijksuniv. Gent. 35(4):1141-1153.

Eroshenko, A. S. 1974. A new species of nematodes from coniferous forests of the far east of the USSR. Parasitologiya 8(3):220-222.

Esser, R. P. 1974. A diagnostic species compendium of the genus Xiphinema. Proc. Soil Crop Sci. Soc. Fla. 33:88-92.

Golden, A. M. and J. M. Epps. 1975. Morphometrics and relationships of Heterodera glycines, H. schachtii, and H. trifolii. (Abstract) J. Nematol. 7(4):322-323.

Goseco, C. G., V. R. Ferris, and J. M. Ferris. 1974. Revisions in Leptonchoidea (Nematoda:Dorylaimida). Leptonchus, Proleptonchus, Funaria, and Meylis n. gen. in Leptonchidae, Leptonchinae. Research Bulletin - Purdue University 911:1-32.

\_\_\_\_\_ 1974. Revisions in Leptonchoidea (Nematoda:Dorylaimida). Tyleptus in Leptonchidae, Tyleptinae; Basirotyleptus in Leptonchidae, Belonenchinae; and Locharionema n. gen. in Leptonchidae, Xiphinemellinae. Research Bulletin - Purdue University 913:1-25.

Goseco, C. G. and V. R. Ferris. 1976. Funaria maryanneae n. sp. and Proleptonchus weischeri n. sp. (Nematoda:Dorylaimida) from Europe and new synonyms in Leptonchoidea. J. Nematol. 8(3):213-217.

Green, C. D. 1975. The vulval cone and associated structures of some cyst nematodes (genus Heterodera). Nematologica 21(2):134-144.

\_\_\_\_\_ 1976. Mechanical factors affecting the shape of cyst-nematode females. Nematologica 22(1):71-78.

Grootaert, P. and P. L. Lippens. 1974. Some ultrastructural changes in cuticle and hypodermis of Aporcelaimellus during the first moult (Nematoda:Dorylaimoidea). Z. Morph. Tiere 79:269-282.

Gupta, Pramila and J. C. Edward. 1973. A new record of a cyst forming nematode (Heterodera chaubattia n. sp.) from the hills of Uttar Pradesh. Current Science 42(17):618-620.

\_\_\_\_\_ 1974. Heteromorphism in tail shapes of females of Hoplolaimus sp. Indian J. Nematol. 4(1):100-101.

- Guttekova, Anna and Ivan Zmoray. 1975. The body wall of the nematode Heterakis gallinarum (electron-microscopical observations). *Biologia* 30(5):337-347.
- van der Heiden, A. 1974. The structure of the anterior feeding apparatus in members of the Ironidae (Nematoda:Enoplida). *Nematologica* 20(4):419-436.
- Heyns, Juan. 1974. The genus Xiphinema in South Africa. I. X. americanum group (Nematoda:Dorylaimida). *Phytophylactica* 6:157-164.
- \_\_\_\_\_. 1974. The genus Xiphinema in South Africa. II. X. elongatum group (Nematoda:Dorylaimida). *Phytophylactica* 6:249-260.
- Hooper, David J. 1975. Morphology of Trichodorid nematodes. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:91-101.
- \_\_\_\_\_. 1975. Virus vector nematodes - taxonomy and general introduction. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:1-14.
- Husain, S. Israr and Abrar M. Khan. 1974. Three new species of Neotylenchid nematodes from North India. *Indian J. Nematol.* 4(1):81-87.
- Jairajpuri, M. Shamim and Wajih U. Khan. 1975. Studies on Monochida of India. VII. Excretory system of Prionchulus muscorum. *Nematologica* 21(3):409-410.
- Jatala, Parviz. 1975. Endotokia matricida in a Xiphinema sp. *J. Nematol.* 7(2):205-206.
- Johnson, P. W. and W. G. Graham. 1976. Ultrastructural studies on the cuticle of the second-stage larvae of four root-knot nematodes: Meloidogyne hapla, M. javanica, M. incognita, and M. arenaria. *Canadian J. Zoology* 54(1):96-100.
- Kakuliya, I. A. and Ts. G. Devdariani. 1967. Nematodes of Scolytus scolytus F. in Eastern Georgia. *Soobshcheniya Akademii Nauk Gruzinskoi SSR* 46(2):469-474.
- Karapetyan, D. A. 1975. Criconematids Nematoda:Criconematidae under greenhouse conditions in the Armenian-SSR. *Biol. Zh. Arm.* 28(8):24-31.
- Khan, F. Ali and Abrar M. Khan. 1972. Studies on distribution and population of Longidorus brevicaudatus, Xiphinema basiri, and X. americanum in Uttar Pradesh and Rajasthan with description of Longidorus psidii n. sp. (Nematoda:Dorylaimoidea). *Indian Phytopathology* 25(2):269-274.

- Khan, A., W. M. Brooks, and Hedwig Hirschmann. 1976. Chromonema heliothidis n. gen., n. sp. (Steinernematidae:Nematoda), a parasite of Heliothis zea (Noctuidae, Lepidoptera), and other insects. J. Nematol. 8(2):159-168.
- Khan, A. M. and S. I. Husain. 1972. Meloidoderella indica n. gen., n. sp. parasitising Lycopersicon lycopersicum at Mahraval, U.P., India. Proc. 59th Session Indian Science Congress Assoc., Calcutta III:592-593.
- Khan, E., M. L. Chawla, and S. K. Prasad. 1971. Paralongidorus similis new species (Nematoda:Longidoridae) from Poona, India. Bull. Ent. 12(1):52-54.
- Khan, E., M. L. Chawla, and M. Saha. 1974. Description of male of Enchodorella perveeni Khan, 1964 with comments on the genus. Indian J. Nematol. 4(2):230-233.
- Khan, E. and C. K. Nanjappa. 1971. Pseudhalenchus acutus, sp. nov. and Tylenchorhynchus aerolatus, sp. nov. (Nematoda:Tylenchida) from India. Bull. Ent. 12(1):55-58.
- Khan, E. and D. B. Singh. 1974. Five new species of Pratylenchus (Nematoda:Pratylenchidae) from India. Indian J. Nematol. 4(2):199-211.
- Khan, Fasahat A. and Abrar M. Khan. 1974. Two new species of Basiroides Thorne and Malek, 1968 (Nematoda:Psilenchinae) from Uttar Pradesh. Indian J. Nematol. 4(2):194-198.
- Khan, H. A. and M. Ahmad. 1970. New species of Helicotylenchus (Steiner, 1945) with description of H. buxophilus from West Pakistan. Agric. Pak. 21(2):215-221.
- \_\_\_\_\_. 1970. Axonchium oostenbrinki sp. nov. (Nematoda:Belondriidae) from West Pakistan with its revised key. Agric. Pak. 21(2):201-204.
- Kheira, A. 1972. Plant parasitic nematodes (Tylenchida) from Iran. Biol. Jaarb. 40:224-239.
- Kirjanova, E. S. and A. V. Borisenko. 1975. A cyst forming nematode, Heterodera (Globodera) malii sp. n., a parasite of apple trees in Kazakhstan. Parasitologiya IX(4):335-338.
- Kiryanova, E. S. and T. S. Ivanova. 1975. Almond cyst-forming nematode Heterodera amygdali sp. nov. (Nematoda:Heteroderidae) from Tadzhikistan. J. of Tadzhik SSR Branch Biology Science 3(60):52-56.
- Kisiel, M. J., S. Himmelhoch, and B. M. Zuckerman. 1976. Fine structure of the esophagus of Pratylenchus penetrans. J. Nematol. 8(3):218-228.

- Kleynhans, K. P. N. 1975. Some Tylenchoidea (Nematoda) from South Africa. *Phytophylactica* 7(3):97-104.
- Klindic, O. and D. Petrovic. 1974. Contribution to the study of Heterodera achilleae. Part 1. The knowledge of the host plants and the distribution of the parasite. *Zast. Bilja*. 25(128-129):141-150.
- \_\_\_\_\_. 1974. II. Contribution to the knowledge of the biological property of the Heterodera achilleae. *Zast. Bilja*. 25(128-129):150-162.
- Kline, J. P. 1976. Morphometric variation in Aphelenchus avenae with varied nutrition and time. *Nematologica* 22(1):94-102.
- Kmuzova, S. I. 1966. New species Tylencholaimellus rotundoconicus sp. n. (Nematoda:Leptonchidae). *Zool. Zh.* 45(8):1256-1257.
- Knobloch, Natalie A. 1975. Quinisulcius tarjani sp. n. (Nematoda: Tylenchorhynchinae) with key to Quinisulcius species and notes on other plant-parasitic nematodes from Mexico. *Proc. Helm. Soc. Wash.* 42(1): 52-56.
- \_\_\_\_\_. 1975. Tylenchorhynchus aspericutis n. sp. (Nematoda) from Mexico with an emended description of Psilenchus hilarulus de Man, 1921 and two intersexes. *Nematologica* 21(3):287-295.
- \_\_\_\_\_. 1976. The genus Malenchus (Nematoda:Tylenchida) with description of two species from Michigan. *J. Nematol.* 8(1):53-57.
- Krnjaic, D. and P. A. A. Loof. 1975. Carcharolaimus banaticus n. sp. (Nematoda:Discolaimidae) and its ecology. *Nematol. medit.* 3(2):153-161.
- Lamberti, Franco and Romano Locci. 1970-71. Cuticular marks on Longidorus africanus Merny as observed under the scanning electron microscope. *Redia* LII:619 + 1 pl.
- Lamberti, F. and A. C. Tarjan. 1974. Xiphinema costaricense n. sp. (Longidoridae:Nematoda) a new species of dagger nematode from Costa Rica. *Nematol. medit.* 2(1):1-11.
- Lamberti, Franco. 1975. Taxonomy of Longidorus (Micoletzky) Filipjev and Paralongidorus Siddiqi, Hooper, and Khan. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:71-90.
- Lamberti, F., Teresa Blevé Zacheo, and G. P. Martelli. 1975. A case of intersexuality in Xiphinema ingens Luc and Dalmasso (Nematoda: Longidoridae). *Nematol. medit.* 3(2):181-183.



Lippens, Peter L. 1975. Cell structure and cell function - An introduction to ultrastructure. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:155-158.

\_\_\_\_\_. 1975. Ultrastructure of Dorylaimidae. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:159-178.

Loof, P. A. A. 1975. Taxonomy of Trichodoridae. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:103-127.

\_\_\_\_\_. 1975. Dorylaimoidea from some subantarctic islands. Nematologica 21(2):219-255.

\_\_\_\_\_. 1976. Crassibucca inculta (Carvalho, 1960) n. comb. Nematologica 22(1):121.

\_\_\_\_\_. 1976. The author of the genus-group name Mesodiplogaster (Diplogasteridae). Nematologica 22(1):122-123.

Loof, P. A. A. and F. Riemann. 1976. Taxonomy of the Tobrilus longus group (Enoplida:Tripylidae). Nematologica 22(1):15-48.

Luc, Michel. 1975. Taxonomy of Xiphinema Cobb, 1913. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:39-52.

Luc, Michel and A. Dalmasso. 1975. A "lattice" for the identification of species of Xiphinema Cobb, 1913. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:53-70.

de Lucia, M. R. Morone and S. Grimaldi de Zio. 1973. Presence of microsporids in gonads of Xiphinema mediterraneum. Nematol. medit. 1(1):66-68.

Macaron, J. 1975. Variability of biometric characters in second stage larvae of the citrus nematode, Tylenchulus semipenetrans Cobb, 1913. Nematol. medit. 3(1):1-9.

Madden, P. A. and F. G. Tromba. 1976. Scanning electron microscopy of the lip denticles of Ascaris suum adults of known ages. J. Parasitology 62(2):265-271.

Mahajan, R. 1974. Tylenchorhynchus kashmirensis sp. n. and Quinisulcius himalayae sp. n. (Nematoda:Tylenchorynchinae) from India. Proc. Helm. Soc. Wash. 41(1):13-16.

Mankau, R. and J. L. Imbriani. 1975. Morphogenesis of Bacillus penetrans in Meloidogyne females. (Abstract) J. Nematol. 7(4):326.

- Matsui, Hiroyuki and Shoichi Nakagawa. 1973. Studies on the mechanism of gall formation with root-knot nematodes. I. A morphological study of the gall formed on Balsam (Impatiens balsamina L.) stem inoculated with root-knot nematodes (Meloidogyne incognita var. acrita, Chitwood). J. Japan. Soc. Hort. Sci. 42(3):221-227.
- McClure, M. A. and A. F. Bird. 1976. The tylenchid (Nematoda) egg shell: formation of the egg shell in Meloidogyne javanica. Parasitology 72(1):29-39.
- Misra, S. L. and J. C. Edward. 1971. Two new species of the genus Paratylenchus with description of their larval stages and a note on P. nawadus a synonym of P. nainianus. Allahabad Farmer 45(4):345-351.
- \_\_\_\_\_. 1971. A new species of the genus Hemicycliophora, H. mangiferum sp. n. Allahabad Farmer 45(4):353-354.
- Monteiro, A. Rocha. 1976. Xiphidorus yepesara n. gen., n. sp. (Nemata:Longidoridae) from Brazil. Nematol. medit. 4(1):1-6.
- Mulk, M. Muddassirul and M. Shamim Jairajpuri. 1974. Nematodes of leguminous crops in India. I. A new species of Telotylenchus Siddiqi, 1960 (Telotylenchinae:Belonolaimidae). Indian J. Nematol. 4(2):167-170.
- \_\_\_\_\_. 1974. Nematodes of leguminous crops in India. II. Five new species of Helicotylenchus Steiner, 1945 (Hoplolaimidae). Indian J. Nematol. 4(2):212-221.
- Mulvey, R. H., P. W. Johnson, J. L. Townshend, and J. W. Potter. 1975. Morphology of the perineal pattern of the root-knot nematodes Meloidogyne hapla and M. incognita. Canadian J. Zoology 53(4):370-373.
- Mulvey, R. H., J. L. Townshend, and J. W. Potter. 1975. Meloidogyne microtyla sp. nov. from southwestern Ontario, Canada. Canadian J. Zoology 53(11):1528-1536.
- Nair, Pankajma. 1974. The genus Axonchium V. species with amalgamated lip region. Nematologica 20(4):375-394.
- Nakano, Mitsuo, Takeshi Sakai, and Toshiro Saigusa. 1974. A list of plant-parasitic nematodes intercepted on export plant material. Res. Bull. Pl. Prot. Japan 49(12):69-73.
- Narbaev, E. N. 1973. Gall nematodes and other Heteroderidae in different regions of the Uzbekistan. In Voprosy fitogel'minthologii v Uzbekistane Book 3, Tashkent, USSR, Izdatel'stvo "FAN" 215-245.
- Navarro, Rafeal and Rodolfo Barriga. 1975. Identification of Meloidogyne spp., root-knot nematode in Colombia. (Abstract). Proceedings of the American Phytopathological Society 2:77-78.

- Norton, Don C. and J. K. Hoffmann. 1975. Longidorus breviannulatus n. sp. (Nematoda:Longidoridae) associated with stunted corn in Iowa. J. Nematol. 7(2):168-171.
- Ogbuji, R. O. 1976. Giant cell formation in corn roots caused by Meloidogyne hapla infection. Nematologica 22(1):62-64.
- Pinochet, J. and D. J. Raski. 1975. Four new species of the genus Hemicriconemoides (Nematoda:Criconeematidae). J. Nematol. 7(3):263-270.
- Poinar, Jr., George O. and R. D. Sanders. 1974. Description and bionomics of Octomyomermis troglodytis sp. n. (Nematoda:Mermithidae) parasitizing the western treehole mosquito Aedes sierrensis (Ludlow) (Diptera:Culicidae). Proc. Helm. Soc. Wash. 41(1):37-41.
- Poinar, Jr., George O. 1975. Description and biology of a new insect parasitic rhabditoid, Heterorhabditis bacteriophora n. gen., n. sp. (Rhabditida:Heterorhabditidae n. fam.). Nematologica 21(4):463-470.
- Ponte, J. Julio. 1972. Uma forma distinta de nematoide do genero Meloidogyne Goeldi, 1887. Rev. Soc. Brasil. Fitopatologia 5:33-36.
- Rashid, A. and Z. Husain. 1971. Rotylenchus pruni new species (Nematoda:Hoplolaiminae) found around plum roots in Nainital District. Bull. Ent. 12(1):1-3.
- Raski, D. J. 1975. Revision of the genus Paratylenchus Micoletzky, 1922 and descriptions of new species. Part 1 of 3 parts. J. Nematol. 7(1):15-34.
- \_\_\_\_\_ 1975. Revision of the genus Paratylenchus Micoletzky, 1922 and descriptions of new species. Part 2 of 3 parts. J. Nematol. 7(3):274-295.
- Raski, D. J. and I. A. Siddiqui. 1975. Tylenchocriconema alleni n. g., n. sp. from Guatemala (Tylenchocriconeematidae n. fam.; Tylenchocriconematoidea n. superfam., Nematoda). J. Nematol. 7(3):247-251.
- Raski, D. J. 1976. Revision of the genus Paratylenchus Micoletzky, 1922 and descriptions of new species. Part 3 of 3 parts - Gracilacus. J. Nematol. 8(2):97-115.
- Razzhivin, A. A. 1971. Morulaimus arealoferus n. sp. (Nematoda:Belonolaiminae Whitehead, 1959). In Gel'mintologicheskie issledovaniya v Kirgizii. Frunze, USSR; Izdatel'stva "ILJM" 90-93.
- Razzhivin, A. A. and G. Penton. 1975. A new species of the genus Trichodorus (Nematoda) from the rhizosphere of the sugarcane in Cuba. Zool. Zh. 54(7):1082-1083.

- Remillet, M. and D. van Waerebeke. 1975. Description and life cycle of Howardula madecassa n. sp. and H. truncati n. sp. (Nematoda: Sphaerulariidae) parasitic in Carpophilus (Coleoptera: Nitidulidae). *Nematologica* 21(2):192-206.
- Robertson, W. M. 1975. A possible gustatory organ associated with the Odontophore in Longidorus leptcephalus and Xiphinema diversicaudatum. *Nematologica* 21(4):443-448.
- Robertson, W. M. and C. E. Taylor. 1975. The structure and musculature of the feeding apparatus in Longidorus and Xiphinema. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:179-194.
- \_\_\_\_\_. 1975. The ultrastructure of the feeding apparatus in Trichodorids. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:195-202.
- Roggen, D. 1975. Functional morphology of Dorylaimida. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:129-137.
- Ross, J. F. and S. M. Smith. 1976. A review of the mermithid parasites (Nematoda:Mermithidae) described from North American mosquitoes (Diptera:Culicidae) with descriptions of three new species. *Canadian J. Zoology* 54(7):1084-1102.
- Roy, T. K. and A. N. Gupta. 1974. Comments on the taxonomic position of some species of the genus Xiphinema Cobb, 1913 (Nematoda:Dorylaimoidea) with the creation of a new subgenus. *Acta Morphologica Neerlando-Scandinavica* 12(4):345-354.
- Rubtsov, I. A. and R. V. Andreeva. 1974. New mermithid species (Nematoda:Mermithidae) from the Ukrainian-SSR. *Vestn. Zool.* 6:12-17.
- Rubtsov, I. A. and N. M. Iseava. 1975. Culicimermis schakhovii new genus, mermithidae a new parasite of mosquitoes. *Vestn. Zool.* 1:39-44.
- Rubtsov, I. A. and V. V. Polishuk. 1975. New genus and species of mermithids (Mermithidae:Nematoda) from Vodoemov, SSR. *Hydrobiological Journal* 11(2):95-97.
- Rubtsov, I. A. 1974. New species of mermithid from bugs from Azerbaidkhane. *Dokl. Akad. Nauk. SSR* 174, 30(1):63-66.
- Sabova, M. 1974. New phyto nematodes for the Czechoslovak fauna isolated from vegetable cultures. *Biologia* 29(8):665-666.
- \_\_\_\_\_. 1974. Nygolaimus solaniphilus sp. n., a new Nygolaimus species from Czechoslovakia. *Biologia* 29(2):101-103.

- Saha, M., M. L. Chawla, and E. Khan. 1973. Two new species of Helicotylenchus Steiner, 1945 from north India. Indian J. Nematol. 3(2):83-87.
- Saigusa, Toshiro. 1974. A list of nematodes intercepted on incoming plant material for the years 1958-1973. Res. Bull. Pl. Prot. Japan 49(12):63-68.
- Saltukoglu, M. Emel and A. Coomans. 1975. The identity of Quinisulcius acti with Q. capitatus (Nematoda:Dolichodoridae). Med. Fac. Landbouww. Rijksuniv. Gent. 40:497-500.
- Sandner, Henryk and Stanislaw Stanuszek. 1974. The differentiation of nematode populations from the genus Neoaplectana (Rhabditoidea: Steinernematidae) into generations of giant and small forms. Zeszyty Problemowe Postepow Nauk Rolniczych 154:395-407.
- Sauer, M. R. and R. Winoto. 1975. A note on Xiphinema ensiculiferum. J. Nematol. 7(3):313-314.
- \_\_\_\_\_. 1975. On Oostenbrinkella and Discomyctus. Nematologica 21(1):111-114.
- \_\_\_\_\_. 1975. Species of Discocriconemella from Malaysia. Nematologica 21(3):333-340.
- \_\_\_\_\_. 1975. The genus Helicotylenchus Steiner, 1945 in West Malaysia. Nematologica 21(3):341-350.
- Schrage, Marion and S. A. Gerlach. 1975. Über Greeffielinae (Nematoda: Desmoscolecida). Veröff. Inst. Meeresforsch. Bremerh. 15:37-64.
- Seinhorst, J. W. and Jadwiga Kozłowska. 1974. The muscles of the vagina and the ovejector in Longidorus caespiticola. Nematologica 20(3):308-322.
- Shepherd, Audrey M. and Sybil A. Clark. 1976. Spermatogenesis and the ultrastructure of sperm and of the male reproductive tract of Aphelenchoides blastophthorus (Nematoda:Tylenchida, Aphelenchina). Nematologica 22(1):1-9.
- Sher, S. A. and A. H. Bell. 1975. Scanning electron micrographs of the anterior region of some species of Tylenchoidea (Tylenchida:Nematoda). J. Nematol. 7(1):69-83.
- Sigareva, D. D., N. N. Krasnopolsky, and L. A. Yurchenko. 1974. Variability of phytonematodes under the effect of host plant. Dopov Akad. Nauk. Ukr. Rsr. Ser. B. Heol. Heofiz Khim Biol. 36(5):465-470.

Slankis, A. Ya. 1974. Four new species of nematodes (Nematoda: Sphaerulariidae) from bark beetles (Coleoptera, Ipsidae). *Parazitologiya* 8(1):57-62.

Smart, Jr., G. C., M. L. Schreiber, and V. G. Perry. 1976. An outer layer on eggs of Dolichodorus heterocephalus (Tylenchida). *J. Nematol.* 8(1):89-90.

Soota, T. D. and Y. Chaturvedi. 1969. On two new nematodes of the genus Abbreviata Travassos, 1920, along with a redescription of third, Abbreviata achari (Mirza, 1935). The Proceedings of the Indian Academy of Sciences LXIX:269-276.

\_\_\_\_\_. 1970. On five new species of nematodes from vertebrates. The Proceedings of the Indian Academy of Sciences LXXI(3):100-108.

\_\_\_\_\_. 1971. On some nematode parasites of arthropods. *Indian J. Helminthology* XXIII(1):48-53.

\_\_\_\_\_. 1971. The nematode fauna of Goa. *Indian J. Helminthology* XXIII(1):11-20.

\_\_\_\_\_. 1972. The nematode fauna of Goa. Part II. *Indian J. Helminthology* XXIV(1):22-35.

Stanuszek, Stanislaw. 1974. Neoaplectana feltiae pieridarum n. ecotype (Nematoda:Rhabditoidea, Steinernematidae) a parasite of Pieris brassicae L. and Mamestra brassicae L. in Poland. Morphology and Biology. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:361-393.

\_\_\_\_\_. 1974. Neoaplectana feltiae complex (Nematoda: Rhabditoidea, Steinernematidae) its taxonomic position within the genus Neoaplectana and intraspecific structure. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:331-360.

\_\_\_\_\_. 1974. Suggestions for the unification of principles for describing nematodes of the genus Neoaplectana Steiner, 1929 (Nematode:Rhabditoidea, Steinernematidae). *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:465-471.

Stone, A. R. 1975. Taxonomy of potato cyst-nematodes. *EPPO Bulletin* 5(2):79-86.

\_\_\_\_\_. 1975. Head morphology of second-stage juveniles of some Heteroderidae (Nematoda:Tylenchoidea). *Nematologica* 21(1):81-88.

Sudhaus, Walter. 1976. Nomenklatorische bemerkungen über arten und gattungen der unterfamilie Rhabditinae sensu lato (Rhabditidae, Nematoda). Nematologica 22(1):49-61.

Sumenkova, N. I. 1974. Systematic status of the nematode family Nothotylenchidae. Zool. Zh. 53(11):1597-1603.

Szczygiel, Adam. 1974. Plant parasitic nematodes associated with strawberry plantations in Poland. Zeszyty Problemowe Postepow Nauk Rolniczych 154:9-132.

Tandon, R. S. and S. P. Singh. 1973. Two plant parasites of two different families of nematodes parasitizing lady finger (Abelmoschus esculentus) at Lucknow. Zool. Anz. 191(1/2):139-150.

Tarjan, A. C. 1974. The dagger nematodes (Xiphinema, Cobb) of Florida. Proc. Soil Crop Sci. Soc. Fla. 33:92-95.

Tarte, Rodrigo and W. F. Mai. 1976. Morphological variation in Pratylenchus penetrans. J. Nematol. 8(3):185-195.

Taylor, A. L. 1975. Identification of soybean cyst nematodes for regulatory purposes. Proc. Soil Crop Sci. Soc. Fla. 34:200-206.

Townshend, J. L. and R. E. Blackith. 1975. Fungal diet and the morphometric relationships in Aphelenchus avenae. Nematologica 21(1):19-25.

Triantaphyllou, A. C. 1975. Oogenesis and the chromosomes of twelve bisexual species of Heterodera (Nematoda:Heteroderidae). J. Nematol. 7(1):34-40.

Triantaphyllou, A. C. and J. M. Fisher. 1976. Gametogenesis in amphimictic and parthenogenetic populations of Aphelenchus avenae. J. Nematol. 8(2):168-177.

Ubelaker, John E. and V. F. Allison. 1975. Scanning electron microscopy of the eggs of Ascaris lumbricoides, A. suum, Toxocara canis, and T. mystax. J. Parasitology 61(5):802-807.

Vinciguerra, Maria Teresa. 1972. Descrizione dei maschi, finora ignoti, di due specie di nematodi. Bollettino Delle Sedute Dell'Accademia Gioenia Di Scienze Naturali in Catania Ser. IV, Vol. XI, fasc. 3 & 4, pages 3-7.

Vinciguerra, Maria Teresa and Marcella de Francisci. 1973. Nematodi muscicoli delle Alpi Apuane. Bollettino Delle Sedute Dell'Accademia Gioenia Di Scienze Naturali in Catania Ser. IV, Vol. XI, fasc. 7 & 8, pages 1-24.

- Vinciguerra, Maria Teresa. 1976. Enchodorus, a new genus of Dorylaimoidea from Italy. *Nematologica* 22(1):10-14.
- Vovlas, N. and R. Inserra. 1975. Intrauterine embryogenesis in Pratylenchus minyus Sher and Allen. *Nematol. mediterr.* 3(2): 177-179.
- Ward, Samuel, Nichol Thomson, John G. White, and Sydney Brenner. 1975. Electron microscopical reconstruction of the anterior sensory anatomy of the nematode Caenorhabditis elegans. *J. Comparative Neurology* 160:313-338.
- Ware, Randle W., David Clark, Kathryn Crossland, and Richard L. Russell. 1975. The nerve ring of the nematode Caenorhabditis elegans: Sensory input and motor output. *J. Comparative Neurology* 162:71-110.
- Wen, G. Y. and T. A. Chen. 1976. Ultrastructure of the spicules of Pratylenchus penetrans. *J. Nematol.* 8(1):69-74.
- Wood, F. H. 1973. Cephalenchus tahus n. sp. and the identity of New Zealand populations of Aglenchus costatus (Nematoda:Tylenchidae). *New Zealand Journal of Science* 16:669-676.
- Wright, K. A. 1975. Cephalic sense organs of the rat hookworm, Nippostrongylus brasiliensis - form and function. *Canadian J. Zoology* 53(8):1131-1146.
- \_\_\_\_\_. 1976. Somatic centrioles in the parasitic nematode, Capillaria hepatica Bancroft, 1893. *J. Nematol.* 8(1):92-93.
- Wu, Liang-Yu. 1974. Paratylenchus robustus n. sp. (Paratylenchinae: Nematoda) from forest soil in Ontario. *Canadian J. Zoology* 52(11): 1423-1425.
- \_\_\_\_\_. 1975. Paratylenchus projectus (Paratylenchidae:Nematoda) and some closely related species. *Canadian J. Zoology* 53(12):1875-1881.
- Wu, Liang-Yu and E. J. Hawn. 1975. Paratylenchus neoprojectus n. sp. (Paratylenchinae:Nematoda) from alfalfa fields in Alberta, Canada. *Canadian J. Zoology* 53(12):1841-1843.
- Wyss, Urs. 1975. Embryology and hatching of Trichodorus similis and Longidorus elongatus. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:153-154.
- Yeates, G. W. 1973. Morphometrics and growth in eight New Zealand soil nematode populations. *New Zealand Journal of Science* 16:711-725.



Yeates, G. W. 1975. Redescriptions of Amphidelus tasmaniensis (Allgen, 1929) and A. papuanus Andrassy, 1973 (Nematoda:Alaimidae). New Zealand Journal of Zoology 2(1):1-7.

Zacheo, Teresa Bleve, Susanna Grimaldi de Zio, F. Lamberti, and Maria Rosaria Morone de Lucia. 1975. Nematodes do have a coelomatic cavity. Nematol. medit. 3(1):109-112.

Zacheo, Teresa Bleve, Maria Antoniette Castellano, and F. Lamberti. 1976. Preliminary studies on the ultrastructure of the female gonad of Xiphinema index and X. mediterraneum (Nematoda:Longidoridae). Nematol. medit. 4(1):41-55.

de Zio, S. Grimaldi and M. R. Morone de Lucia. 1974. Occurrence of an envelope surrounding the female gonads of Longidoridae (Nematoda: Dorylaimoidea). Nematol. medit. 2(1):77-80.

de Zio, Susanna Grimaldi, F. Lamberti, and Maria Rosaria Morone de Lucia. 1975. The female gonad of Longidorus africanus Merny and the influence of the host on its development. Nematol. medit. 3(2):123-141.

Zullini, Aldo. 1974. The nematological population of the Po River. Boll. Zool. 41:183-210.

\_\_\_\_\_. 1975. Nematodi ripicoli del Po. Rendiconti, Classe di Scienze (B) 109:130-142.

#### NEMATODE HOSTS

Abdel-Rhman, T. B. and M. F. M. Eissa. 1975. Some effects of aldicarb on the life cycle and pathogenicity of Meloidogyne incognita in potato roots. Nematol. medit. 3(2):173-175.

Adesiyan, S. O., R. A. Odihirin, and M. O. Adeniji. 1975. Economic losses caused by the yam nematode, Scutellonema bradys, in Nigeria. Plant Dis. Reprtr. 59(6):477-480.

Alam, M. Mashkoor, Abrar M. Khan, and S. K. Saxena. 1973. Some new host records of root-knot nematode, Meloidogyne incognita (Kofoid & White, 1919) Chitwood, 1949. Indian J. Nematol. 3(2):159-160.

Anon. 1974. Soybean problems and prospects. Insects, disease, nematodes. Soybean Dig. 34(9):6-9.

Arutyunov, A. V. 1975. Occurrence of plant-parasitic gall and cystic nematodes on Cactaceae. Izv. Akad. Nauk. Turkm. SSR. Ser. Biol. Nauk. 1:53-57.

Bhatti, D. S. and D. C. Gupta. 1973. Guar an additional host of Heterodera cajani. Indian J. Nematol. 3(2):160.

- Bird, G. W. and Natalie Knobloch. 1976. Occurrence of Trichodorus pachydermus in Michigan. Plant Dis. Reptr. 60(1):76-77.
- Chandramathi, P. S. 1973. Occurrence of a root-knot nematode in mesta (Hibiscus cannabinus). Madras Agric. J. 60(7):600.
- Colbran, R. C. 1974. Nematodes in strawberries. Queensland Agricultural Journal 100(11):522-525.
- Dutt, N. and M. Saha. 1973. Occurrence of different species of Meloidogyne in jute. Indian J. Nematol. 35(3):247-251.
- El-Sherif, Moustafa and Mostafa Embabi. 1975. The reniform nematode on jasmine in Egypt. Plant Dis. Reptr. 59(1):65.
- Evans, K., J. Franco and Maria M. de Scurrah. 1975. Distribution of species of potato cyst-nematodes in South America. Nematologica 21(7):365-369.
- Farragher, M. A. 1975. Anguina agrostis new record on some health grasses in County Dublin. Ir. J. Agric. Res. 14(1):88-90.
- Feldmesser, Julius. 1975. Nematodes problems on lawns. Agricultural Research 24(4):9-10.
- Fisher, J. M. and Dorothy E. Shaw. 1971. Radopholus similis, the burrowing nematode in New Guinea. Papua New Guinea Agricultural Journal 22(3):177-178.
- Fushtey, S. G. and C. B. Kelly. 1975. A new record of stem and bulb nematode in Ontario. Can. Plant Dis. Survey 55(1):27-28.
- Gidaszewski, A. 1974. An analysis of the occurrence and salubrity of Tomiscus piniperda and Tomiscus minor in forest stands of Wielkopolski National Park, Poland during the years 1969-1970. Polskie Pismo Entomologiczne 44(4):789-816.
- Golden, A. M. 1975. Outbreak and new records: Oat cyst nematode. FAO Plant Protection Bulletin 23(1):27.
- Hirling, W. 1974. Schädliche nematoden an mais in badenwürttemberg, II. Wiesenflüchen (Pratylenchus sp. und Getreidezystenälchen (Heterodera avenae) Bekämpfung schädlicher nematoden bei mais. Anz Schadlingskd Pflanzenschutz 47(5):65-71.
- Ichinohe, M. 1968. Present status of research on the rice infesting nematodes in Japan. Rev. Plant Prot. Res. 1:26-37.

- Ishikura, Hidetsugu. 1975. Present status and prospects for pesticide use in rice cultivation in southeast Asia. Assoc. Japan Agric. Sci. Soc. Rice in Asia Symposia 412-437.
- Jensen, A. 1975. Danish experiences with cereals in monoculture. Bull. OEPP 5(2):181-191.
- Jensen, H. J., H. Eshtiaghi, P. A. Koepsell, and N. Goetze. 1975. The oat cyst nematode, Heterodera avenae, occurs in oats in Oregon. Plant Dis. Repr. 59(1):1-3.
- Kapitonenko, S. V., F. V. Povar, and M. M. Glushko. 1975. Beet eelworm. Zashch. Rast. 6:48.
- Kyrou, N. C. 1976. New records of nematodes in Greece. Plant Dis. Repr. 60(7):630.
- Mabbott, T. W. 1974. Distribution of potato cyst eelworm in Scotland. EPPO Bull. 4(4):481-494.
- Parker, M. B., N. A. Minton, O. L. Brooks, and C. F. Perry. 1975. Soybean yields and lance nematode populations as affected by subsoiling, fertility, and nematicide treatments. Agron. J. 67(5):663-666.
- Pereira, M. Carmo L. S. and Susana N. de A Santos. 1974. Ocorrência do nematodo dos caules (Ditylenchus dipsaci) em sementes de faveira (Vicia faba), em Portugal. Ciência Biológica 1(3):85-88.
- da Ponte, J. Julio. 1972. As doenças do cajueiro, Anacardium occidentale L., no nordeste do Brasil. Rev. Soc. Brasil. Fitopatologia 5:149.
- Prota, Ulisse, Teresa Bleve, Franco Lamberti, and G. P. Martelli. 1970-71. I. Longidoridae (Nematoda:Dorylaimoidea) dei vigneti sardi. Redia LII:601-618.
- Rivoal, R. 1975. Cereal cyst nematode, Heterodera avenae Woll., in France: Damage, biological characteristics, and prospects of control. EPPO Bull. 5(4):425-435.
- Saenz, M. Canto and M. Mayer de Scurrah. 1976. Species identification of potato cyst nematodes in Andean populations according to the female color sequence. Nematropica 6(1):1-9.
- Saynor, M. 1975. The distribution of pathotypes of the cereal cyst-eelworm Heterodera avenae in England and Wales. Ann. appl. Biol. 81(2):215-218.

- Shcherbak, P. D. and T. S. Skarbilovich. 1973. Distribution and harmfulness of the beet stem nematode in the Zaporozhye Oblast. Byull. Vses. Inst. Gel'mintol. 11:95-97.
- Shesteporov, A. A. 1973. Distribution of red clover phytohelminths in the Moscow Oblast. Byull. Vses. Inst. Gel'mintol. 11:89-94.
- Singh, Kishan and S. R. Misra. 1974. Incidence and distribution of nematodes associated with sugarcane in Uttar Pradesh. Indian J. Nematol. 4(2):182-188.
- Solovieva, G. I. and L. I. Gruzdeva. 1974. First findings of nematodes of the genus Anguina (Tylenchidae), parasites of wild grasses in South Karelia. Zool. Zh. 53(6):834-840.
- Southey, J. F. 1974. New or unusual host-plant records for plant-parasitic nematodes, 1971-73. Pl. Path. 23:45-46.
- Stirling, G. R. and T. J. Wicks. 1975. Heterodera cruciferae on cabbages in South Australia and its chemical control. Plant Dis. Reptr. 59(1):43-45.
- Sturhan, Von Dieter. 1973. Meloidogyne naasi - ein für Deutschland neuer Getreideparasit. Nachrichtenblatt des Deutschen Pflanzenschutzdienstes 25(7):102-103.
- Szczygiel, Adam, Helena Hasior, and Urszula Skorupska. 1974. Field experiments on variation in the grouping structure of plant parasitic nematodes as related to the age of strawberry plantations. Zeszyty Problemowe Postepow Nauk Rolniczych 154:227-235.
- di Vito, M. 1976. Asperula arvensis L., new host for Heterodera gottlingiana Liebscher. Nematol. medit. 4(1):93.
- Wybou, A. 1974. The present status of banana pest and disease control in tropical America. Pflanzenschutz-Nachrichten 27(3):207-232.
- Zak, B. and H. J. Jensen. 1975. Two new hosts of Nacobdodera chitwoodi. Plant Dis. Reptr. 59(3):232.

#### BIOLOGY OF NEMATODES

- Abd El-Rehim, M. A., I. K. A. Ibrahim, and S. I. Massoud. 1973. Effects of Meloidogyne javanica and incognita on the amino acid and reducing sugar content of certain soybean varieties. Zbl. Bakt. 128(II):97-100.
- Abdulrahman, M. and M. R. Samoiloff. 1975. Sex-specific aging in the nematode Panagrellus redivivus. Canadian J. Zoology 53(5):651-656.

- Adamo, J. A., C. P. Madamba, and T. A. Chen. 1974. Studies on the vertical migration of the rice white-tip nematode, Aphelenchoides besseyi. (Abstract) Proceedings of the American Phytopathological Society 1:132.
- Adamo, J. A. and T. A. Chen. 1975. The effect of fluid vehicle character on the vertical migration of the rice white-tip nematode, Aphelenchoides besseyi. (Abstract) Proceedings of the American Phytopathological Society 2:93.
- Akhurst, R. J. 1975. Cross-breeding to facilitate the identification of Deladenus spp., nematode parasites of woodwasps. Nematologica 21(3): 267-272.
- Andreeva, G. N. 1973. The influence of hydrogen ion concentration on in vitro viability of Ditylenchus destructor Thorne, 1945. Byull. Vses. Inst. Gel'mintol. 11:5-7.
- Annabaeva, G. A. and F. F. Soprunov. 1975. The phosphopyruvate-carboxylase-system in the tissues of Ascaris suum and Fasciola hepatica. Angew Parasitol. 16(3):170-177.
- Barabashova, V. N. 1974. Karyotypical characteristics of some forms of stem nematodes of the collective species Ditylenchus dipsaci. Parasitologiya 8(5):408-412.
- Barker, K. R., R. S. Hussey, and H. Yang. 1975. Effects of light intensity and quality on reproduction of plant parasitic nematodes. J. Nematol. 7(4):364-368.
- Bird, Alan F., W. John S. Downton, and John S. Hawker. 1975. Cellulase secretion by second stage larvae of the root-knot nematode (Meloidogyne javanica). Marcellia 38:165-169.
- Bird, Alan, F. and Brian R. Loveys. 1975. The incorporation of photosynthates by Meloidogyne javanica. J. Nematol. 7(2):111-113.
- Brzeski, Michal W. and Stanislaw Kotlinski. 1974. Host plants of the stem eelworm Ditylenchus dipsaci Kühn. Zeszyty Problemowe Postepow Nauk Rolniczych 154:183-189.
- Buecher, E. J. and E. L. Hansen. 1974. Aphelenchus avenae: Brownhill and Perth strains, in axenic culture. Nematologica 20(3):371-372.
- Burton, G. W. 1974. Breeding bermudagrass for turf. Proceedings of 2nd International Turfgrass Research Conference, Blacksburg, Va., June 19, 1973. 18-22.

- Cassada, R. C. and R. L. Russell. 1975. The dauerlarva, a post-embryonic developmental variant of the nematode Caenorhabditis elegans. Dev. Biol. 46(2):326-342.
- Castillo, J. M., M. J. Kisiel, and B. M. Zuckerman. 1975. Studies on the effects of two procaine preparations on Caenorhabditis briggsae. Nematologica 21(3):401-407.
- Chang, Chi-Cheng, Bi-Yu Lin, and Shene-Pin Hu. 1975. Observations on some simple peptides and 2 unknown pauly positive components in normal plants, crown-gall tumors, and tomato nematode gall. Bot. Bull. Academia Sincia 16(2):101-114.
- Chapman, R. A. and D. R. Turner. 1975. Effect of Meloidogyne incognita on reproduction of Pratylenchus penetrans in red clover and alfalfa. J. Nematol. 7(1):6-10.
- Chin, D. A. 1976. Axenic cultivation of Cylindrocorpus longistoma and C. curzii (Nematoda:Cylindrocorporidae). Nematologica 22(1):113-115.
- Chylinska, Krystyna M. and J. S. Knypl. 1975. Decreased phenylalanine ammonia-lyase and ribonuclease activity in side roots of carrot infested with the northern root-knot nematode. Nematologica 21(2):129-133.
- Colonna, W. J. and B. A. McFadden. 1975. Isocitrate lyase from parasitic and free-living nematodes. Archives of Biochemistry and Biophysics 170:608-619.
- Cooper, S. C. and J. H. Ferguson. 1976. The effect of cold acclimation upon glucose-6-phosphatase activity in two species of free-living nematodes--II. Ionic strength. Comp. Biochem. Physiol. 53B:41-44.
- Croll, Neil A. and J. M. Smith. 1974. Nematode setae as mechano-receptors. Nematologica 20(3):291-296.
- Croll, Neil A. 1975. Indolealkylamines in the coordination of nematode behavioral activities. Canadian J. Zoology 53(7):894-903.
- \_\_\_\_\_. 1976. When Caenorhabditis elegans (Nematoda:Rhabditidae) bumps into a bead. Canadian J. Zoology 54(4):566-570.
- Dalmasso, A. and M. C. Cardin-Munck. 1975. Tumors in Trichodorus pachydermus? Nematol. medit. 3(1):103-104.
- Dasgupta, D. R. and A. K. Ganguly. 1975. Isolation, purification, and characterization of a trypsin-like protease from the root-knot nematode, Meloidogyne incognita. Nematologica 21(3):370-384.

- is, R. D. 1976. Insect morphogenetic hormones and developmental anisms in the nematode Nematospiroides dubius. Comp. Biochem. tol. 53A:53-56.
- iah, M. C., T. S. Muthukrishnan, and T. R. Subramaniam. 1973. ies on the biology of the gall forming nematode Nothanguina doplastes (Goodey, 1934) Whitehead, 1959. Madras Agric. J. 60(7): 547.
- ze, von Holm and Lothar Kämpfe. 1973. Histochemische nachweise ger enzyme in normalen un wirkstoffbeeinflußten nematoden. enschaftliche Zeitschrift Der Ernst-Moritz-Arndt-Universität fswald XXII(1/2):1-7.
- rat, Krystyna and Jadwiga Kozłowska. 1974. Comparative investi- ons on the communities of nematodes of cultivated fields and hbouring barrens. Zeszyty Problemowe Postepow Nauk Rolniczych 191-201.
- kin, V. H. and J. Acedo. 1974. An electron microscopic study of ogen and lipid in female Meloidogyne incognita root-knot nematode. arasitol. 60(6):1013-1021.
- nbery, D. B. 1974. Analysis of chemotaxis in the nematode orhabditis elegans by counter-current separation. J. Exp. Zool. 1):41-48.
- ;, Sßngul A. and O. J. Dickerson. 1976. Life cycle, pathogenicity, opathology, and host range of race 5 of the barley root-knot nematode. lematol. 8(3):228-232.
- .guren, R., A. Oleas, and R. Silva. 1976. Influence of various itoe varieties on populations of cyst nematodes. Nematropica 6(1): 29.
- enby, C. 1974. Water uptake and hatching in the potato cyst itode Heterodera rostochiensis and the root-knot nematode Meloidogyne ognita. J. Exp. Biol. 61(3):773-779.
- enby, C. and R. N. Perry. 1976. The influence of the hatching or on the water uptake of the second stage larva of the potato cyst itode Heterodera rostochiensis. J. Exp. Biol. 64:141-147.
- lein, E. and E. Cohn. 1971-1974. Physiological changes in Longidorus lcanus-infected roots. Institute of Plant Protection scientific ivities, 1971-1974, p.128.
- ns, D. M. and J. A. Fox. 1975. The sex ratio of Heterodera glycines a susceptible soybean. (Abstract) Proceedings of the American topathological Society 2:122.

- Fassuliotis, George. 1975. Feeding, egg-laying, and embryology of Columbia lance nematode, Hoplolaimus columbus. J. Nematol. 7(2):152-158.
- Ferris, H. and R. H. Small. 1975. Computer simulation of Meloidogyne arenaria egg development and hatch at fluctuating temperature. (Abstract) J. Nematol. 7(4):322.
- Fisher, J. M. 1975. Chemical stimuli for feeding by Aphelenchus avenae. Nematologica 21(3):358-364.
- Fisher, J. M. and A. C. Triantaphyllou. 1976. Observations on development of the gonad and on reproduction in Aphelenchus avenae. J. Nematol. 8(3):248-255.
- Freckman, D. W. and R. Mankau. 1975. Biological activity of a desert-soil nematode population. (Abstract) J. Nematol. 7(4):322.
- Freckman, D. W., R. Mankau, and H. Ferris. 1975. Nematode community structure in desert soils: nematode recovery. J. Nematol. 7(4):343-346.
- Giebel, J. and M. Stobiecka. 1974. Role of amino acids in plant tissue response to Heterodera rostochiensis. I. Protein-proline and hydroxyproline content in roots of susceptible and resistant solanaceous plants. Nematologica 20(4):407-414.
- Giebel, J. and J. Krenz. 1975. Role of amino acids in plant tissue response to Heterodera rostochiensis. II. Effect of proline and hydroxyproline. Nematol. medit. 3(1):49-53.
- Goswami, B. K., Shamsher Singh, and V. S. Verma. 1976. Uptake and translocation of calcium and magnesium in tomato plants as influenced by infection with root-knot nematode Meloidogyne incognita and tobacco mosaic virus. Nematologica 22(1):116-117.
- Grandison, G. S. and H. R. Wallace. 1974. The distribution and abundance of Pratylenchus thornei in fields of strawberry clover (Trifolium fragiferum). Nematologica 20(3):283-290.
- Greco, N. and F. Lamberti. 1976. Reproduction of Ditylenchus dipsaci in onion varieties. Nematol. medit. 4(1):95-97.
- Greet, D. N. 1974. The response of five round-cyst nematodes (Heteroderidae) to five artificial hatching agents. Nematologica 20(3):363-364.
- Greichus, A. and Y. Greichus. 1970. Ascaris lumbricoides: Incorporation of linoleic acid-1-14C into fatty acids. Exp. Parasitol. 28(2):210-216.



Pramila and J. C. Edward. 1973. Studies on the biology of *Pra vigni* (Heteroderidae:Nematoda) I--Life cycle. Indian J. 3(2):99-108.

H. and E. Tavernier-Bracke. 1975. The influence of biological stress situations as a consequence of changing osmotic pressures upon the development and growth of the free-living nematode *Ilus silusiae*. Natuurwet. Tijdschr. 57(1):15-37.

, R. W. and H. Ferris. 1975. Infection, development, and maturation of *Meloidogyne incognita* in eight grape vine cultivars. J. Nematol. 7(4):323.

M., J. Frim, J. Pasternak, and H. Frey. 1975. Freeze thaw tolerance of the free-living nematode *Caenorhabditis briggsae*. J. Nematol. 12(5):497-505.

M., J. Leushner, S. Noble, and J. Pasternak. 1976. Sucrose density fractionation of *Panagrellus silusiae* into monotypic groups. J. Nematol. 22(1):118-120.

Mc, S. B. and W. W. Osborne. 1975. Influence of *Meloidogyne incognita* on the content of amino acids and nicotine in tobacco grown under biototic conditions. J. Nematol. 7(4):332-336.

Mc, M., H. Borriess, and L. Kaempfe. 1975. The effect of potato nematode *Heterodera rostochiensis* infestation on the auxin content of tubers. Biol. Rundsch 13(4):235-237.

E. L. and E. J. Buecher. 1971. Effect of insect hormones on growth in axenic culture. Experientia 27(7):859-860.

Mc, A., Abrar M. Khan, and S. K. Saxena. 1974. Studies on the effect of different levels of certain elements on the development of okra. II. Effect of different levels of potassium on growth and development on okra, egg plant and tomato. Indian J. Nematol. 7(4):323-324.

Mc, B. D., A. F. Murrant, M. A. Mayo, and I. M. Roberts. 1974. Determinants for symptom production host range and transmissibility between the two RNA components of raspberry necrosis virus. J. Gen. Virol. 22(2):233-248.

Mc, R. E. and G. C. Smart, Jr. 1975. Movement of *Trichodorus axei* and *T. proximus* through soil toward roots of tomato plants. J. Nematol. 7(4):323-324.

Mc, E. M. and R. L. Russell. 1975. Normal and mutant strains in the nematode *Caenorhabditis elegans*. Proc. Natl. Acad. Sci. U.S.A. 72(10):4061-4065.

- Huang, C., S. Yuean, and Y. Chiang. 1973. Introduction of tomato root iodo acetic-acid protecting substance by Meloidogyne incognita. Plant Prot. Bull. 15(4):183.
- Hudson, K. Elaine. 1974. Biology and tetrad development of the insect parasite Tetradonema plicans (Nematoda:Tetradonematidae). Nematologica 20(4):455-468.
- Husain, S. I. and A. Masood. 1975. Effect of some plant extracts on larval hatching of Meloidogyne incognita. Acta Bot. Indica 3(2):142-146.
- Hussey, R. S. and K. R. Barker. 1976. Influence of nematodes and light sources on growth and nodulation of soybean. J. Nematol. 8(1): 48-52.
- Inserra, R. N. and J. H. O'Bannon. 1975. Rearing migratory endoparasitic nematodes in citrus callus and roots produced from citrus leaves. J. Nematol. 7(3):261-263.
- Ishibashi, Nobuyoshi and Eizo Kondo. 1974. The developmental stages of nematodes for survival with some discussions on the term "infective" and "dauer". Japanese J. Nematol. 4:1-10.
- Ishibashi, Nobuyoshi, Eizo Kondo, and Tomotoshi Kashio. 1975. The induced molting of 4th-stage larvae of pin nematode, Paratylenchus aciculus Brown (Nematoda:Paratylenchidae), by root exudate of host plant. Appl. Ent. Zool. 10(4):275-283.
- Jairajpuri, M. Shamin, Mujib I. Azmi, and Harish K. Bajaj. 1974. Studies on nematode behaviour. I. Effect of pH and salt concentrations on the survival of Hoplolaimus indicus, Helicotylenchus indicus, Xiphinema basiri, and Mylonchulus minor. Indian J. Nematol. 4(2):171-181.
- Jatala, P. and M. M. De Scurrah. 1975. Mode of dissemination of Nacobbus spp. in certain potato-growing areas of Peru and Bolivia. (Abstract) J. Nematol. 7(4):324-325.
- Jenkins, T. 1973. Histochemical and fine structure observations of the intestinal epithelium of Trichuris suis (Nematoda:Trichuroidea). Z. Parasitenkd. 42(3):165-183.
- Jones, M. G. K. and V. H. Dropkin. 1975. Cellular alterations induced in soybean roots by three endoparasitic nematodes. Physiol. Plant Pathol. 5(2):119-124.
- Jones, M. G. K., A. Novacky, and V. H. Dropkin. 1975. Transmembrane potentials of parenchyma cells and nematode-induced transfer cells. Protoplasma 85(1):15-37.

Jones, M. G. K. 1976. The origin and development of plasmodesmata. Intercellular Communication in Plants: Studies on Plasmodesmata 81-105.

Kashio, Tomotoshi, Nobuyoshi Ishibashi, and Tamio Yokoo. 1975. Morphology of larval molting in the pin nematode, Paratylenchus aciculus Brown (Nematoda:Paratylenchidae) with the emphasis on stylet regeneration. Appl. Ent. Zool. 10(2):96-102.

Kirjanova, E. S. and L. M. Shchagalina. 1974. Natural source of phytonematodes. Jour. Akad. Nauk. Turkmenskoi SSR 2:73-74.

Kisiel, M. J. and B. M. Zuckerman. 1974. Studies on aging of Turbatrix aceti. Nematologica 20(3):277-282.

Kisiel, M. J., J. M. Castillo, L. S. Zuckerman, and B. M. Zuckerman. 1975. Studies on ageing in Turbatrix aceti. Mechanisms of Ageing and Development 4:81-88.

Knypl, J. S., K. M. Chylinska, and M. W. Brzeski. 1975. Increased level of chlorogenic acid and inhibitors and IAA oxidase in roots of carrot infested with the Northern root-knot nematode. Physiol. Plant Pathol. 6(1):51-64.

Knypl, J. S. and Krystyna M. Janas. 1975. Synthesis of RNA and protein, with ribonuclease activity, in carrot roots infested with Meloidogyne hapla Chitw. Physiol. Plant Pathol. 7:213-220.

Kondo, Elzo and Nobuyoshi Ishibashi. 1975. Ultrastructural changes associated with the tanning process in the cyst wall of the soybean cyst nematode, Heterodera glycines Ichinohe. Appl. Ent. Zool. 10(4):247-253.

Kurt, L. A. 1973. Test of the toxic effect of culture liquid filtrates of parasitic and other fungi on some nematodes under laboratory conditions. Bull. Vses. Inst. Gel'mintol. 11:61-68.

Lee, D. L. 1971. Changes in adult Nippostrongylus brasiliensis during the development of immunity to this nematode in rats. 2. Total lipids and neutral lipids. Parasitology 63(2):271-274.

Lehman, P. S. 1971. The effects of Heterodera glycines upon nitrogen fixation in soybean and the influence of pH and inorganic ions on nematode activity. Ph.D. Thesis, University Microfilms, Ann Arbor, Michigan 1-45.

Macedo, M. C. M., H. P. Haag, and L. G. E. Lordello. 1974. Effect of the nematode Meloidogyne exigua on absorption of nutrients in young coffee plants - preliminary results. Soc. Bras. Nematol. 1:54-73.

- Maertens, D. 1975. Observations on the life cycle of Prionchulus punctatus (Cobb, 1917) (Nematoda) and some culture conditions. Biol. Jb. Dodonaea 43:197-218.
- Mankau, R. and J. L. Imbriani. 1975. The life cycle of an endoparasite in some Tylenchid nematodes. Nematologica 21(1):89-94.
- Mankau, R. and Sarojam K. Mankau. 1975. The effect of  $\text{NH}_4^+$  concentrations on selected nematodes in vitro. (Abstract) Nematropica 5(2):25.
- Masood, Anwar and S. Israr Husain. 1975. Amino acids and protein changes and their role in the resistance and susceptibility of three tomato varieties. Geobios 2(1):15-17.
- \_\_\_\_\_. 1975. Carbohydrate changes and their role in the resistance and susceptibility of three tomato varieties against root-knot disease. Geobios 2(5):132-135.
- Massey, C. L. 1974. Biology and taxonomy of nematode parasites and associates of bark beetles in the United States. U.S. Department of Agriculture Forest Service Agriculture Handbook No. 446, 233 pages.
- Mathur, V. K. and S. K. Prasad. 1973. Survival and host range of the rice root nematode, Hirschmanniella oryzae. Indian J. Nematol. 3(2):88-93.
- Matveeva, M. A. 1972. Occurrence of nematodes in garden soils. J. Zoology 1:81-82.
- Mel'nik, M. V. and I. V. Bumbu. 1974. Hydrolytic enzymes of the stem and bulb race of Ditylenchus dipsaci. Izv. Akad. Nauk. Mold SSR Ser. Biol. Khim. Nauk. 1:53-56.
- Meyer, von Sigwart and Lothar Kämpfe. 1973. Zur Wirkung ausgewählter Kanzerogene auf freilebende nematoden. I. Populationsentwicklung, interspezifische Konkurrenz, pH-Verlauf, osmotische Belastbarkeit und Geschlechterverhältnis. Wissenschaftliche Zeitschrift Der Ernst-Moritz-Arndt-Universität Greifswald 1/2:41-48.
- Midha, S. K. and Gopal Swarup. 1974. Studies on the wheat seed galls caused by Anguina tritici. Indian J. Nematol. 4(1):53-63.
- Miller, P. M. and D. C. Sands. 1975. Enzymatic analysis of certain components in the exoskeleton of nematodes. (Abstract) Proceedings of the American Phytopathological Society 2:102.
- Miller, P. M. 1976. Effects of some nitrogenous materials and wetting agents on survival in soil of lesion, stylet, and lance nematodes. Phytopathology 66(6):798-800.

- Mineo, K. and S. Konya. 1975. Vertical transfer of Bursaphelenchus lignicolus within the tree. (Abstract) Ann. Phytopathology Soc. Japan 41(1):92.
- Misaghi, I., M. A. McClure, and T. H. Kruk. 1975. Concentration of adenylates with energy charge values in cotton roots infected with Meloidogyne incognita. Physiol. Plant Pathol. 6(1):85-92.
- Mishra, S. D. and S. K. Prasad. 1974. Effect of soil amendments on nematodes and crop yields: I. Oil-seed cakes, organic matter, inorganic fertilizers and growth regulators on nematodes associated with wheat and their residual effect on mung. Indian J. Nematol. 4(1):1-19.
- Mjuge, S. G. and D. R. Viglierchio. 1975. Influence of growth promoters and inhibitors on tomato plants infected with Meloidogyne incognita and M. hapla. Nematologica 21(4):476-477.
- Nakamura, Takeshi, Toshio Yanagisawa, and Masahiro Yamaguchi. 1975. Studies on the subunits of myosin from muscle layer of Ascaris lumbricoides-Suum. Biochimica & Biophysica Acta 412:229-240.
- Nandakumar, C. and S. Khera. 1974. Life cycle and reproduction in female Pratylenchus mulchandi with emphasis on the development of gonad. Zool. Anz. 193(3-4):287-296.
- Nicholas, W. L. and S. Viswanathan. 1975. A study of the nutrition of Caenorhabditis briggsae (Rhabditidae) fed on  $^{14}\text{C}$  and  $^{32}\text{P}$ -labelled bacteria. Nematologica 21(3):385-400.
- Nigh, Jr., E. L. 1974. Observations on the biology of Longidorus elongatus. (Abstract) Proceedings of the American Phytopathological Society 1:70.
- Okada, T. 1974. Effects of hatching stimulants obtained from the cyst contents of Heterodera species (Tylenchida, Heteroderidae) on the hatching of other species. Appl. Entomol. Zool. 9(1):49-51.
- Okopnyi, N. S. 1975. Nucleotide composition of RNA and DNA of tumor tissues of plants infected with gall nematodes. Izv. Akad. Nauk. Mold. SSR Ser. Biol. Khim. Nauk. 4:59-62.
- Orcutt, D. M., J. A. Fox, and L. H. Aung. 1975. The effects of nematode infection on sterol composition in soybean roots. (Abstract) Proceedings of the American Phytopathological Society 2:126.
- Orion, D., F. J. Gommers, and J. Van Bezooijen. 1973. Physiological and cellular changes in the cortical tissue of Meloidogyne incognita galls. Med. Fac. Landbouw. Rijksuniv. Gent. 38(3, Part 2):1297-1301.

- Pasternak, J. and J. R. A. Leushner. 1975. Programmed collagen synthesis during postembryonic development of the nematode Panagrellus silusiae: Effect of transcription and translation inhibitors. J. Exp. Zool. 194(3):519-528.
- Pinnock, C., L. Shane, and E. L. R. Stokstad. 1975. Stimulatory effects of peptides on growth of the free-living nematode Caenorhabditis briggsae. Proc. Soc. Exp. Biol. and Med. 148(3):710-713.
- Pinnock, C. B. and E. L. R. Stokstad. 1975. The effect of heme source on growth of Caenorhabditis briggsae in peptide and carbohydrate supplemented chemically defined medium. Nematologica 21(2):258-261.
- Pitcher, R. S. 1975. Factors influencing the movement of nematodes in soil. NATO Advanced Study Institutes Series, Series A: Life Science 2:389-407.
- Poinar, Jr., George O., Oreste Triggiani, and Richard W. Merritt. 1976. Life history of Eudiplogaster aphodii (Rhabditida:Diplogasteridae), a facultative parasite of Aphodius fimetarius (Coleoptera:Scarabaeidae). Nematologica 22(1):79-86.
- Prasad, K. S. Krishna and K. G. H. Setty. 1974. The effect of amino acids as foliar spray on root-knot nematode (Meloidogyne incognita) and tomato. Indian J. Nematol. 4(1):88-90.
- Prot, Jean-Claude. 1975. Recherches concernant le déplacement des juveniles de Meloidogyne spp. vers les racines. Cah. O.R.S.T.O.M., Ser. Biol. X(3):251-262.
- Reversat, Georges. 1975. Influence d'une inhibition préalable par la pression osmotique sur l'éclosion des masses d'œufs du nematode Heterodera oryzae. Cah. O.R.S.T.O.M., Ser. Biol. X(3):189-206.
- Reversat, M. Georges and M. Pierre-Paul Grasse. 1975. Etude préliminaire de la survie en anaérobiose des juveniles du nematode Heterodera oryzae (Tylenchida:Heteroderidae). C. R. Acad. Sc. Paris 280:2865-2868.
- Rohde, Richard A. and Michael A. McClure. 1974. Autoradiography of developing syncytia in cotton roots infected with Meloidogyne incognita. (Abstract) Proceedings of the American Phytopathological Society 1:143.
- \_\_\_\_\_. 1975. Autoradiography of developing syncytia in cotton roots infected with Meloidogyne incognita. J. Nematol. 7(1):64-69.
- Rossner, J. and R. N. Perry. 1975. Water loss and associated surface changes after desiccation in Rotylenchus robustus. Nematologica 21(4):438-442.

- Roy, T. K. 1975. Effect of amino acids and carbohydrates on the population growth of Chiloplacus lentus in axenic culture. *Nematologica* 21(1):12-18.
- Roy, T. K. and A. N. Gupta. 1975. Inter sex or sex reversal amongst plant-parasitic nematodes. *Acta Morphol. Neerl-Scand.* 13(3):213-218.
- Sawhney, Ramma and John M. Webster. 1975. The role of plant growth hormones in determining the resistance of tomato plants to the root-knot nematode, Meloidogyne incognita. *Nematologica* 21(1):95-103.
- Seymour, Malcolm K. 1974. Defaecation in a passively-feeding plant nematode, Hexatylus viviparus (Neotylenchidae:Tylenchida). *Nematologica* 20(3):355-360.
- \_\_\_\_\_ 1975. Photoelastic stress analysis of a nematode stylet. *Nematologica* 21(2):117-128.
- Shafiee, Mohamed Farouk and Jaime Mulet Mendez. 1975. Estudios sobre tres poblaciones y fluctuaciones estacionales de Radopholus similis en platano, Musa sp. *Ciencias Serie 11 - Sanidad Vegetal* 12:1-12.
- Shepperson, Jacqueline R. and Willard C. Jordan. 1974. Observations on in vitro survival and development of Meloidogyne. *Proc. Helm. Soc. Wash.* 41(2):254.
- Simons, W. R. and G. O. Poinar. 1973. The ability of Neaplectana carpocapsae (Steinernematidae:Nematodea) to survive extended periods of desiccation. *J. Invertebrate Pathology* 22:228-230.
- Singh, N. D. 1975. Influence of oxamyl application on Meloidogyne incognita and Rotylenchulus reniformis penetration into roots of tomato, lettuce, and pigeon peas. *Nematropica* 5(2):29.
- Spurr, Jr., Harvey W. 1976. Adenosine triphosphate quantification as related to Cryptobiosis, nematode eggs, and larvae. *J. Nematol.* 8(2):152-158.
- Starr, J. L. and W. F. Mai. 1974. Relation of development of Meloidogyne hapla on field-grown lettuce to temperature. (Abstract) *Proceedings of the American Phytopathological Society* 1:145.
- Stone, A. R. and T. D. Williams. 1974. The morphology and soluble protein electrophoresis of Heterodera avenae pathotypes. *Ann. appl. Biol.* 76(2):231-236.
- Stringfellow, Frank. 1974. Hydroxyl ion, an attractant to the male of Pelodera strongyloides. *Proc. Helm. Soc. Wash.* 41(1):4-10.

Sukul, N. C., P. K. Das, and S. K. Ghosh. 1975. Cation-mediated orientation of nematodes under electrical fields. *Nematologica* 21(2): 145-150.

Szczygiel, Adam, Helena Hasior, and Urszula Skorupska. 1974. Field experiments on variation in the grouping structure of plant parasitic nematodes as related to the age of strawberry plantations. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:227-235.

Tamura, Hirotada and Yasuharu Mamiya. 1975. Reproduction of Bursaphelenchus lignicolus on alfalfa callus tissues. *Nematologica* 21(4):449-454.

Tarte, Rodrigo and W. F. Mai. 1976. Sex expression and tail morphology of female progenies of smooth-tail and crenate-tail females of Pratylenchus penetrans. *J. Nematol.* 8(3):196-200.

Tobler, H. and C. Gut. 1974. Mitochondrial DNA from 4 cell stages of Ascaris lumbricoides. *J. Cell Sci.* 16(3):593-602.

Turlygina, E. S. and S. B. Zinoveva. 1974. On the fecundity of Paraphelenchus pseudoparietinus (Micol., 1922). *Parazitologiya* 8(4): 302-305.

Vanfleteren, J. R. 1975. The nature of a nematode growth factor. I. Growth and maturation of Caenorhabditis briggsae on ribonucleoprotein particles. *Nematologica* 21(4):413-424.

\_\_\_\_\_. 1975. The nature of a nematode growth factor. II. Growth and maturation of Caenorhabditis briggsae on Haem proteins. *Nematologica* 21(4):425-437.

\_\_\_\_\_. 1976. The nature of a nematode growth factor. III. Growth and maturation of Caenorhabditis briggsae on protein-haemin co-precipitates. *Nematologica* 22(1):103-112.

Vargas, Oswaldo F. and J. N. Sasser. 1976. Biology of Anguina plantaginis parasitic on Plantago aristata. *J. Nematol.* 8(1):64-68.

Vinduska, L. 1973. The effect of some substances on the hatching activity of the larvae of the beet nematode, Heterodera schachtii. *SB Iviti (Ustav Vedeckotech Inf.) Ochr. Rostl.* 9(4):247-252.

Jang, E. L. H., T. K. Hodges, and G. B. Bergeson. 1975. Meloidogyne ncognita-induced changes in cell permeability of galled roots. *J. nematol.* 7(3):256-260.



Weber, D. E. 1974. The effects of ozone and sulfur dioxide on selected species of plant parasitic nematodes. (Abstract) Proceedings of the American Phytopathological Society 1:113.

Windrich, W. A. 1975. Attack of tulip by the crossbreed from the tulip and narcissus race, both biological races of the bulb and stem eelworm, Ditylenchus dipsaci (Kühn, 1857). (Abstract) Acta Horticulture 47:171.

Wood, F. H. 1974. Biology of Deladenus durus (Nematoda:Tylenchida). New Zealand Journal of Zoology 1(1):51-58.

\_\_\_\_\_. 1974. Biology of Seinura demani (Nematoda:Aphelenchoidae). Nematologica 20(3):347-353.

Yeates, G. W. 1973. Abundance and distribution of soil nematodes in samples from the New Hebrides. New Zealand Journal of Science 16:727-736.

Zacheo, G., F. Lamberti, and R. D. Durbin. 1974. Effect of Meloidogyne incognita (Kofoid et White) Chitwood on the nicotine content of tobacco (Nicotiana tabacum L.). Nematol. medit. 2(2):165-170.

Zinoviev, V. G. 1975. On study of gall formation stimuli in plants under nematode effect. Vestn. Zool. 3:60-65.

de Zio, S. Grimaldi and F. Lamberti. 1972. Sviluppo sessuale di Longidorus africanus Marny in ospiti diversi. Bollettino Di Zoologia 39,1 page.

de Zio, S. Grimaldi, Maria D'Addabbo Gallo, Maria Rosaria Morone De Lucia, and F. Lamberti. 1975. Observations on spermatogenesis and sperm morphology in Ditylenchus dipsaci (Kühn) Filipjev (Nematoda: Tylenchida). Nematol. medit. 3(1):105-108.

Zuckerman, B. M., S. Himmelhoch, and M. J. Kisiel. 1975. Membrane surface charge changes with age in the nematode Caenorhabditis briggsae (Abstract) 10th International Congress of Gerontology, Jerusalem, Israel, June 22-27, 1975, 2:108.

#### ECOLOGY

Adamo, J. A., C. P. Madamba, and T. A. Chen. 1976. Vertical migratio of the rice white-tip nematode, Aphelenchoides besseyi. J. Nematol. 8(2):146-152.

Bilotti, E. 1975. Ecologic aspects of phyto sanitary problems in cereal culture. Bull. Tech. Inf. 297:191-194.

Braun, A. L., H. Mojtahedi, and B. F. Lownsbery. 1975. Separate and combined effects of Paratylenchus neoamblycephalus and Criconeimoides xenoplax on 'Myrobalan' plum. *Phytopathology* 65(3):328-330.

Brodie, B. B. 1976. Vertical distribution of three nematode species in relation to certain soil properties. *J. Nematol.* 8(3):243-247.

Brown, B. J. and E. G. Platzer. 1975. The effects of salts, conductivity, and pH on infectivity of preparasitic larvae of Reesimermis nielsenii. (Abstract) *J. Nematol.* 7(4):320-321.

Carter, William W. 1975. Effects of soil temperatures and inoculum levels of Meloidogyne incognita and Rhizoctonia solani on seedling disease of cotton. *J. Nematol.* 7(3):229-233.

\_\_\_\_\_ 1975. Effects of soil texture on the interaction between Rhizoctonia solani and Meloidogyne incognita on cotton seedlings. *J. Nematol.* 7(3):234-236.

Chang, Doris C. N., W. F. Campbell, and G. D. Griffin. 1975. Effects of temperature on the fine-structural responses in the Hypocotyl region of alfalfa lines to Ditylenchus dipsaci. *J. Nematol.* 7(3):239-246.

Douthit, L. B. and J. M. McGuire. 1974. Effects of temperature on Xiphinema americanum and tobacco ringspot virus infection on cucumber. (Abstract) *Proceedings of the American Phytopathological Society* 1:158.

\_\_\_\_\_ 1975. Some effects of temperature on Xiphinema americanum and infection of cucumber by tobacco ringspot virus. *Phytopathology* 65(2):134-138.

Ellenby, C. and L. Smith. 1975. Temperature adaptation in the potato cyst nematode, Heterodera rostochiensis. *Nematologica* 21(1):114-115.

Ferris, H. 1976. Observations on the distribution of Meloidogyne spp. in a vineyard soil. *J. Nematol.* 8(2):183-184.

Ferris, H. and M. V. McKenry. 1976. Nematode community structure in a vineyard soil. *J. Nematol.* 8(2):131-137.

Ferris, H., M. V. McKenry, and H. E. McKinney. 1976. Spatial distribution of nematodes in peach orchards. *Plant Dis. Reptr.* 60(1):18-22.

Ferris, V. R. and J. M. Ferris. 1974. Inter-relationships between nematode and plant communities in agricultural ecosystems. *Agro-Ecosystems* 1:275-299.

Ferris, V. R., J. M. Ferris, and C. A. Callahan. 1972. Nematode community structure a tool for evaluating water resource environments. Purdue University Water Resources Research Center, Lafayette, Indiana. No. 30.

Fuchs, E. 1975. The influence of intensity factors on the population dynamics of migratory root nematodes with special consideration of the genus Pratylenchus neglectus. Part I. Influence of sprinkler irrigation. Zentralbl. Bakt. Parasitenkd. Infektionskr. Hyg. Zweite Naturwiss. Abt. Allg. Landwirtsch. Tech. Mikrobiol. 130(7):654-672.

\_\_\_\_\_. 1975. The influence of intensity factors on the population dynamics of migratory root nematodes with special consideration of the genus Pratylenchus Filipjev, 1934. Part II. Influence of nitrogen fertilization. Zentralbl. Bakt. Parasitenkd. Infektionskr. Hyg. Zweite Naturwiss. Abt. Allg. Landwirtsch. Tech. Mikrobiol. 130(7):673-688.

Greco, N., F. Lamberti, and A. Brandonisio. 1974. Investigations on biology and epidemiology of Ditylenchus dipsaci (Kuhn) Filipjev on onion in Apulia. Nematol. mediterr. 2(2):149-157.

Hanounik, S. B. and W. W. Osborne. 1975. Population dynamics of Meloidogyne incognita on tobacco. (Abstract) Proceedings of the American Phytopathological Society 2:123.

Harrison, R. E. and G. C. Smart, Jr. 1975. Vertical distribution of Trichodorus christiei and T. proximus relative to soil moisture. (Abstract) J. Nematol. 7(4):324.

Hoffmann, John K. and D. C. Norton. 1976. Distribution patterns of some Criconematinae in different forest associations. J. Nematol. 8(1): 32-35.

van Hoof, H. A. 1975. The effect of temperature on the transmission of tobacco rattle virus in tulips by Trichodorus, using the "bait-leaf" method. Nematologica 21(1):104-108.

Huang, C. S. and Y. C. Chiang. 1975. The influence of temperature on the ability of Aphelenchoides besseyi to survive dehydration. Nematologica 21(3):351-357.

Hutton, D. G. 1975. Pineapple nematodes in Jamaica and relationship between their populations and rainfall in two areas. (Abstract) Nematropica 5(2):23-24.

Inserra, R. N., N. Vovlas, and S. Barbagallo. 1975. Observations on the vertical distribution of Tylenchulus semipenetrans Cobb in volcanic soil. Nematol. mediterr. 3(1):43-47.

Jones, F. G. W. 1975. Accumulated temperature and rainfall as measures of nematode development and activity. *Nematologica* 21(1):62-70.

\_\_\_\_\_. 1975. The soil as an environment for plant parasitic nematodes. *Ann. appl. Biol.* 79(2):113-139.

Kamionek, M. and H. Sandner. 1974. The survival of the larvae Neoaplectana carpocapsae Weiser outside an aquatic environment under various conditions of temperature and humidity. *Wiadom. Parazytol.* 20(5):723.

Kamionek, Marta, Iwona Maslana, and Henryk Sandner. 1974. The survival of invasive larvae of Neoaplectana carpocapsae Weiser in a waterless environment under various conditions of temperature and humidity. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:409-412.

Kimpinski, J. 1975. Population dynamics of Pratylenchus penetrans in red clover. (Abstract) *J. Nematol.* 7(4):325.

Krnjaic, D., S. Krnjaic, and R. Otasevic. 1973. Quiescence of wheat nematode (Anguina tritici, Steinbuch--1799, Filipjev, 1936). *Arhiv. za Poljovpredne Nauke*. Belgrade 26(96):79-85.

Krnjaic, D. and S. Krnjaic. 1974. Influence of some factors on the distribution of nematodes in soil. *Zastita Bilja*. 127:39-48.

Lyons, J. M., A. D. Keith, and I. J. Thomason. 1975. Temperature-induced phase transitions in nematode lipids and their influence on respiration. *J. Nematol.* 7(2):98-104.

de Maeseneer, J. 1973. Influence of wood-light on necrosis of Asplenium nidus-avis by Aphelenchoides fragariae (Ritzema Bos) Christie. *Med. Fac. Landbouww. Rijksuniv. Gent.* 38(1):23-26.

Mai, W. F. 1973. Ecology of soil-inhabiting and plant-parasitic nematodes. *Proceedings of the Soil Microcommunities Conference (1st)*, at Syracuse, New York on 18-20 October, 1971, 87-94.

Manolache, C., P. Pasol, E. Romascu, P. Iordan, A. Naum, D. Sadagorschi, and M. Popescu. 1974. Ecological data on the pest fauna of grapevine growing on the sands of the Platonesti Saveni Suiti area Ialomita, Romania. *An. Inst. Cercet. Prot. Plant* X:257-264.

Matveeva, M. A. 1973. Interrelationships between ecological groups of nematodes of the strawberry. *Academya Science USSR* VII:364-365.

Meagher, J. W. 1974. Cryptobiosis of the cereal cyst nematode (Heterodera avenae), and effects of temperature and relative humidity on survival of eggs in storage. *Nematologica* 20(3):323-335.

- Nelmes, A. J. and Janet S. McCulloch. 1975. Numbers of mononchid nematodes in soils sown to cereals and grasses. *Ann. appl. Biol.* 79(2): 231-242.
- Ngundo, B. W. and D. P. Taylor. 1975. Some factors affecting penetration of bean roots by larvae of Meloidogyne incognita and M. javanica. *Phytopathology* 65(2):175-178.
- Pereira, M. Carmo L. S. and M. Susana N. de A. Santos. 1974. Seasonal changes in the numbers and stages of Ditylenchus dipsaci (Kühn) Filipjev, in soil and host plants in Portugal. *Nematol. mediterr.* 2(2):91-101.
- Saeed, M. and S. H. Ashrafi. 1971. The influence of rainfall on the population of nematodes in banana fields. *Pak. J. Sci. Ind. Res.* 14(4-5):403-404.
- Schilt, Herbert G. and Eli Cohn. 1975. Pathogenicity and population increase of Paratrichodorus minor as influenced by some environmental factors. *Nematologica* 21(1):71-80.
- Seinhorst, J. W. 1975. Dynamics of the plant nematode system. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:409-421.
- Shriner, D. S. 1974. Effects of acidic precipitation of host-parasite interactions. (Abstract) *Proceedings of the American Phytopathological Society* 1:114.
- Siddiqui, Z. A. and Abrar M. Khan. 1974. Studies on the longevity of Tylenchorhynchus brassicae Siddiqui in absence of host. *Indian J. Nematol.* 4(1):97-99.
- Singh, J. and A. S. H. Rao. 1974. Quantitative estimation of viable Heterodera cajani cyst in Arhar (Cajanus cajan) field at Varanasi, India. *Indian J. Zootomy* 14(1):19-22.
- Starr, J. L. and W. F. Mai. 1976. Predicting on-set of egg production by Meloidogyne hapla on lettuce from field soil temperatures. *J. Nematol.* 8(1):87-88.
- Steele, Arnold E. 1975. Population dynamics of Heterodera schachtii on tomato and sugarbeet. *J. Nematol.* 7(2):105-111.
- Tobar-Jimenez, A., F. Palacios-Mejia, and M. Gallardo-Bernal. 1974. Distribution vertical de los nematodes de un prado natural. *Rev. Iber. Parasitol.* 34(3-4):177-184.
- Townshend, J. L. and C. F. Marks. 1975. Available soil moisture and the expression of root-lesion nematode damage in fluecured tobacco. (Abstract) *J. Nematol.* 7(4):330.

Townshend, J. L. and C. F. Marks. 1976. Available soil moisture and the expression of damage caused by Pratylenchus penetrans in fluecured tobacco. *Nematologica* 22(1):65-70.

Vigliierchio, D. R., I. A. Siddiqui, and N. A. Croll. 1973. Culturing and population studies of Ditylenchus dipsaci under monoxenic conditions. *Hilgardia* 42(6):177-213.

Vogel, Kathryn G. 1974. Temperature and length of life in Turbatrix acetii. *Nematologica* 20(3):361-362.

Wasilewska, Lucyna. 1974. Vertical distribution of nematodes in the soil of dunes in the Kampinos forest. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:203-212.

\_\_\_\_\_. 1974. Quantitative evaluation of the occurrence of nematodes in meadow soil from the surroundings of Sofia (Bulgaria). *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:213-225.

\_\_\_\_\_. 1974. Number, biomass, and metabolic activity of nematodes of two cultivated fields in Turew. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:419-442.

Weaver, D. J. and E. J. Wehunt. 1974. Effect of soil pH on susceptibility of peach seedlings to Pseudomonas syringae. (Abstract) *Proceedings of the American Phytopathological Society* 1:73.

\_\_\_\_\_. 1975. Effect of soil pH on susceptibility of peach to Pseudomonas syringae. *Phytopathology* 65(9):984-989.

Weischer, Bernhard. 1975. Ecology of Xiphinema and Longidorus. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:291-307.

Winfield, A. L. and D. A. Cooke. 1975. The ecology of Trichodorus. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:309-341.

Yeates, G. W. 1974. Studies on a climosequence of soils in tussock grasslands 2. Nematodes. *New Zealand Journal of Science* 17(2):171-177.

Yoshihara, T. and K. Kegasawa. 1974. Studies on the influence of soil moisture conditions on soybean cyst nematodes Heterodera glycines. II. Nematode development and soybean growth in the surface soil and subsoil of the well-drained volcanic ash soil of the Tokachi region under two moisture levels. *Res. Bull. Hokkaido Natl. Agric. Exp. Stn.* 109:19-26.

Zullini, Aldo. 1975. Ecologia dei nematodi del suolo (Ecology of soil nematodes). *Dell'Istituto Lombardo-Accademia de Scienze e Lettere* XXVI(6):289-380.

Zullini, Aldo. 1976. Nematodes as indicators of river pollution. *Nematol. medit.* 4(1):13-22.

#### DISEASE ASSOCIATIONS

Adeniji, M. O., D. I. Edwards, J. B. Sinclair, and R. B. Malek. 1975. Interrelationships of Heterodera glycines and Phytophthora megasperma var. sojae in soybeans. *Phytopathology* 65(6):722-725.

Agarwal, D. K. and B. K. Goswami. 1973. Interrelationships between a fungus Macrophomina phaseoli (Maubl.) Ashby and root-knot nematode Meloidogyne incognita (Kofoid and White) Chitwood in soybean (Glycine max (L.) Merrill. *Proc. Indian Nat'l. Science Academy, Part B (Biol. Sci.)* 39(6):701-704.

Anwar, S. A. and I. U. Khan. 1973. Some studies on cotton-wilt complex. *J. Agric. Res. (Punjab)* 11(4):94-98.

Balakhnina, V. P. 1973. Nematodes and snow mold on winter wheat sowings. *Byull. Vses. Inst. Gel'mintol.* 11:8-10.

\_\_\_\_\_. 1973. Nematodes of winter wheat plants damaged by snow mold and of externally healthy plants. *Byull. Vses. Inst. Gel'mintol.* 11:16-20.

Baldwin, J. G., K. R. Barker, and L. A. Nelson. 1975. Interactions of Meloidogyne incognita with Rhizobium japonicum and soybean. (Abstract) *J. Nematol.* 7(4):319.

Bergeson, G. B. 1975. The effect of Meloidogyne incognita on the resistance of four muskmelon varieties to Fusarium wilt. *Plant Dis. Repr.* 59(5):410-413.

Bird, G. W. 1975. Occurrence of spores of endomycorrhizal fungi in Michigan agricultural soils. (Abstract) *Proceedings of the American Phytopathological Society* 2:28.

de Bokx, J. A. and J. C. Mooi. 1974. Methods of quality assessment of seed potatoes. *Potato Res.* 17(4):410-433.

Brunt, A. A. 1975. Viruses and virus diseases of irises in Britain. *Acta Horticulturae* 47:45-50.

Caveness, F. E., R. M. Gilmer, and R. J. Williams. 1975. Transmission of cowpea mosaic Xiphinema basiri in Western Nigeria. *NATO Advanced Study Institutes Series, Series A: Life Sciences* 2:289-290.

- Cook, R. 1975. Invasion and development of the cereal cyst-nematode Heterodera avenae in roots of barley infected by the take-all fungus Gaeumannomyces graminis. Ann. appl. Biol. 81(3):349-351.
- Cooper, J. I. 1975. Some non-rosaceous trees and shrubs as hosts to nematode-borne viruses. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:277-278.
- Cotten, J. 1975. Virus vector species of Xiphinema and Longidorus in relation to certification schemes for fruit and hops in England. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:283-285.
- Dhanvantari, B. N., P. W. Johnson, and V. A. Dirks. 1975. The role of nematodes in crown gall infection of peach in southwestern Ontario. Plant Dis. Reptr. 59(2):109-112.
- Elgin, Jr., J. H., D. W. Evans, and L. R. Faulkner. 1975. Swelling response of alfalfa seedlings to initial stem nematode infection. Crop Sci. 15(3):435-437.
- Fukuru, N. 1975. Effect of Meloidogyne incognita on Pythium aphanidermatum infection. Ann. Phytopathology Soc. Japan 41(1):112-113.
- Garcia, R. and D. J. Mitchell. 1974. Interactions of Pythium myriotylum with several fungi, and with Meloidogyne arenaria in peanut pod rot and pre-emergence damping-off. (Abstract) Proceedings of the American Phytopathological Society 1:122.
- \_\_\_\_\_. 1975. Synergistic interactions of Pythium myriotylum with Fusarium solani and Meloidogyne arenaria in pod rot of peanut. Phytopathology 65(7):832-833.
- \_\_\_\_\_. 1975. Interactions of Pythium myriotylum with Fusarium solani, Rhizoctonia solani, and Meloidogyne arenaria in pre-emergence damping-off of peanut. Plant Dis. Reptr. 59(8):665-669.
- Gayed, S. K. and M. C. Watson. 1975. Diseases of flue-cured tobacco in Ontario and estimates of disease losses, 1972-73. Can. Plant Dis. Survey 55(1):31-35.
- Germani, G., J. C. Thouvenel, and M. Dhery. 1975. Le rabougrissement de l'arachide: une maladie a virus au Senegal et en Haute-Volta. Oleagineux 30(6):259-266.
- Golden, J. K. and S. D. Van Gundy. 1975. A disease complex of okra and tomato involving the nematode, Meloidogyne incognita, and the soil-inhabiting fungus, Rhizoctonia solani. Phytopathology 65(3):265-273.



- Goswami, B. K. and V. V. Chenulu. 1974. Interaction of root-knot nematode, Meloidogyne incognita and tobacco mosaic virus in tomato. Indian J. Nematol. 4(1):69-80.
- Goswami, B. K., Shamsher Singh, and V. S. Verman. 1974. Interaction of a mosaic virus with root-knot nematode Meloidogyne incognita in Vigna sinensis. Nematologica 20(3):366-367.
- Hazarika, B. P. and A. K. Roy. 1974. Effect of Rhizoctonia solani on the reproduction of Meloidogyne incognita on egg plant. Indian J. Nematol. 4(2):246-248.
- Irwin, Roger D., Harold J. Jensen, and Parviz Jatala. 1974. The role of transplant injury and nematodes in development of black rot of cabbage. Proceedings of the American Phytopathological Society 1:69.
- Jenkins, Jr., S. F. 1974. Interaction of Pseudomonas solanacearum and Meloidogyne incognita on bacterial wilt resistant and susceptible cultivars of egg plant. (Abstract) Proceedings of the American Phytopathological Society 1:69.
- Kappelman, Jr., A. J. 1975. Correlation of Fusarium wilt of cotton in the field and greenhouse. Crop. Sci. 15(2):270-272.
- Kerry, B. R. 1975. Fungi and the decrease of cereal cyst-nematode populations in cereal monoculture. EPPO Bull. 5(4):353-361.
- Khan, I. U. 1958. Present status of investigations on root-rot of cotton. The Pakistan Cottons, pages 44-53.
- Khurana, S. M. P., B. K. Goswami, and S. P. Raychaudhuri. 1970. Interaction of maize mosaic with root-knot nematode Meloidogyne incognita (Kofoed & White) Chitwood in maize (Zea mays L.). Phytopathol. Z. 69(3):267-272.
- Kobayashi, T., K. Sasaki, and A. Y. Mamiya. 1975. Fungi associated with Bursaphelenchus lignicolus, the pine wood nematode. Part 2. J. Japan. For. Soc. 57(6):184-193.
- Kondakova, E. I. and V. I. Belokurskaya. 1973. Fungal damage of Heterodera rostochiensis cysts. Byull. Vses. Inst. Gel'mintol. 11:43-46.
- Konya, S. and K. Mineo. 1975. Wilting of pines by Bursaphelenchus lignicolus. (Abstract) Ann. Phytopathology Soc. Japan 41(1):92.
- Lamberti, Franco. 1970. Danni da nematodi in prati di una zona residenziale nei pressi di Bari. Informatore Fitopatologica XX(15-16): 8-9.

- Maas, P. W. Th. and Th. Klaare. 1973. Rotylenchulus reniformis and Verticillium albo-atrum on Codiaeum variegatum. Med. Fac. Landbouww. Rijksuniv. Gent. 38(3, Part 1):1291-1296.
- Majumdar, A. and B. K. Goswami. 1974. Studies on the interaction of a fungus Macrophomina phaseolina and root-knot nematode Meloidogyne incognita in jute (Corchorus capsularis L.). Labdev. J. Sci. Technol. Part B, Life Sci. 12(2):64-66.
- Martelli, G. P. 1975. Some features of nematode-borne viruses and their relationship with the host plants. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:223-252.
- Mayee, C. D., R. Mahajan, and J. S. Kanwar. 1974. Relationship of leaf curl virus and root-knot nematode incidence in some tomato hybrids. Nematol. medit. 2(2):181-182.
- McElroy, F. D. 1975. Nematode transmitted viruses in British Columbia, Canada. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:287-288.
- McGuire, J. M. and L. B. Douthit. 1975. Acquisition and transmission of tobacco ringspot virus to soybean by Xiphinema americanum. (Abstract) Proceedings of the American Phytopathological Society 2:43.
- McIntyre, John L. and P. M. Miller. 1974. Decrease in the incidence of tobacco black shank by root infestations of Pratylenchus penetrans. (Abstract) Proceedings of the American Phytopathological Society 1:140-141.
- Miller, P. M. 1975. Effect of the tobacco cyst nematode Heterodera tabacum, on severity of Verticillium and Fusarium wilts of tomato. Phytopathology 65(1):81-82.
- Mojtahedi, H., B. F. Lownsbery, and E. H. Moody. 1975. Ring nematodes increase development of bacterial cankers in plums. Phytopathology 65(5):556-559.
- de Moura, R. M., E. Echandi, and N. T. Powell. 1975. Interaction of Corynebacterium michiganense and Meloidogyne incognita on tomato. Phytopathology 65(12):1332-1335.
- Naqvi, S. Qamar A. and Mashkoor Alam. 1975. Influence of brinjal mosaic virus on the population of Tylenchorhynchus brassicae and Rotylenchulus reniformis around eggplant roots. Geobios 2(4):120-121.
- Pitcher, R. S. 1975. Nettlehead and related hop diseases associated with the hop strain of arabis mosaic virus and its vector Xiphinema diversicaudatum. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:281.

Rich, Saul and Gerald S. Walton. 1975. Decline of sugar maples along streets in Connecticut. (Abstract) Proceedings of the American Phytopathological Society 2:104-105.

Riffle, Jerry W. 1975. Two Aphelenchoides species suppress formation of Suillus granulatus ectomycorrhizae with Pinus ponderosa seedlings. Plant Dis. Repr. 59(12):951-955.

Roca, F., G. P. Martelli, F. Lamberti, and G. L. Rana. 1975. Distribution of Longidorus attenuatus Hooper in Apulian artichoke fields and its relationship with artichoke Italian latent virus. Nematol. medit. 3(1):91-101.

Roca, F., G. P. Martelli, and G. L. Rana. 1975. Distribution of artichoke Italian latent virus and its nematode vector in Apulia. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:279-280.

Romascu, E. and N. Zinca. 1974. Xiphinema index Thorne et Allen, 1950. A new damaging pest of grapevines in Romania (Nematoda: Dorylaimidae). An. I.C.P.P. 10:273-283.

Saeed, Manzoor, Mohd Ahmad, and Hanif Ahamd Khan. 1972. A complex disease of tomato and papaya caused by nematode-fungi association in Pakistan. Pakistan J. Sci. Ind. Res. 15(4-5):312-313.

Schenck, N. C., R. A. Kinloch, and D. W. Dickson. 1974. Interaction of endomycorrhizal fungi and root-knot nematode of soybean. (Abstract) Proceedings of the American Phytopathological Society 1:69.

Shlepetene, Y. A., V. S. Kosovets, and N. V. Matskevich. 1973. Effect of the parasitic fungus Arthrobotrys oligospora on the number and species composition of soil nematodes. Byull. Vses. Inst. Gel'mintol. 11:83-88.

Siddiqi, M. A. 1976. Ninde (Aeolanthus gamwelliae) root rot in Malawi. Plant Dis. Repr. 60(7):578-580.

Sitaramaiah, K. and R. S. Singh. 1975. Mononchus sp. as carriers of Rhizobium japonicum in soybean field. (Abstract) J. Nematol. 7(4):330.

Skarbilovich, T. S. and S. K. Khurramov. 1973. Nematode infestation of sugarcane and soybean. Byull. Vses. Inst. Gel'mintol. 11:80-82.

Sutherland, J. R. and L. J. Sluggett. 1975. Corky root disease: Population fluctuations of Xiphinema bakeri nematodes, and disease severity in forest nursery soil cropped with different seedling species. Can. J. For. Res. 5(1):97-104.

Sweet, J. B. 1975. Strawberry latent ringspot virus in glasshouse roses. *Ann. appl. Biol.* 24(2):93-96.

Taylor, C. E. and W. M. Robertson. 1975. Acquisition, retention, and transmission of viruses by nematodes. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:253-276.

Taylor, C. E., W. M. Robertson, and F. Roca. 1976. Specific association of artichoke Italian latent virus with the odontostyle of its vector, Longidorus attenuatus. *Nematol. mediterr.* 4(1):23-30.

Vovlas, C. and F. Roca. 1975. Nematode transmission of the causal agent of chicory chlorotic ringspot, a strain of artichoke Italian latent virus. *Nematol. mediterr.* 3(1):83-90.

Vovlas, Nikos, Apostolo Avgelis, and Mariapia D'urso. 1973. Nematodes and viruses causing serious injuries to anemone in Southern Italy. *Informatore Fitopatologico* XXIII(8):19-22.

Walker, G. E. and H. R. Wallace. 1975. The influence of root-knot nematode (Meloidogyne javanica) and tobacco ringspot virus on the growth and mineral content of French beans (Phaseolus vulgaris). *Nematologica* 21(4):455-462.

Weischer, Bernhard. 1975. Further studies on the population development of Ditylenchus dipsaci and Aphelenchoides ritzemabosi in virus-infected and virus-free tobacco. *Nematologica* 21(2):213-218.

Westcott, III, S. W. and K. R. Barker. 1976. Interaction of Acrobeloides buetschlii and Rhizobium leguminosarum on Wando pea. *Phytopathology* 66(4):468-472.

Yakimenko, G. F. and V. P. Efremenko. 1973. Interrelationship between the onion stem nematode and the fungus Peronospora schleidenii. *Byull. Vses. Inst. Gel'mintol.* 11:105-107.

Yang, Henry, N. T. Powell, and K. R. Barker. 1976. Interactions of concomitant species of nematodes and Fusarium oxysporum f. sp. vasinfectum on cotton. *J. Nematol.* 8(1):74-80.

\_\_\_\_\_. 1976. The influence of Trichoderma harzianum on the root-knot Fusarium wilt complex in cotton. *J. Nematol.* 8(1):81-86.

## HOST-PARASITE RELATIONS

- Acosta, Nelia and Alejandro Ayala. 1975. Pathogenicity of Pratylenchus coffeae, Scutellonema bradys, Meloidogyne incognita, and Rotylenchulus reniformis on Dioscorea rotundata. J. Nematol. 7(1):1-6.
- Adamo, J. A., T. A. Chen, and C. P. Madamba. 1975. Chemical attraction and the vertical migratory behavior of the rice white-tip nematode, Aphelenchoides besseyi. (Abstract) Proceedings of the American Phytopathological Society 2:93.
- Adesiyan, S. O., R. A. Odihirin, and M. O. Adeniji. 1975. Histopathology studies of the yam tuber (Dioscorea rotundata Poir.) infected with Scutellonema bradys (Steiner & Le Hew). Int. Biodetn. Bull. 11(2):48-55.
- Alam, M. Mashkoor, Najmul Hasan, and S. K. Saxena. 1974. Effect of root-knot nematode Meloidogyne incognita on water absorption capability of tomato roots. Indian J. Nematol. 4(2):244-246.
- Alam, M. Mashkoor and S. K. Saxena. 1975. Effect of Tylenchorhynchus brassicae on the water absorption capacity of roots. Geobios 2(5):161-162.
- Alby, T. and C. C. Russell. 1975. Attractiveness of selected grasses and ornamentals to Helicotylenchus digonicus. (Abstract). J. Nematol. 7(4):319.
- de Almeida, Rogerio Tavares. 1972. Behavior of varieties of tomato (Lycopersicon esculentum Mill.) to Fusarium x Meloidogyne complex. Rev. Soc. Brasil. Fitopatologia 5:11-17.
- Amosu, J. O. and D. P. Taylor. 1974. Interaction of Meloidogyne hapla, Pratylenchus penetrans, and Tylenchorhynchus agri on Kenland red clover, Trifolium pratense. Indian J. Nematol. 4(2):124-131.
- \_\_\_\_\_. 1974. Stimulation of growth of red clover by Tylenchorhynchus agri. Indian J. Nematol. 4(2):132-137.
- Anderson, R. V. and J. R. Byers. 1975. Ultrastructure of the esophageal procropus in the plant parasitic nematode, Tylenchorhynchus dubius, and functional aspects in relation to feeding. Canadian J. Zoology 53(11):1581-1595.
- Anon. 1975. Nematode parasitizes boll weevil. World Farming 17(2):12.
- Anwar, S. A. and G. Q. Chaudhary. 1973. Nematode associated with eggplant (Solanum melongena) roots. J. Agric. Res. 11(4):93.

- Anwar, S. A., G. Q. Chaudhary, and N. A. Chaudhary. 1973. Nematodes of sugarcane. *J. Agric. Sci.* 11(4):99-100.
- Anwar, S. A., N. A. Chaudhary, and G. Q. Chaudhary. 1973. A preliminary report of nematodes found in red pepper (Capsicum annum) in the Punjab. *J. Agric. Res.* 11(2):112.
- Anwar, S. A. 1974. Root-knot nematode of cotton. (Abstract) *Proc. Pak. Sci. Conf.* 25(3):A-13, A-14.
- Aycock, R., K. R. Barker, and D. M. Benson. 1976. Susceptibility of Japanese holly to Criconeimoides xenoplax, Tylenchorhynchus claytoni, and certain other plant-parasitic nematodes. *J. Nematol.* 8(1):26-31.
- Bacci Del Bene, Giovanna. 1974. Host plants of the bean race of Ditylenchus dipsaci. *Redia* 55:99-108.
- Barker, K. R. and R. S. Hussey. 1976. Histopathology of nodular tissues of legumes infected with certain nematodes. *Phytopathology* 66(7):851-855.
- Barker, K. R., P. B. Shoemaker, and L. A. Nelson. 1976. Relationships of initial population densities of Meloidogyne incognita and M. hapla to yield of tomato. *J. Nematol.* 8(3):232-239.
- Bernard, E. C. and C. W. Laughlin. 1976. Relative susceptibility of selected cultivars of potato to Pratylenchus penetrans. *J. Nematol.* 8(3):239-242.
- Bhatti, D. S. and D. C. Gupta. 1973. Population of Tylenchorhynchus sp. in grapes. *Hau J. Res. Hissar.* III(3):193-194.
- Bhatti, D. S. and J. N. Sasser. 1974. Histopathology of Kobe lespedeza roots infected with Heterodera lespedezae. *Indian J. Nematol.* 4(1):20-24.
- Birchfield, W. and Hiriyati Abdullah. 1975. Histological responses of resistant and susceptible soybean to reniform nematode infection. (Abstract) *Proceedings of the American Phytopathological Society* 2:36.
- Bird, G. W., C. Coley, M. Sarette, and E. Meister. 1975. Potential of heuristic models for development of nematology research properties. (Abstract) *Nematropica* 5(2):19.
- Boag, B. 1974. Nematodes associated with forest and woodland trees in Scotland. *Ann. appl. Biol.* 77(1):41-50.

Brathwaite, C. W. D. 1975. Occurrence of plant parasitic nematodes on sugarcane in Barbados. (Abstract) *Nematropica* 5(2):19.

\_\_\_\_\_. 1976. Plant-parasitic nematodes associated with sugarcane in Barbados. *Plant Dis. Repr.* 60(4):294-295.

Braun, A. L. and B. F. Lownsbury. 1975. The pin nematode, Paratylenchus neoamblycephalus, on Myrobalan plum and other hosts. *J. Nematol.* 7(4):336-343.

Bridge, J. 1973. Nematodes as pests of yams in Nigeria. *Med. Fac. Landbouww. Rijksuniv. Gent.* 38:841-852.

\_\_\_\_\_. 1975. Plant parasitic nematodes from the lowlands and highlands of Ecuador. (Abstract) *Nematropica* 5(2):19-20.

Bridge, J., E. Jones, and L. J. Page. 1976. Meloidogyne acronea associated with reduced growth of cotton in Malawi. *Plant Dis. Repr.* 60(1):5-7.

Brown, E. B. and G. B. Sykes. 1975. Studies on the relation between density of Longidorus elongatus and yield of barley and potatoes. *Pl. Path.* 24(4):221-223.

Brzeski, Michal W. 1974. The reaction of carrot cultivars to Meloidogyne hapla Chitw. infestation. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:173-181.

Campos, A. R., L. G. E. Lordello, O. C. Abreu, and D. A. Oliveira. 1974. Incidencia de nematoides do genero Meloidogyne em variedades de amoreira. *Soc. Bras. Nematol.* 1:3-12.

Caubel, G. 1973. Problems poses par le nematode des tiges (Ditylenchus dipsaci (Kuhn)) en culture de mais (Problems posed by the stem nematodes D. dipsaci (Kuhn) in corn culture). *C. R. Seances Acad. Agric. Fr.* 8:627-640.

\_\_\_\_\_. 1973. The effect of the date of maize sowing on early lodging of plants caused by stem invading nematode Ditylenchus dipsaci. *Sci. Agron. Rennes*, pages 101-107.

Chapman, R. A. 1975. Soybean and red clover as hosts of soybean and clover cyst nematodes. (Abstract) *Proceedings of the American Phytopathological Society* 2:132.

Cho, J. J. and W. J. Apt. 1975. The root-knot nematode on proteas in Hawaii. (Abstract) *Proceedings of the American Phytopathological Society* 2:45.

- Cohn, E. 1971-1974. Nematodes on grapevines. Institute of Plant Protection scientific activities, 1971-1974, p.129.
- Cohn, E. and H. G. Schilt. 1971-1974. Pathogenicity of new nematodes. Institute of Plant Protection scientific activities, 1971-1974, p.129.
- Cohn, E. and M. Mordechai. 1974. Specificity of Longidorus cohnii as a pathogen of oats. *Phytoparasitica* 2(1):45-46.
- Cohn, E. 1975. Relations between Xiphinema and Longidorus and their host plants. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:365-386.
- Cuany, A. and A. Dalmasso. 1975. Characters and specificity of two biological races of Heterodera on Dianthus caryophyllus. *Nematol. medit.* 3(1):11-21.
- Doane, J. F., Jakob Klinger, and H. E. Welch. 1972. Parasitism of Agriotes obscurus Linneaus (Coleoptera:Elateridae) by Hexameris sp. (Nematoda:Mermithidae). *Mitteilungen Der Schweizerischen Entomologischen Gesellschaft Bulletin De La Societe Entomologique Suisse* 45(4):299-300.
- Doncaster, C. C. and M. K. Seymour. 1974. Passive ingestion in a plant nematode, Hexatylus viviparus (Neotylenchidae:Tylenchida). *Nematologica* 20(3):297-307.
- Edmunds, J. E. 1971. Association of Rotylenchulus reniformis with 'Robusta' banana and Commelina sp. roots in the Windward Islands. *Trop. Agric.* 48(1):55-61.
- Eguiguren, R., A. Oleas, and R. Silva. 1976. Relationship between population density of Heterodera sp. and potato yields. *Nematropica* 6(1):9-12.
- Ellis, S. E. and J. A. M. Brown. 1976. The reaction of resistant cultivars of barley to some Australian populations of Heterodera avenae. *Nematologica* 22(1):87-93.
- Endo, B. Y. 1975. Pathogenesis of nematode-infection plants. *Ann. Rev. of Phytopathology* 13:213-238.
- Evans, K., K. J. Parkinson, and D. L. Trudgill. 1975. Effects of potato cyst-nematodes on potato plants. III. Effects on the water relations and growth of a resistant and a susceptible variety. *Nematologica* 21(3):273-280.
- Ferris, H. and M. V. McKenry. 1975. Relationship of grapevine yield and growth to nematode densities. *J. Nematol.* 7(3):295-304.



Freire, F. C. Oliveira, Ana Maria Diogenes, and J. Julio da Ponte. 1972. The parasitism of root-knot nematodes Meloidogyne javanica and M. incognita on pasture legume plants. Rev. Soc. Brasil. Fitopatologia 5:27-32.

Gabert, Jim and Jake Gruis. 1975. Nematodes--Their effects on turf-grasses. Turf-Grass Times 11(3):32-33.

Gallo D, Pedro. 1974. Nematofauna asociada al cultivo del oregano, Origanum vulgare L. en el departamento de Arica. Idesia 3:211-214.

Gausman, H. W., C. M. Heald, Jr., and D. E. Escobar. 1975. Effects of Rotylenchulus reniformis on reflectance of cotton plant leaves. J. Nematol. 7(4):368-374.

Greco, N. 1976. Weed hosts of Ditylenchus dipsaci in Apulia. Nematol. medit. 4(1):99-102.

Greco, N., F. Lamberti, and A. Brandonisio. 1976. Susceptibility of three onion varieties to Ditylenchus dipsaci. Nematol. medit. 4(1): 57-62.

Griffin, G. D. 1975. Parasitism of nonhost cultivars by Ditylenchus dipsaci. J. Nematol. 7(3):236-238.

Griffin, G. D. and J. H. Elgin, Jr. 1975. Comparisons of pathology caused by Meloidogyne hapla on alfalfa selections. (Abstract) J. Nematol. 7(4):323.

Griffin, G. D., O. J. Hunt, and J. J. Murray. 1975. Pathogenicity of Ditylenchus dipsaci to Sainfoin (Onobrychis viciaefolia Scop). J. Nematol. 7(1):93-94.

de Grisse, A. and J. P. Roman. 1974. Ultrastructure of the vulva region in Merlinius icarus nematoda Dolichodoridae. Med. Fac. Landbouww. Rijksuniv. Gent. 39(2, Part 1):669-700.

Grujicic, G. 1969. Occurrence and harmfulness of parasitic nematodes on corn in Serbia. Contemporary Agr. 17(5/6):293-298.

Van Gundy, S. D. and J. D. Kirkpatrick. 1975. Nematode-nematode interactions on tomato. (Abstract) J. Nematol. 7(4):330-331.

Haddad, G. O., Julia A. Meredith, and G. J. Martinez R. 1975. Parasitic nematodes associated with cultivars and clones of banana and plantain in Venezuela. Nematropica 5(2):33-39.

Haider, M. G., R. P. Nath, and S. S. Prasad. 1975. Effect of Hoplolaimus indicus on germination of green gram. Current Sci. 44(1): 28-29.

Hanounik, S. B. and W. W. Osborne. 1975. The relationships between population density of Meloidogyne incognita and nicotine content of tobacco. (Abstract) Proceedings of the American Phytopathological Society 2:123.

Hanounik, S. B., W. W. Osborne, and W. R. Pirie. 1975. Relationships between the population density of Meloidogyne incognita and growth of tobacco. J. Nematol. 7(4):352-356.

Heald, C. M. 1975. Pathogenicity and histopathology of Rotylenchulus reniformis infecting cantaloup. J. Nematol. 7(2):149-152.

Hirling, W. 1974. Umfallkrankheit beim Mais durch Ditylenchus dipsaci Befall. Anz. Schadlingskd. Pflanzenschutz. 47(3):33-39.

\_\_\_\_\_ 1974. Schäden an mais durch das Getreidezystenälchen (Heterodera avenae) und die untersuchungstechnik für den nachweis des befalls. Gesunde Pflanz. 36(3):58-62.

Hogger, C. H. and G. W. Bird. 1976. Weed and indicator hosts of plant-parasitic nematodes in Georgia cotton and soybean fields. Plant Dis. Reprtr. 60(3):223-226.

Hollis, J. P. 1974. Concept and terminology in nematode-plant relations. (Abstract) Proceedings of the American Phytopathological Society 1:71.

Huijsman, C. A. 1974. Host-plants of Heterodera rostochiensis Woll. and the breeding for resistance. Bull. OEPP 4(4):501-510.

Hutton, D. G. and J. L. Hammerton. 1975. Investigating the role of Rotylenchulus reniformis in a decline of pigeon pea. (Abstract) Nematropica 5(2):24.

Ibrahim, I. K. A. and Samia I. Massoud. 1974. Development and pathogenesis of a root-knot nematode, Meloidogyne javanica. Proc. Helm. Soc. Wash. 41(1):68-72.

Inserra, R. and N. Vovlas. 1974. Damage by Pratylenchus vulnus to sour orange in Apulia. Nematol. mediterr. 2(2):183-185.

Inserra, R., N. Vovlas, F. Lamberti, and T. Bleve. 1975. Plant parasitic nematodes associated with declining olive trees in southern Italy. The Fourth Congress of the Mediterranean Phytopathological Union, Zadar, Oct. 5-11, 1975, p.137.

Ismail, Waseem and M. Mashkoo Alam. 1975. Inhibition in the water absorption capability of castor and tomato roots by the infection of the reniform nematode, Rotylenchulus reniformis Linford & Oliveira, 1940. Geobios 2(1):23-24.

Ivanova, B. P. 1975. Susceptibility of some agricultural crops to the nematode Ditylenchus destructor. Vvestsi Akad. Navuk BSSR Syer Syel' skakhaspad Nauk 1:62-64.

Ivanova, I. V. 1973. Weed infestation by the nematode Ditylenchus destructor. Byull. Vses. Inst. Gel'mintol. 11:39-42.

Jatala, P., E. R. French, and L. Gutarra. 1975. Interrelationships of Meloidogyne incognita acrita and Pseudomonas solanacearum on potatoes. (Abstract) J. Nematol. 7(4): 325.

Jatala, Parviz and H. J. Jensen. 1976. Self-interactions of Meloidogyne hapla and of Heterodera schachtii on Beta vulgaris. J. Nematol. 8(1):43-48.

\_\_\_\_\_ 1976. Parasitism of Beta vulgaris by Meloidogyne hapla and Heterodera schachtii alone and in combination. J. Nematol. 8(3):200-205.

Jenkins, S. F. and C. H. Miller. 1975. Interrelationships between Alternaria solani and Meloidogyne species on tomato. (Abstract) Proceedings of the American Phytopathological Society 2: 135.

Jimenez Roco, Mauricio. 1974. Contribucion al conocimiento de los nematodos del departamento de Arica. Coleccion de nematodos fitofagos. (Tercera parte). Idesia 3:9-26.

Jones, F. G. W. 1974. Host parasite relationships of potato cyst-nematodes: A speculation arising from the gene for gene hypothesis. Nematologica 20(4):437-443.

Jones, M. G. K. and V. H. Dropkin. 1975. Scanning electron microscopy of syncytial transfer cells induced in roots by cyst-nematodes. Physiol. Plant Pathol. 7:259-263.

Joshi, M. M., I. K. Ibrahim, and J. P. Hollis. 1975. Oxygen release from rice seedlings: Effect of Meloidogyne incognita and Helminthosporium oryzae infections. Acta Phytopathologica Academiae Scientiarum Hungaricae 10(1-2):51-53.

Joshi, M. M. and J. P. Hollis. 1976. Pathogenicity of Tylenchorhynchus martini swarmers to rice. Nematologica 22(1):123-124.

Kaplan, David T., R. A. Rohde, and Terry A. Tattar. 1976. Leaf diffusive resistance of sunflowers infected by Pratylenchus penetrans. Phytopathology 66(8):967-969.

Khuong, N. B. and G. C. Smart, Jr. 1975. The effects of Belonolaimus longicaudatus on growth of collard, kale, and cauliflower. Plant Dis. Reprtr. 59(10):819-822.

- Kilpatrick, R. A., Lucy Gilchrist, and A. M. Golden. 1976. Root knot on wheat in Chile. *Plant Dis. Reptr.* 60(2):135.
- Kimpinski, J. 1975. Nematodes associated with vegetables in Prince Edward Island, Canada. *Plant Dis. Reptr.* 59(1):37-39.
- Kirby, M. F., D. W. Dickson, and G. C. Smart, Jr. 1975. Physiological variation within species of Meloidogyne occurring in Florida. *Plant Dis. Reptr.* 59(4):353-356.
- Kir'yanova, E. S. and N. A. Lobanova. 1975. A potato parasite. *Zashch. Rast.* 9:49.
- Lamberti, Franco. 1973. Presence of Pratylenchus penetrans on declining date palms in Algeria. *Laboratorio di Nematologia Agraria del C.N.R. Bari, Italia* 63-65.
- Lamberti, F. and N. Greco. 1974. Host-plants of Ditylenchus dipsaci (Kühn) Filipjev in Apulia. *Nematol. medit.* 2(2):159-164.
- Lamberti, F., N. Vovlas, and A. Tirro. 1976. Infectivity and pathogenicity of three Italian populations of Tylenchulus semipenetrans Cobb on different hosts. *Nematol. medit.* 4(1):85-91.
- \_\_\_\_\_. 1976. An Italian biotype of the citrus nematode. *Nematol. medit.* 4(1):117-120.
- Lewis, Stephen A. and Fred H. Smith. 1976. Host plants, distribution, and ecological associations of Hoplolaimus columbus. *J. Nematol.* 8(3):264-270.
- Lewis, Stephen A., F. H. Smith, and W. M. Powell. 1976. Host-parasite relationships of Hoplolaimus columbus on cotton and soybean. *J. Nematol.* 8(2):141-145.
- Lordello, Luiz Gonzaga E. 1974. Observations on the incidence of nematodes in a corn plantation. *Soc. Bras. Nematol.* 1:33-36.
- \_\_\_\_\_. 1974. Observations on a nematode parasitic on Actinidia chinensis. *Rev. Bras. Biol.* 34(1):99-100.
- Lordello, L. G. E., F. F. Carneiro, E. K. Rebel, J. A. Guidolin, and R. R. A. Lordello. 1974. Identification of nematodes on coffee trees in the state of Parana. *Soc. Bras. Nematol.* 1:16-24.
- Lordello, L. G. E. and A. R. Monteiro. 1974. Preliminary data on a nematode damaging to the coffee tree. *Soc. Bras. Nematol.* 1:13-15.

- de Maeseneer, J. 1973. Impatiens sultanii, a new host plant of Pratylenchus penetrans (Cobb) Filipjev and Stekhoven. Med. Fac. Landbouww. Rijksuniv. Gent. 38(1):77-80.
- Maggenti, Armand R. and David R. Viglierchio. 1975. Sequoia sempervirens and Sequoiadendron giganteum: Hosts of common plant-parasitic nematodes of California. Plant Dis. Reptr. 59(2):116-119.
- Malek, R. B. and J. D. Smolik. 1975. Effect of Xiphinema americanum on growth of shelterbelt trees. Plant Dis. Reptr. 59(2):144-148.
- Mammen, K. V. 1974. Meloidogyne javanica (Treub, 1885) Chitwood, 1949 and Hoplolaimus indicus Sher, 1963 associated with sugarcane in Kerala. Agric. Res. J. Kerala 12(2):208.
- Mancini, Gennaro and Federico Moretti. 1974. Rotylenchus buxophilus Golden, 1956 on Hydrangea hortensia Sieb. Redia 55:219-220.
- Matthews, E. G. 1975. The Mediterranean beetle Blaps polychresta Forskal in South Australia (Tenebrionidae). South Australian Naturalist 49(3):35-39.
- McGawley, E. C. and R. A. Chapman. Population development of the ring nematode, Criconeimoides simile, on soybean. (Abstract) Proceedings of the American Phytopathological Society 2:138.
- Meredith, Julia A. and G. Perez N. 1975. Plant parasitic nematode genera associated with sesame. Nematropica 5(2):44-46.
- Milkus, B. N., P. M. Shterenberg, and D. S. Cherevkova. 1975. Nematodes of the genus Xiphinema (Longidoridae) on vineyards of South Ukraine. Zool. Zh. 54(8):1248-1250.
- Miller, P. M. 1975. Effect of Pratylenchus penetrans on subsequent growth of tomato plants. Plant Dis. Reptr. 59(10):866-867.
- Miller, P. M. and J. L. McIntyre. 1975. Tylenchorhynchus claytoni feeding on tobacco roots inhibits entry of Pratylenchus penetrans. (Abstract) J. Nematol. 7(4):327.
- Milne, D. L., Margaret R. Appleton, and L. C. Holtzhausen. 1975. The anatomical reaction of Litchi chinensis roots attacked by three nematode species and a soil mite. Phytophylactica 7:15-20.
- Milne, D. L. and D. P. Keetch. 1975. Host plants of Radopholus similis in Natal. (Abstract) Nematropica 5(2):25.
- \_\_\_\_\_ 1975. Some observations on the host plant relationships of Radopholus similis in Natal. Nematropica 6(1):13-17.

- Milne, D. L. and E. A. de Villiers. 1975. Nematodes of citrus, banana, mango, papaya, litchi, granadilla, and pineapple in South Africa and their control. (Abstract) *Nematropica* 5(2):25-26.
- Minier, Lee N. and Thomas P. Bonner. 1975. Cuticle formation in parasitic nematodes: Ultrastructure of molting and the effects of Actinomycin-D. *J. Ultrastructure Res.* 53(1):77-86.
- Mowat, D. J. 1974. The host range and pathogenicity of some nematodes occurring in grassland in Northern Ireland. *Record of Agricultural Research* 22:51-58.
- Mukhopadhyaya, M. C. and Md. Samsul Haque. 1974. Nematodes associated with field crops, fruits, and fodder crop in West Bengal. *Indian J. Nematol.* 4(1):104-107.
- Muthurkrishnan, T. S., G. Rajendran, and J. Chandrasekaran. 1974. Studies on the white-tip nematode of rice Aphelenchoides besseyi in Tamil Nadu. *Indian J. Nematol.* 4(2):188-193.
- Naik, S. M. and B. S. Yadav. 1973. Seedling and plant reaction of selected tomato varieties to root-knot nematode Meloidogyne incognita (Kofoid and White, 1919) Chitwood, 1949. *Indian Phytopathology* 26(4): 723-725.
- Nandakumar, C. and S. Khera. 1973. In vitro studies on the feeding habits of Pratylenchus mulchandi and Hoplolaimus indicus on pearl millet roots. *Indian J. Nematol.* 3(2):138-142.
- Nath, R. P., S. W. Akhter, M. G. Haider, and V. S. Bhide. 1974. Effect of Hoplolaimus indicus Sher 1963 on sugarcane seedlings. *Indian J. Nematol.* 4(2):241-242.
- Nath, R. P., M. G. Haider, and S. S. Prasad. 1974. Combined effect of Hoplolaimus indicus and Fusarium moniliforme on maize plant. *Indian J. Nematol.* 4(1):90-93.
- Nelmes, A. J. 1974. Evaluation of the feeding behaviour of Prionchulus punctatus (Cobb), a nematode predator. *J. Anim. Ecol.* 43:553-565.
- Nesterov, P. I. and L. P. Lizogubove. 1972. Nematodes of the biotic association of corn in Moldavia. *Parazity Zhivotnykh Rast.* 8:122-132.
- Norton, D. C. and P. Hinz. 1976. Relationship of Hoplolaimus galeatus and Pratylenchus hexincisus to reduction of corn yields in sandy soils in Iowa. *Plant Dis. Reptr.* 60(3):197-200.
- O'Bannon, J. H. and R. P. Esser. 1975. Evaluation of citrus, hybrids, and relatives as hosts of Pratylenchus coffeae, with comments on other hosts. *Nematol. mediterr.* 3(2):113-122.

O'Bannon, J. H. and A. T. Tomerlin. 1975. Host response to five biotypes of Tylenchulus semipenetrans. (Abstract) *Nematropica* 5(2):26.

O'Bannon, J. H., J. D. Radewald, A. T. Tomerlin, and R. N. Inserra. 1976. Comparative influence of Radopholus similis and Pratylenchus coffeae on citrus. *J. Nematol.* 8(1):58-63.

Ogibin, B. N. 1973. Effect of population density on fertility in Ips-typographus. *Soviet Journal of Ecology* 4(5):420-425.

Ogiga, I. R. and R. H. Estey. 1975. Penetration and colonization of Brassica rapa and Zea mays root tissues by Pratylenchus penetrans. *Phytoprotection* 56(1):23-30.

Orion, D. 1971-1974. Nematodes of vegetable crops and potatoes and their control. Institute of Plant Protection scientific activities, 1971-1974, p.131.

Orion, D. and Y. Halevy. 1971-1974. Parasitic nematodes in banana. Institute of Plant Protection scientific activities, 1971-1974, p.131.

Oteifa, B. A. and A. A. Salem. 1972. Biology and histopathogenesis of the reniform nematode, Rotylenchulus reniformis on Egyptian cotton, Gossypium barbadense. In *Actas do III Congresso da Uniao Fitopatologica Outubro, Portugal* 299-304.

Pall, B. S. and J. N. Chand. 1971. A nematode parasite of maize in Madhya Pradesh. *Indian Phytopathology* 24(3):607-608.

Pereira, M. Carmo L. S. and Susana N. de A. Santos. 1974. Plantas hospediras do nematodo dos caules, Ditylenchus dipsaci. *Ciencia Biologica* 1(3):57-59.

Pinochet, J., D. J. Raski, and N. O. Jones. 1976. Effect of Helicotylenchus pseudorobustus on Thompson seedless grape. *Plant Dis. Repr.* 60(6):528-529.

Poinar, Jr., George O. and Gerard M. Thomas. 1975. Rhabditis pellio Schneider (Nematoda) from the earthworm, Aporrectodea trapezoides Duges (Annelida). *J. Nematol.* 7(4):374-379.

Ponchillia, Paul E. 1975. Plant-parasitic nematodes associated with burley tobacco in Tennessee. *Plant Dis. Repr.* 59(3):219-220.

Prasad, S. K. and H. S. Gaur. 1974. Effect of Meloidogyne incognita on the growth characteristics of brinjal with reference to shoot length. *Indian J. Nematol.* 4(2):225-227.

\_\_\_\_\_. 1974. Relation between nematode population at harvest and yield of wheat. *Indian J. Nematol.* 4(2):152-159.

- Rai, B. B. 1969. Parasitic nematodes associated with maize. Allahabad Farmer 43(5):315-319.
- Rao, V. R. and Gopal Swarup. 1974. Pathogenicity of the spiral nematode, Helicotylenchus dihystrera, to sugarcane. Indian J. Nematol. 4(2):160-166.
- \_\_\_\_\_. 1974. Susceptibility of plants to the spiral nematode Helicotylenchus dihystrera. Indian J. Nematol. 4(2): 228-230.
- Rebois, R. V., Philip A. Madden, and B. Joe Eldridge. 1975. Some ultrastructural changes induced in resistant and susceptible soybean roots following infection by Rotylenchulus reniformis. J. Nematol. 7(2):122-139.
- Rhoades, H. L. 1975. Pathogenicity and control of the sting nematode, Belonolaimus longicaudatus, on carrot. Plant Dis. Repr. 59(12): 1021-1024.
- \_\_\_\_\_. 1976. Effect of Indigofera hirsuta on Belonolaimus longicaudatus, Meloidogyne incognita, and M. javanica and subsequent crop yields. Plant Dis. Repr. 60(5):384-386.
- Ricciardi, P., A. Amici, and F. Lalatta. 1975. Ulteriori indagini sul ruolo di Pratylenchus vulnus nel problema del reimpianto del pesco. Rivista dell'Ortoflorofrutticoltura Italiana 2:109-123.
- Ritter, M. 1971. Les nématodes nuisibles aux tomates, aubergines et poivrons dans la Bassin Méditerranéen. G. R. III<sup>o</sup> Journ. Phytot-Phytopharm-Circum-Medit 4 pages.
- Riverac, C. J. E. 1969. Generalidades sobre nematodes en cultivos de secano y riego en el noreste de Mexico. Internat. Symp. Increasing Food Procl. Arid Lands Proc. 1968:329-337.
- Roman, J. 1975. Nematode associated with sugarcane in the Dominican Republic. The J. of Agriculture of the Univ. of Puerto Rico LIX(2): 138-140.
- Romascu, E. 1974. Heterodera cacti Filipjev et Stekhoven, 1941 (Nematoda:Heteroderidae), a parasitic nematode of cactus roots. An. I.C.P.P. X:319-324.
- Roy, T. K. 1973. Notes on the pathogenicity of Xiphinema basiri Siddiqi, 1959, and its host records. Indian J. Nematol. 3(2):161-163.
- Ruehle, John L. 1975. Response of shortleaf pine to parasitism by plant-parasitic nematodes. Plant Dis. Repr. 59(4):290-292.



- Russell, C. C. and L. S. Morrison. 1975. Induced ectoparasitic feeding of Meloidogyne hapla on tomato. (Abstract) J. Nematol. 7(4):329.
- Safford, J. and R. M. Riedel. 1976. Criconemoides species associated with golf course turf in Ohio. Plant Dis. Reptr. 60(5):405-408.
- Santo, G. S. and Bert Lear. 1976. Influence of Pratylenchus vulnus and Meloidogyne hapla on the growth of rootstocks of rose. J. Nematol. 8(1):18-23.
- Sasser, J. N., K. R. Barker, and L. A. Nelson. 1975. Correlations of field populations of nematodes with crop growth responses for determining relative involvement of species. J. Nematol. 7(2):193-198.
- Schilt, H., H. D. Hartmann, and M. Hiemann. 1973. Influence of different population densities of Meloidogyne incognita on the growth of above and below-ground parts of lettuce. Z. Pflanzenkr. Pflanzenschutz 80(11-12): 662-670.
- Scotto La Massese, C. 1970. Les nematodes phytophages du pommier et du cerisier. Fruit Belge 364:255-262.
- Scotto La Massese, C., R. Vassy, and H. Zaouchi. 1975. Influence of three rootstocks on the yield and on the infestation of Tylenchulus semipenetrans of two citrus varieties in Algeria. Nematol. medit. 3(1):29-34.
- Sharma, R. D. and M. A. Z. Maia. 1975. Pathogenicity of the root-knot nematode, Meloidogyne incognita, to cocoa. (Abstract) Nematropica 5(2):28.
- Siddiqui, Z. A., A. Rashid, M. Yunus, and A. K. M. Ghouse. 1974. Studies on reaction-xylem developed due to Meloidogyne incognita in the roots of Lagenaria leucantha. Indian J. Nematol. 4(1):46-52.
- Sikora, R. A. and D. P. Taylor. 1974. Pathogenicity of Trichodorus christiei to creeping bentgrass. Med. Fac. Landbouww. Rijksuniv. Gent. 39(2, Part 1):713-718.
- Singh, Kishan and S. R. Misra. 1974. Pathogenicity of Meloidogyne javanica (Treub) Chitwood in sugarbeet. Indian J. Nematol. 4(2):222-224.
- Singh, L. and R. Gill. 1975. Pathology of Meloidogyne javanica in Hibiscus cannabinus. Geobios 2(4):112-114.
- Singh, N. D. 1975. Effect of inoculum level and plant age on pathogenicity of Meloidogyne incognita and Rotylenchulus reniformis on tomato and lettuce. Plant Dis. Reptr. 59(11):905-908.

Singh, N. D. 1975. Evaluation of nematode population in pigeon pea. Tropical Disease of Legumes Workshop 147-149.

\_\_\_\_\_. 1975. Studies on selected hosts of Rotylenchulus reniformis and its pathogenicity to soybean (Glycine max). Nematropica 5(2):46-51.

Siniscalco, A., F. Lamberti, and R. Inserra. 1976. Reaction of peach rootstocks to Italian populations of root-knot nematodes (Meloidogyne spp.). Nematol. medit. 4(1):79-84.

Srivastava, A. S. and K. D. Upadhyay. 1973. Effect of root-knot nematode, Meloidogyne javanica alone and in the presence of the shoot borer, Leucinodes orbonalis on the yield of brinjal. Indian J. Nematol. 3(2):156-159.

Srivastava, A. S., K. D. Upadhyay, and G. Singh. 1974. Effect of root-knot nematode, Meloidogyne javanica on gram crop. Indian J. Nematol. 4(2):248-251.

Starr, J. L. and W. F. Mai. 1975. A root rot of celery involving Meloidogyne hapla. (Abstract) J. Nematol. 7(4): 330.

Steinbach, P. 1973. Studies on the behavior of larvae of the potato root eelworm Heterodera rostochiensis on and in roots of the host plant Lycopersicon esculentum. Biol. Zentralbl. 92(5):563-582.

Stirling, G. R. 1976. Paratrichodorus minor associated with a new disease of onions in South Australia. Plant Dis. Reptr. 60(1):74-75.

Sturhan, D. 1973. Zur problem der entstehung biologischer rassen bei nematoden. Mitt. Biol. Bundesanst. Berlin-Dahlem 151(39):299-300.

Sumimoto, M., M. Shiraga, and T. Kondo. 1975. Ethane in pine needles preventing the feeding of the beetle, Monochamus alternatus. J. Insect Physiol. 21(4):713-722.

Sushinskaite, D. and Yu Shleptene. 1974. The influence of host plants on the specific composition of nematodes in case of Meloidogyne infestation. Acta Parasitol. Lituanica 12:211-217.

Szczygiel, Adam. 1974. Plant parasitic nematodes associated with strawberry plantations in Poland. Zeszyty Problemowe Postepow Nauk Rolniczych 154:9-132.

Szczygiel, Adam and Jan Danek. 1974. Pathogenicity of three species of root parasitic nematodes to strawberry plants as related to methods of inoculation. Zeszyty Problemowe Postepow Nauk Rolniczych 154:133-149.

Szczygiel, Adam. 1975. Pathogenicity of plant parasitic nematodes to strawberry plants as affected by host plant condition and environmental factors. Research Institute of Pomology Experimental Station, Brzezna, Poland. Proj. No. PL-ARS-12, 17 pages.

\_\_\_\_\_ 1975. Pathogenicity of Longidorus elongatus de Man to some seedling rootstocks of fruit trees. Fruit Science Reports II(3):43-54.

\_\_\_\_\_ 1975. The effect of Longidorus elongatus on seedling fruit tree rootstocks in Poland. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:387.

Szczygiel, Adam and Jan Danek. 1975. Susceptibility of strawberry cultivars to leaf and bud nematodes Aphelenchoides spp. Fruit Science Reports II(2):47-57.

Talatschian, P. 1974. Development of the population of phytoparasitic nematodes on stubble plants with special consideration of soil radish. Z. Pflanzenschutz 81(9):538-549.

Taylor, Donald P. and Caspar Netscher. 1975. Occurrence in Senegal of a biotype of Meloidogyne javanica parasitic on strawberry. Cah. O.R.S.T.O.M., Ser. Biol. X(3):247-249.

Terlidou, M. C. 1974. Effect of root-knot nematode Meloidogyne javanica in vine nurseries. Vitis 12(4):316-319.

Tobar-Jimenez, A., M. Gallardo-Bernal, and F. Palacios-Mejia. 1974. Algunos hospedadores de varios nematodos del orden Tylenchida. Rev. Iber. Parasitol 34(3-4):237-244.

Trudgill, D. L., K. Evans, and D. M. Parrott. 1975. Effects of potato cyst-nematodes on potato plants. I. Effects in a trial with irrigation and fumigation on the growth and nitrogen and potassium contents of a resistant and a susceptible variety. Nematologica 21(2):169-182.

\_\_\_\_\_ 1975. Effects of potato cyst-nematodes on potato plants. II. Effects of haulm size, concentration of nutrients in haulm tissue and tuber yield of a nematode resistant and a nematode susceptible potato variety. Nematologica 21(2):183-191.

Trudgill, D. L., D. M. Parrott, K. Evans, and F. V. Widdowson. 1975. Effects of potato cyst-nematodes on potato plants. IV. Effects of fertilizers and Heterodera rostochiensis on the yield and two susceptible varieties. Nematologica 21(3):281-286.

Viglierchio, D. R. and A. R. Maggenti. 1975. Susceptibility of western forest conifers to common agricultural plant-parasitic nematodes. Plant Dis. Reptr. 59(4):326-328.

- Viglierchio, D. R. and S. G. Mjuge. 1975. Auxin inactivation systems of nemic origin. *Nematologica* 21(4):471-475.
- Vilsoni, F., Michael A. McClure, and L. D. Butler. 1976. Occurrence, host range, and histopathology of Radopholus similis in ginger (Zingiber officinale). *Plant Dis. Reptr.* 60(5):417-420.
- di Vito, M. 1976. Heterodera fici on Ficus carica in Basilicata. *Nematol. medit.* 4(1):107-108.
- Vovlas, N. and F. Lamberti. 1973. Aphelenchoides spp. on flower crops in Southern Italy. *Nematol. medit.* 1(2):141-146.
- \_\_\_\_\_. 1974. New natural hosts of Rotylenchulus macrodoratus Dasgupta, Raski, and Sher, 1968 in the Mediterranean region. *Nematol. medit.* 2(2):177-179.
- Vovlas, N., F. Lamberti, and A. Corleto. 1976. Pratylenchus minyus on Egyptian clover in Apulia. *Nematol. medit.* 4(1):109-110.
- Vovlas, N. and F. Roca. 1976. Meloidogyne hapla on Actinidia chinensis in Italy. *Nematol. medit.* 4(1):115-116.
- Westcott, III, S. W. and K. R. Barker. 1975. Interaction of Acrobeloides buetschlii and Rhizobium leguminosarum on Wando pea. (Abstract) *Proceedings of the American Phytopathological Society* 2:45.
- Willis, C. B., J. L. Townshend, R. V. Anderson, J. Kimpinski, R. H. Mulvey, J. W. Potter, J. Santerre, and L. Y. Wu. 1976. Species of plant-parasitic nematodes associated with forage crops in Eastern Canada. *Plant Dis. Reptr.* 60(3):207-210.
- Winfield, A. L. 1974. Observations on the occurrence, pathogenicity and control of Pratylenchus vulnus, P. thornei and Xiphinema diversicaudatum associated with glasshouse roses. *Ann. app. Biol.* 77(3) 297-307.
- Wyss, Urs. 1975. Feeding of Trichodorus, Longidorus, and Xiphinema. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:203-221.
- Yeates, G. W. 1974. Effects of Heterodera trifolii on the growth of clover in a yellow-grey earth under greenhouse conditions. *New Zealand Journal of Agricultural Research* 17:397-385.
- Yokoo, T. and T. Matsusaki. 1967. On a new leaf and bud nematode infecting peony, and its host plants. *Proceedings of the Assoc. for Plant Protection of Kyushu* 13:103-104.

de Zio, S. Grimaldi and F. Lamberti. 1972. Influence of the host on the gonad development of Longidorus africanus Merny. (Abstract) XIth International Symposium of Nematology Reading, p.25.

#### RESISTANCE

Abivardi, C., A. Mokhtarzadeh, and M. Sharafteh. 1975. Evaluation of some varieties of alfalfa, Medicago sativa (L.), for their resistance to the alfalfa stem nematode, Ditylenchus dipsaci (Kühn, 1857) Filipjev, 1936, under laboratory conditions. *Nematol. mediterr.* 3(1):55-63.

Adamson, W. C., E. D. Donnelly, N. A. Minton, and J. D. Miller. 1974. Inheritance of resistance to Meloidogyne hapla in Lespedeza cuneata. *The Journal of Heredity* 65:365-368.

Anzalone, Jr., L. and W. Birchfield. 1974. Varietal resistance in sugarcane to root-knot nematodes. (Abstract) *Proceedings of the American Phytopathological Society* 1:70-71.

Boquet, D. J., C. Williams, and W. Birchfield. 1975. Resistance in soybeans to five Louisiana populations of the root-knot nematode. *Plant Dis. Reptr.* 59(3):197-200.

Brzeski, M. W. 1974. Breeding carrot for resistance against Meloidogyne hapla Chitwood. The Research Institute for Vegetable Crops, Skierniewice, Poland. Proj. No. FG-Po-275, 2nd annual report, 12 pages.

\_\_\_\_\_. 1975. Breeding carrot for resistance against Meloidogyne hapla Chitwood. The Research Institute for Vegetable Crops, Skierniewice, Poland. Proj. No. FG-Po-275, 3rd annual report, 10 pages.

Caveness, F. E. 1975. Screening cowpea germplasm for resistance to root-knot nematodes at Iita. (Abstract) *Nematropica* 5(2):21.

Cayrol, J. C. and S. Combettes. 1973. Différence de tolérance de deux espèces d'agaric (A. bisporus Lange et A. sylvicola Vitt. et Sacc.) a l'égard du nématode mychophage Ditylenchus myceliophagus J. B. Goodey, 1958. *Académie D'Agriculture de France Meeting*, 1-9.

Chhabra, H. K. and O. S. Bindra. 1974. Screening of citrus rootstocks against the citrus nematode Tylenchulus semipenetrans Cobb 1913 in the Punjab. *Indian J. Hortic.* 31(2):194-195.

Coons, George H. 1975. Interspecific hybrids between Beta vulgaris L. and the wild species of Beta. *J. American Society of Sugar Beet Technologists* 18(4):281-306.

- Curi, S. M., R. A. Kihl, and S. G. P. da Silveira. 1974. Preliminary results on the genetic resistance of soybeans to the nematodes Meloidogyne incognita and M. javanica. Soc. Bras. Nematol. 1:1-2.
- Demeure, Yves. 1975. Resistance a la secheresse, en zone sahelienne, du nematode phytoparasite Scutellonema cavenessi Sher, 1963. Cah. O.R.S.T.O.M., Ser. Biol. X(3):283-292.
- Dickerson, Ottie J. and Teresa J. Franz. 1974. Resistance to Pratylenchus spp. in dry-edible beans and soybeans. (Abstract) Proceedings of the American Phytopathological Society 1:125.
- Elgin, Jr., J. H., D. W. Evans, and L. R. Faulkner. 1975. Evaluation of alfalfa for stem nematode resistance. Crop Sci. 15(2):275-276.
- Ellis, P. R. and J. J. Hesling. 1975. Larval emergence from cysts of twelve isolates of Heterodera rostochiensis and H. pallida reared on resistant and susceptible tomatoes. Ann. appl. Biol. 24(2):77-83.
- Fazouli, L. C., L. C. Monaco, A. Carvalho, and M. H. Scali. 1974. Study of the resistance of coffee trees to nematodes. Soc. Bras. Nematol. 1:25-26.
- Franco, P. Javier. 1972. Comportamiento de variedades de papa en la costa central del Peru al ataque del nematode del nudo de la raiz, Meloidogyne incognita (Kofoid y White) Chitwood. Investigaciones Agropecuarias III(1):25-39.
- Fuller, J. M. and H. W. Howard. 1974. Breeding for resistance to the white potato cyst-nematode, Heterodera pallida. Ann. appl. Biol. 77(2):121-128.
- Graham, C. W. and L. E. W. Stone. 1975. Field experiments on the cereal cyst-nematode (Heterodera avenae) in southeast England, 1967-72. Ann. appl. Biol. 80(1):61-73.
- Hanna, M. R. and E. J. Hawn. 1975. Trek alfalfa. Can. J. Plant Sci. 55(3):847-850.
- Hansen, Sv. E. 1975. Control of cereal cyst nematodes (Heterodera avenae) by growing resistant cereal varieties. Tidsskrift For Planteavl. 79(1):69-74.
- Harrison, B. D. and J. I. Cooper. 1974. Studies on the nature of the resistance of potato cultivars to tobacco rattle virus. Potato Res. 17(3):348-349.

- Hernandez, T. P., Travis P. Hernandez, R. J. Constatin, and W. J. Martin. 1975. Jasper a soil rot resistant sweet-potato variety. Hort. Science 10(2):146.
- Johnson, A. W. 1975. Resistance of sweet corn cultivars to plant-parasitic nematodes. Plant Dis. Reptr. 59(4):373-376.
- Jones, A., P. D. Dukes, and F. P. Cuthbert, Jr. 1975. W-13 and W-178 sweet potato germplasm. Hort. Science 10(5):533.
- Jones, John Paul, A. J. Overman, and Pat Crill. 1975. Failure to "break" fusarium wilt resistance of tomato with root-knot nematode. (Abstract) Proceedings of the American Phytopathological Society 2:59.
- Kegasawa, K. 1974. Breeding soybean varieties resistant to nematode, Heterodera glycines. Shokubutsu Boeki 28(10):409-412.
- Klimakova, E. T. 1975. Resistant cultivars and contamination of soil with the potato nematode. Zashch. Rast (MOSC) 3:57.
- Kochba, J. and P. Spiegel-Roy. 1975. Inheritance of resistance to the root-knot nematode Meloidogyne javanica in bitter almond progenies. Euphytica 24(2):453-457.
- Kort, J. 1974. Identification of pathotypes of the potato cyst nematode. EPPO Bull. 4(4):511-518.
- Lapp, N. A. and C. A. Triantaphyllou. 1975. Heterodera glycines races in North Carolina. (Abstract) J. Nematol. 7(4):326.
- Lewis, Stephen A. and Michael A. McClure. 1975. Free amino acids in roots of infected cotton seedlings resistant and susceptible to Meloidogyne incognita. J. Nematol. 7(1):10-15.
- Macaron, J. 1975. Studies on the resistance of two varieties of tomato to Meloidogyne spp. and Phytophthora parasitica. Nematol. medit. 3(1):35-41.
- Mahajan, R., J. S. Kanwar, and K. S. Nandpuri. 1975. Field screening of some tomato varieties and hybrids against the root-knot nematode Meloidogyne incognita. J. Res. Punjab Agric. Univ. 12(1):40-42.
- Martin, W. J., Travis P. Hernandez, and Teme P. Hernandez. 1975. Development and disease reaction of jasper, a new soil rot-resistant sweetpotato variety from Louisiana. Plant Dis. Reptr. 59(5):388-391.
- Mathur, R. L., D. K. Handa, and B. N. Mathur. 1973. Resistance of varieties of cowpea green gram and guar to root-knot nematodes Meloidogyne javanica and M. incognita. Indian J. Mycol. Plant Pathol. 3(2):182-183.

- Miller, L. I. and R. H. Brown. 1974. Microplot experiments on the effect of plant hosts on populations of the cereal cyst nematode (Heterodera avenae) and on the subsequent yield of wheat. Nematologica 21:337-346.
- Miller, M. V. 1975. Selection as a means of controlling grape root diseases. Biol. Zh. Arm. 28(8):45-50.
- Miller, L. I. 1973. Development of a Virginia isolate of Meloidogyne arenaria on 18 inbred lines of Zea mays. Va. J. Sci. 24(3):110.
- Miller, L. I., A. R. Stone, L. Spasoff, and D. M. Evans. 1974. Resistance of Solanum tuberosum to Heterodera solanacearum. (Abstract) Proceedings of the American Phytopathological Society 1:153.
- Miller, L. I. 1975. Susceptibility of tomato (Lycopersicon esculentum) to certain isolates of the soybean cyst nematode (Heterodera glycines). (Abstract) Proceedings of the American Phytopathological Society 2:125.
- Minson, N. A. and R. O. Hammons. 1975. Evaluation of peanut for resistance to the peanut root-knot nematode, Meloidogyne arenaria. Plant Dis. Reptr. 59(12):944-945.
- Minson, N. A., M. B. Parker, and R. A. Flowers. 1975. Response of groundnut cultivars to Meloidogyne incognita and to the combined effects of M. incognita and Sclerotium rolfsii. Plant Dis. Reptr. 59(11):920-923.
- Minson, N. A. 1975. Studies on the resistance of groundnut to Meloidogyne sp. in Senegal. Cah. O.R.S.T.O.M., Ser. Biol. X(3):227-232.
- Minson, N. A. and H. W. Ford. 1976. An evaluation of several Phellinus similis-resistant or -tolerant citrus rootstocks. Plant Dis. Reptr. 60(7):620-624.
- Minson, N. A. 1975. Recommendations for potato breeding. Zashch. Rast. 4:51.
- Minson, N. A., R. D. Riggs, and C. E. Caveness. 1976. Races of soybean root nematodes compete. Arkansas Farm Research XXV(2):16.
- Minson, N. A. and N. T. Keen. 1975. Association of coumestanes with the hypersensitive resistance of lima bean to Pratylenchus scribneri. (Abstract) J. Nematol. 7(4):328-329.
- Minson, N. A. 1975. The cystic nematode of cereals Heterodera avenae in France: biological characteristics and outlook for control by the use of resistant varieties. Def. Veg. 172:53-64.



- Roccia, A. O. and L. G. E. Lordello. 1974. Study of the resistance of sugarcane varieties to infestation by Meloidogyne javanica. Soc. Bras. Nematol. 1:37-53.
- Roy, A. K. 1975. Studies on resistance of rice to the attack of Meloidogyne graminicola. Z. Pflanzenkr. Pflanzenschutz 82(6-7):384-387.
- Salem, A. A., E. M. Sedky, M. S. Embabi, and Amal B. Botros. 1974. Reaction of eleven tomato cultivars to infection by Meloidogyne javanica. Agric. Res. Rev. 52(2):123-125.
- Savitsky, Helen. 1975. Hybridization between Beta vulgaris and B. procumbens and transmission of nematode (Heterodera schachtii) resistance to sugarbeet. Can. J. Genet. Cytol. 17(2):197-209.
- Schweppenhauser, M. A. 1974. Interspecific bridge transfer in Nicotiana of resistance to Meloidogyne javanica. South African J. Sci. 70(10):312-314.
- Sidhu, Gurmeh and John M. Webster. 1974. Genetics of resistance in the tomato to root-knot nematode-wilt fungus complex. The Journal of Heredity 65:153-156.
- \_\_\_\_\_. 1975. Linkage and allelic relationships among genes for resistance in tomato (Lycopersicon esculentum) against Meloidogyne incognita. Can. J. Genet. Cytol. 17:323-328.
- Slana, L. J., J. R. Stavely, J. J. Grosso, and A. M. Golden. 1975. Studies on the source of resistance to Meloidogyne incognita acrita and M. incognita incognita in tobacco. (Abstract) Proceedings of the American Phytopathological Society 2:128.
- Taylor, Donald P. 1975. Observations on a resistant and a susceptible variety of tomato in a field heavily infested with Meloidogyne in Senegal. Cah. O.R.S.T.O.M., Ser. Biol. X(3):239-245.
- Ternovskii, M. F., V. A. Vinogradov, and S. S. Avetisov. 1974. Resistance of Nicotiana tabacum to pathogens and its use in tobacco breeding. S-KH Biol. 9(3):405-410.
- Thomas, J. D., C. E. Caveness, R. D. Riggs, and E. E. Hartwig. 1975. Inheritance of reaction to race 4 of soybean-cyst nematode Heterodera glycines. Crop Sci. 15(2):208-210.
- Triantaphyllou, A. C. 1975. Genetic structure of races of Heterodera glycines and inheritance of ability to reproduce on resistant soybeans. J. Nematol. 7(4):356-364.

Wang, K. C., G. B. Bergeson, and R. J. Green, Jr. 1975. Effect of Meloidogyne incognita on selected forest tree species. J. Nematol. 7(2):140-149.

Williams, Curtis, Wray Birchfield, and E. E. Hartwig. 1973. Resistance in soybeans to a new race of root-knot nematode. Crop Sci. 13:299-301.

Williams, C., W. Birchfield, J. K. Vidrine, and W. Hall. 1973. Soybean resistance studies with root-knot nematode on the Wartelle Farm, 1973. Rep. Proj. Dep. Agron. La. State Univ. Agric. Mech. Coll. Agric. Exp. Stn. 170-171.

Zhuckenko, A. A., N. N. Balashova, and V. K. Andryuschenko. 1975. Role of the glycosidal alkaloid alpha tomatine in the resistance of tomatoes to diseases and pests. Sel' Skokhoziaistvennaia Biologiya 10(3):451-453.

#### BIOLOGICAL CONTROL

Aboul Nasr, A. E. 1974. Nematode (family Mermithidae) infections in Anopheles gambiae and A. funestus in Nigeria. In Third International Congress of Parasitology, Munich, August 25-31, 1974, 1:325.

Alam, M. Mashkoo, M. Wajid Khan, and S. K. Saxena. 1973. Inhibitory effect of culture filtrates of some rhizosphere fungi of okra on the mortality and larval hatch of certain plant parasitic nematodes. Indian J. Nematol. 3(2):94-98.

Alam, M. Mashkoo and Abrar M. Khan. 1974. Control of phyto-nematodes with oil-cake amendments in spinach field. Indian J. Nematol. 4(2): 239-240.

Ali, Mohamed, Ahmed Wahab, and Ahmed H. El-Kifel. 1972. Nematodes associated with Coleoptera species in Egypt, Part I. Parasitologia Hungarica 5:177-201.

\_\_\_\_\_. 1973. Nematodes associated with Coleoptera species in Egypt, Part II. Parasitologia Hungarica 6:169-188.

Andeadis, T. G., T. R. Flanagan, and W. J. Kaczor. 1975. Melanotic encapsulation of the nematode Neoalectana carpocapsae by Aedes aegypti larvae concurrently parasitized by the nematode Reesimermis nielsenii. J. Invertebr. Pathol. 26(2):269-270.

Anon. 1972. Biological and other control methods - Chapter IV. Integrated Pest Management 22-30.

Anon. 1974. Biological control for grasshoppers? Crops & Soils Magazine 27(2):18.

Belokurskaya, V. I., E. T. Klimakova, L. A. Kurt, V. S. Kosovets, A. M. Borovkova, and N. V. Matskevich. 1973. Testing parasitic helminthophagous fungi as a control for combatting the potato nematode Heterodera rostochiensis. Byull. Vses. Inst. Gel'mintol. 11:21-28.

Benham, Jr., G. S. 1974. A synopsis of the obligate and facultative insect parasitic nematode. J. Invertebr. Pathol. 24(3):263-270.

Bilewicz-Pawinska, T. and M. Kamionek. 1973. Lygus rugulipennis Popp. (Hemiptera miridae) as a host of a nematode (Mermithidae). Polsk. Pismo. Entomol. 43(4):847-849.

Brown, A. W. 1974. The safety of biological agents for arthropod control. Int. Pest Control 16(4):13-16.

Chapman, H. C. 1974. Basic concepts of biological control in an integrated program of mosquito abatement. Proc. Ann. Meeting Utah Mosquito Abatement Assoc. 27:8-9.

Coz, J. 1973. Contribution to the study of the parasites Mermithidae and Coelomomyces against the West African Anopheles mosquito. Cah. O.R.S.T.O.M., Ser. Entomol. Med. Parasitol. 11(4):237-241.

Ebsary, Barry A. and Gordon F. Bennett. 1974. Redescription of Neomesomermis flumentalis (Nematoda) from blackflies in Newfoundland. Canadian J. Zoology 52(1):65-68.

\_\_\_\_\_. 1975. Studies on the bionomics of mermithid nematode parasites of blackflies in Newfoundland. Canadian J. Zoology 53(9):1324-1331.

Efremenko, V. P. and E. T. Klimakova. 1973. Prospective potato hybrids as a biological method for controlling Heterodera rostochiensis. Byull. Vses. Inst. Gel'mintol. 11:34-38.

Egunjobi, O. A. and S. O. Afolami. 1975. Effects of water-soluble extracts of neem (Azadirachia indica) on Pratylenchus brachyurus and on maize. (Abstract) J. Nematol. 7(4):321.

Egunjobi, O. A. and M. A. Larinde. 1975. Nematodes and maize growth in Nigeria. II. Effects of some amendments on populations of Pratylenchus brachyurus and on the growth and production of maize (Zea mays) in Nigeria. Nematol. mediterr. 3(1):65-73.

Ezenwa, A. O. 1974. Studies on host-parasite relationships of Simuliidae with mermithids and microsporidians. J. Parasitol. 60(5): 809-813.

\_\_\_\_\_. 1974. Ecology of Simuliidae, Mermithidae, and Microsporid in Newfoundland freshwaters. Canadian J. Zoology 52(5):557-565.

Ezenwa, Afamdi O. and Nelson E. Carter. 1975. Influence of multiple infections on sex ratios of mermithid parasites of blackflies. *Environ. Entomol.* 4(1):142-144.

Fedorko, Alicja. 1971. Nematodes as factors reducing the populations of Colorado beetle, Leptinotarsa decemlineata Say. *Acta Phytopathologica Academiae Scientiarum Hungaricae* 6(1-4):175-179.

\_\_\_\_\_ 1974. Attempts of utilisation of Pristionchus uniformis Fedorko et Stanuszek, 1971 for reduction of Leptinotarsa decemlineata Say. *Zeszyty Problemowe Postepow Nauk* 154:413-417.

Finney, J. R., and W. Mordue. 1976. The susceptibility of the elm bark beetle Scolytus scolytus to the DD-136 strain of Neoaplectana sp. *Ann. appl. Biol.* 83(2):311-312.

Gordon, Roger and John M. Webster. 1974. Biological control of insects by nematodes. *Helminthological Abstracts Series A, Animal and Human Helminthology* 43(5):327-349.

Gregory, David and Russell E. Wright. 1972. Irradiation of the female face fly, Musca autumnalis Degeer, parasitized by the nematode, Heterotylenchus autumnalis Nickle. *Proc. Entomol. Soc. Ont.* 103:104-107.

Habicht, Jr., William A. 1975. The nematicidal effects of varied rates of raw and composted sewage sludge as soil organic amendments on a root-knot nematode. *Plant Dis. Repr.* 59(8):631-634.

Harris, Peter. 1975. General approach to biocontrol of weeds in Canada. *Phytoprotection* 56(3):135-141.

Hoffard, W. H. and J. E. Coster. 1976. Endoparasitic nematodes of Ips bark beetle in Eastern Texas, USA. *Environ. Entomol.* 5(1):128-132.

Holm, Ake. 1941. Über gynandromorphismus und intersexualität bei den spinnen. *Zool. Bidrag, Uppsala* 20:399-413.

Hudson, Katherine Elaine. 1974. The integrated use of nematodes and chemicals in control of glasshouse sciarid flies. In *Third Int. Congress of Parasitology, Munich, August 25-31, 1974*, 1:1700-1701.

Hughes, R. D., L. T. Woolcock, and P. Ferrar. 1974. The selection of natural enemies for the biological control of Australian bushfly. *J. Applied Ecology* 11(2):483-488.

Hunt, D. J. and N. G. M. Hague. 1974. The distribution and abundance of Parasitaphelenchus oldhami, a nematode parasite of Scolytus scolytus and S. multistriatus, the bark beetle vectors of Dutch elm disease. *Pl. Path.* 23(4):133-135.

- Hurpin, B. and P. H. Robert. 1975. Observations on white grubs parasitism by Mermis (Nematoda:Mermithidae). Ann. Soc. Entomol. 11(1):63-72.
- Ignoffo, C. M., J. J. Petersen, H. C. Chapman, and J. F. Novotny. 1974. Lack of susceptibility of mice and rats to the mosquito nematode Reesimermis nielsenii Tsai and Grundmann. Mosquito News 34(4):425-428.
- Johnson, Leander F. and N. B. Shamiyeh. 1975. Effect of soil amendments on hatching of Meloidogyne incognita eggs. Phytopathology 65(10):1178-1181.
- Kakuliya, G. A. 1966. The nematodes of bark beetles in the Borzhomi-Bakuriani Canyon. Sbornik, Akademiya Nauk Gruzinskoi SSR 1:48-64.
- Kamionek, M. and H. Seryczynska. 1975. Effect of nematodes and parasitic fungi on Colorado potato beetle. VIII International Plant Protection Congress, Moscow, 1975, 110-120.
- Kenneth, R., E. Cohn, and G. Shahor. 1975. A species of Phlyctochytrium attacking nematodes and oospores of downy mildew fungi. (Abstract) Phytoparasitica 3(1):70.
- Kerdpi-bule, V., T. Deesin, S. Sucharit, and C. Harinasuta. 1974. A preliminary study on the control of Mansonia uniformis by nematode parasitism (Reesimermis nielsenii). Southeast Asian J. of Tropical Medicine & Public Health 5(1):150-151.
- Kermarrec, A. 1975. Synecological relations between nematode and Acromyrmex octospinosus Reich. Ann. Zool. Ecol. Anim. 7(1):27-44.
- Khan, Abrar M., M. Mashkoor Alam, and Rais Ahmad. 1974. Mechanism of the control of plant parasitic nematodes as a result of the application of oilcakes to the soil. Indian J. Nematol. 4(1):93-96.
- Khan, M. Wajid, M. Mashkoor Alam, Abrar M. Khan, and S. K. Saxena. 1974. Effect of water soluble fractions of oil cakes and bitter principles of neem on some fungi and nematodes. Acta Botanica Indica 2(2):120-128.
- Kondakova, E. I. 1973. Possibility of using the parasitic fungus to control Heterodera rostochiensis. Byull. Vses. Inst. Gel'mintol. 11: 47-51.
- \_\_\_\_\_. 1973. Laboratory infestation of Heterodera rostochiensis cysts with parasitic fungi. Byull. Vses. Inst. Gel'mintol. 11:52-55.
- Kurashvili, B. and G. Kakulia. 1974. Cultivation of Neoaplectana georgica Kakulia and Veremtshuk, 1968. In Third International Congress of Parasitology, Munich, August 25-31, 1974, 1:465-466.

Lentz, G. L. and L. P. Pedigo. 1975. Population ecology of parasites of the green cloverworm in Iowa. J. Econ. Entomol. 68(3):301-304.

Likhovoz, L. K. 1974. Mermithids (Nematoda:Mermithidae) parasites of larval midges. Veterinariya 37:85-88.

\_\_\_\_\_. 1975. Combined parasitizing of mermithids and microsporidia in black fly larvae. Med. Parazitol. Parazit. Bolezn. 44(2):230-233.

Lofgren, C. S., W. A. Banks, and B. M. Glancey. 1975. Biology and control of imported fire ants. Smith, Ray F., Thomas, E. Mittler, and Carroll N. Smith, Editors, Ann. Reviews of Entomol. 20:1-30.

Lydikova, E. A. 1974. Invasion of the larvae of *Phytonomus-variabilis* by nematodes from the family Mermithidae. Uzb. Biol. Zh. 18(2):81.

Lysenko, O. and J. Weiser. 1974. Bacteria associated with the nematode *Neoaplectana carpocapsae* and the pathogenicity of this complex for *Galleria mellonella* larvae. J. Invertebr. Pathology 24(3):332-336.

Madel, G. and E. Scholtyseck. 1974. Fine structural study of *Sphaerularia bombi* (Tylenchida:Nematoda). In Third International Congress of Parasitology, Munich, Aug. 25-31, 1974, I:434-435.

Malek, R. B. and J. B. Gartner. 1975. Hardwood bark as a soil amendment for suppression of plant parasitic nematodes on container-grown plants. Hort. Science 10(1):33-35.

Mammen, K. V. 1972. Effect of oil cakes on the incidence of root galls and the yield of bhindi in nematode-infested soil. Agric. Res. J. Kerala 10(2):186-187.

Mankau, R. and Sitanath Das. 1974. Effect of organic materials on nematode bionomics in citrus and root-knot nematode infested soil. Indian J. Nematol. 4(2):138-151.

Mankau, R., J. L. Imbriani, and A. H. Bell. 1976. SEM observations on nematode cuticle penetration by *Bacillus penetrans*. J. Nematol. 8(2):179-181.

Mishra, S. D. and S. K. Prasad. 1973. Effect of water extracts of oilseed cakes on the second stage larvae of *Meloidogyne incognita* at different concentrations and exposure times. Indian J. Ent. 35(2):104-106.

- Molloy, Daniel and Hugo Jamnback. 1975. Laboratory transmission of mermithids parasitic in blackflies. *Mosquito News* 35(3):337-342.
- Munson, J. D. and T. J. Helms. 1970. Field evaluation of a nematode (DD-136) for control of corn rootworm larvae. *Entomol. Soc. Amer. N. Cent. Br. Proc.* 25(2):97-99.
- Myers, R. F. 1974. Cultivation attempts on the mermithid, Neomesomermis flumenalis. In Third International Congress of Parasitology, Munich, August 25-31, 1974, 1:465.
- Nemec, Pavel, Nora Kajuchova, Maria Kollarova, and Tichomir Torda. 1974. Insecticide properties of lower fungi general mucor Fusarium, Aspergillus, Penicillium, Trichophyton isolated from soil samples collected in Vietnam. *Biologia* 29(9):723-726.
- Netscher, Caspar and M. G. Aubert. 1974. L'Arachide et le controle biologique des nematodes Meloidogyne spp. dans les cultures Maraicheres du Senegal. *Academie D'Agriculture De France Meeting*, pp. 1-8.
- Nickle, William R. (Ed. G. E. Cantwell). 1974. Nematode infections. *Insect Diseases II*:327-376.
- \_\_\_\_\_. 1975. More trouble for Japanese beetles. *Research News*, 2 pages.
- \_\_\_\_\_. 1975. Helping Mother Nature manage those pesky skeeters. *Research News*, 2 pages.
- Orr, C. C., J. R. Abernathy, and E. B. Hudspeth. 1975. Nothanguina phyllobia, a nematode parasite of sliverleaf nightshade. *Plant Dis. Repr.* 59(5):416-418.
- Petersen, J. J. and O. R. Willis. 1974. Diximermis peterseni (Nematoda:Mermithidae): A potential biocontrol agent of Anopheles mosquito larvae. *J. Invertebr. Pathol.* 24:20-23.
- Petersen, James J. 1975. Penetration and development of the mermithid nematode Reesimermis nielsenii in eighteen species of mosquitoes. *J. Nematol.* 7(3):207-210.
- \_\_\_\_\_. 1975. Development and fecundity of Reesimermis nielsenii, a nematode parasite of mosquitoes. *J. Nematol.* 7(3):211-214.
- Petersen, J. J. and O. R. Willis. 1975. Establishment and recycling of a mermithid nematode for the control of mosquito larvae. *Mosquito News* 35(4):526-532.

- Petersen, James J. 1976. Comparative biology of the Wyoming and Louisiana populations of Reesimermis nielsenii, parasitic nematode of mosquitoes. J. Nematol. 8(3):273-275.
- Poinar, Jr., G. O. and W. A. Otieno. 1974. Evidence of four molts in the Mermithidae. Nematologica 20(3):370.
- Reid, D. G. 1974. New records of Hexamermis (Nematoda:Mermithidae) parasitizing three species of Slaterocoris (Hemiptera:Miridae). Canadian Entomologist 106:239.
- Rhoades, H. L. 1975. Effect of Indigofera hirsuta L. on populations of Belonolaimus longicaudatus, Meloidogyne incognita, and M. javanica and subsequent yields of cabbage, cucumbers and snap beans. (Abstract) Nematropica 5(2):27-28.
- Rogers, W. P. 1973. Juvenile and moulting hormones from nematodes. Parasitology 67:105-113.
- Sandner, H. 1975. Current trends in biological control in Poland. Z. Angew. Entomol. 77(4):387-390.
- Seryczynska, H. 1975. Defensive reactions of the Colorado beetle (Leptinotarsa decemlineata Say) against the fungi Beauveria bassiana, Paecilomyces farinosus and nematode Neoplectana carpocapsae. Bull. Acad. Pol. Sci. Ser. Sci. Biol. 23(5):351-354.
- Siebold, V. 1855. Zusatz (to Meissner Georg 1855a). Ztschr. Wissensch. Zool. 7(1-2):141-144.
- Sikora, R. A. and F. Schünbeck. 1975. Effect of vesicular-arbuscular mycorrhiza (Endogone mosseae) on the population dynamics of the root-knot nematodes (Meloidogyne incognita and Meloidogyne hapla). VII International Plant Protection Congress, Moscow 1975, 158-166.
- Spasski, A. A., N. S. Okolnni, and I. K. Toderam. 1975. On character of interrelation of Chironomids and parasites - Mermithids. Doklady, A. H. (All Union) SSR 222(5):1254-1256.
- Sultanor, M. A. and E. A. Lysikova. 1974. On the biology of nematode Mermis kirgisica Kirjanova, Karavaeva, and Romanenko, 1959. Usb. Biol. Zhurnal. 1:44-46.
- Thong, C. H. S. and J. M. Webster. 1975. Effects of Contortylenchus reversus (Nematoda:Sphaerulariidae) on hemolymph composition and oocyte development in the beetle Dendroctonus pseudotsuagae (Coleoptera: Scolytidae). J. Invertebr. Pathol. 26(1):91-98.



- Thong, C. H. S. and J. M. Webster. 1975. Effects of the bark beetle nematode Contortylenchus reversus on gallery construction fecundity and egg viability of the Douglas-Fir beetle Dendroctonus pseudotsugae (Coleoptera:Scolytidae). J. Invertebr. Pathol. 26(2):235-238.
- Tikhonova, L. V. and M. G. Popova. 1973. Biological basis of measures to control Heterodera avenae. Byull. Vses. Inst. Gel'mintol. 11:74-79.
- Tinsley, T. W. and P. F. Entwistle. 1974. The use of pathogens in the control of insect pests. In Biology in pest and disease control, pages 115-129.
- Varley, G. C. 1974. Population dynamics and pest control. In Biology in pest and disease control, pages 15-27.
- Veremchuk, G. V. 1974. Some factors affecting the infection of insects with Neoeplectana carpocapsae agriotos (Nematoda:Steinernematidae). Parazitologiya 8(5):402-407.
- Wilson, F. 1974. The use of biological methods in pest control. In Biology in pest and disease control, pages 59-72.
- Yakubovich, V. Ya. 1975. Discovery of larval nematodes from eggs and body cavity of mosquitoes. Medical Parazitologiya & Parasitic Disease 1:102-103.

#### CULTURAL CONTROL

- Adamson, W. C., J. A. Martin, and N. A. Minton. 1975. Rotation of kenaf and roselle on land infested with root-knot nematodes. Plant Dis. Repr. 59(2):130-132.
- Anon. 1972. Control of insects, diseases, and nematodes on commercial vegetables. Michigan State Univ. Ext. Bul. 312:5.
- Brodie, B. B. and W. S. Murphy. 1975. Population dynamics of plant nematodes as affected by combinations of fallow and cropping sequence. J. Nematol. 7(1):91-92.
- Burshtein, Kh. S. 1975. Manure and the potato nematode. Zashch. Rast. 9:50.
- Carter, W. W. and S. Nieto, Jr. 1975. Population development of Meloidogyne incognita as influenced by crop rotation and fallow. Plant Dis. Repr. 59(5):402-403.
- Fawole, B. and W. F. Mai. 1975. Population dynamics of Pratylenchus penetrans in a potato-rye crop rotation. (Abstract) Proceedings of the American Phytopathological Society 2:97.

- Hoestra, H. 1975. Crop rotation, monoculture, and soil ecology. Bull. OEPP 5(2):173-180.
- Howard, H. W. and J. M. Fuller. 1975. Testing potatoes bred from Solanum vernei for resistance to the white potato cyst-nematode, Heterodera pallida. Ann. appl. Biol. 81(1):75-78.
- Hull, R. 1974. Integrated control of pests and diseases of sugar beet. In: British Ecological Soc. Symposium No. 13, Biology in Pest & Disease Control, Oxford, Eng., Jan. 4-7, 1972, Ed. Jones, D. Price, and M. E. Solomon, 269-276.
- Johnson, A. W., C. C. Dowler, and E. W. Hauser. 1975. Crop rotation and herbicide effects on population densities of plant-parasitic nematodes. J. Nematol. 7(2):158-168.
- Juhl, M. 1975. Cereal cyst nematode and N fertilization. EPPO Bull. 5(4):437-449.
- Kinloch, R. A. 1974. Nematode and crop response to short-term rotations of corn and soybean. Proc. Soil Crop Sci. Soc. Fla. 33: 86-88.
- Kinloch, R. A. and M. C. Lutrick. 1975. The relative abundance of nematodes in an established field crop rotation. Proc. Soil Crop Sci. Soc. Fla. 34:192-194.
- Lamberti, Franco. 1973. Effect of rotations and fertilizations on the population levels of a plant parasitic nematode Tylenchorhynchus dubius (Bütschli) Filipjev. Rivista Di Agronomia VII(1):27-32.
- McKenna, L. A. and R. D. Winslow. 1975. Short notes on findings from other research work. Integrated control of potato cyst nematode, Heterodera rostochiensis. Record of Agricultural Research 23:63-64.
- Norse, D. 1972. Nematode populations in a maize-groundnut tobacco rotation and the resistance of maize varieties to Meloidogyne javanica, Pratylenchus, and Helicotylenchus. Trop. Agr. 49(4):355-360.
- Orion, D. and E. Cohn. 1975. Crop rotation for control of certain nematodes. (Abstract) Phytoparasitica 3(1):69.
- Shafshak, S. E., A. S. El-Debaby, G. A. Sary, and M. S. Salem. 1974. Effect of preceding winter crops on the growth and yield of two succeeding crops, maize and wheat. Z. Acker- und Pflanzenbau 140(1): 44-53.
- Sinclair, W. A. 1975. Plant-parasitic nematodes suppressed by urea fertilization in a forest nursery. Plant Dis. Repr. 59(4):334-336.

- Sivakumar, C. V. and M. Meerzainuddin. 1974. Influence of N, P and K on the reniform nematode Rotylenchulus reniformis and its effect on the yield of okra. Indian J. Nematol. 4(2):243-244.
- Ten'Kovtseva, E. S. and N. M. Datsuk. 1975. Precursor crops and cyst nematode numbers. Zashch. Rast. 9:14.
- Whitney, E. D. and D. L. Doney. 1973. The effects of soil types, inoculum levels, fertilizers, and water regimes on the development of Heterodera schachtii on selected lines of sugarbeet. Journal of the A.S.S.B.T. 17(4):309-314.
- Williams, C., J. E. Jones, and W. Birchfield. 1973. Cotton - soybean rotation on reniform nematode infested soil. Rep. Proj. Dep. Agron. La. State Univ. Agric. Mech. Coll. Agric. Exp. Stn. 165-166.
- Willis, C. B. 1976. Effects of potassium fertilization and Pratylenchus penetrans on yield and potassium content of red clover and alfalfa. J. Nematol. 8(2):116-121.
- Wilson, W. R. and N. French. 1975. Population studies on stem eelworm (Ditylenchus dipsaci) in microplots, field plots, and fields in the north of England under different crop rotations. Plant Pathology 24(3):176-183.
- Yakimenko, G. F. and V. P. Efremenko. 1973. Distribution of onion stem nematodes in the horizon of various soil types and the effect of crop rotation on nematode population. Byull. Vses. Inst. Gel'mintol. 11:101-104.

#### CHEMICAL CONTROL

- Abawi, G. S. and W. F. Mai. 1975. Effect of foliar applications of oxamyl on movement of Pratylenchus penetrans in and outside host roots. Plant Dis. Reptr. 59(10):795-799.
- Abdalla, Nabil, Dewey J. Raski, Bert Lear, and Richard V. Schmitt. 1974. Distribution of methyl bromide in soils treated for nematode control in replant vineyards. Pestic. Sci. 5:259-269.
- Abdalla, Nabil and Bert Lear. 1975. Lethal dosages of methyl bromide for four plant-parasitic nematodes and the effect of soil temperature on its nematocidal activity. Plant Dis. Reptr. 59(3):224-228.
- Abivardi, C. and M. Sharafteh. 1975. Laboratory and field evaluation of seven insecticides for control of the alfalfa stem nematode, Ditylenchus dipsaci (Kuhn, 1857) Filipjev, 1936. Nematol. medit. 3(1):75-81.

Acosta, Nelia. 1976. Control of Meloidogyne incognita on Coleus blumei by drench application of Fensulfothion. Nematropica 6(1):23-26.

Adams, J. Richard and R. Rodriguez-Kabana. 1975. Effect of PCNB on root-knot nematodes (Meloidogyne sp.). (Abstract) Proceedings of the American Phytopathological Society 2:44.

\_\_\_\_\_. 1975. Effects of PCNB on plant-parasitic and free-living nematodes. (Abstract) Proceedings of the American Phytopathological Society 2:131.

Alam, M. Mashkoo, Abrar M. Khan, and S. K. Saxena. 1973. Efficacy of 'Vydate' oxamyl for the control of root-knot nematode, Meloidogyne incognita on egg plant and okra. Indian J. Nematol. 3(2):148-152.

Alam, M. Mashkoo, S. K. Saxena, and Abrar M. Khan. 1973. Control of root-knot nematode, Meloidogyne incognita (Kofoid & White, 1919) Chitwood, 1949 on tomato and eggplant with VC-13 and basamid liquid as bare-root-dip. Indian J. Nematol. 3(2):154-156.

Alam, M. Mashkoo, Abrar M. Khan, and S. K. Saxena. 1975. Evaluation of nematicides for the control of phytonematodes. Acta Botanica Indica 3(1):79-81.

Alphey, T. J. W., J. I. Cooper, and B. D. Harrison. 1974. Chemical control of Trichodorus spp. and of transmission of tobacco rattle virus to potatoes. Potato Res. 17(3):345.

\_\_\_\_\_. 1975. Systemic nematicides for the control of Trichodorid nematodes and of potato spraing disease caused by tobacco rattle virus. Pl. Path. 24(2): 117-121.

\_\_\_\_\_. 1975. Chemical control of Trichodorids and of transmission of tobacco rattle virus. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:441.

Anon. 1974-1975. Annual report 1974-1975. South African Sugar Assoc. Exp. Stn., pp. 3-81.

\_\_\_\_\_. 1975. Di-Syston and Dasanit improve peanut yields in south-eastern U.S.A. Chemagro Courier 1+2/75:20-21.

\_\_\_\_\_. 1975. Five new registrations for Chemagro's Nemacur. Chemagro Courier 1+2/75:14.

\_\_\_\_\_. 1976. Soybean yields increased 20 percent with nematicides. Southeast Farm Press 3(14), 1 page.

Baines, R. C. and R. H. Small. 1976. Effects of oxamyl on the citrus nematode, Tylenchulus semipenetrans, and on infection of sweet orange. J. Nematol. 8(2):122-130.

Barcina, A. Gomez, F. Sanchez, Juana Artero, and J. Cuartero. 1975. Behavior of two nematicides in the control of nematodes in a strawberry nursery. Nematol. mediterr. 3(2):149-152.

Bindra, O. S. and I. S. Soodan. 1974. Studies on the chemical control of root-knot nematode (Meloidogyne incognita) on brinjal and tomato. Indian J. Hortic. 31(3):286-290.

Birchfield, W. and C. Williams. 1974. Effects of nematicides and resistant soybean varieties on reniform nematode populations and soybean yields. (Abstract) Proceedings of the American Phytopathological Society 1:70.

Blizzard, S. and R. E. Adams. 1975. Nematode control on apple. (Abstract) Proceedings of the American Phytopathological Society 2:121.

Bochow, H. 1974. Possibilities and problems of an integrated plant protection program in vegetable production. Proc. Int. Hortic. Congr. 19(2):395-408.

Boontjes, J. 1975. Chemical control of diseases on lilies. Acta Horticulture 47:137-142.

Boparai, J. S. and N. G. M. Hague. 1974. The effect of thioxamyl on the development and reproduction of the potato cyst nematode Heterodera rostochiensis. Med. Fac. Landbouww. Rijksuniv. Gent. 39(2, Part 1): 719-726.

Brodie, B. B. 1975. Movement of non-volatile nematicides in different types of soil. (Abstract) J. Nematol. 7(4):320.

Brzeski, Michal W. and Zofia Bojda. 1974. The northern root-knot nematode (Meloidogyne hapla Chitw.) on carrot -- pathogenicity and control. Zeszyty Problemowe Postepow Nauk Rolniczych 154:159-172.

Bunt, J. A. 1975. Effect and mode of action of some systemic nematicides. Mededelingen Landbouwhogeschool Wageningen Nederland, 127 pages.

Burnett, W. M., R. M. Burnett, and I. M. Inglis. 1974. The development of Nemacur for control of nematodes in Australian banana plantations. Pflanzenschutz-Nachrichten 27(3):233-266.

Burnett, W. M., I. M. Inglis, and R. M. Burnett. 1975. The development of phenamiphos for control of nematodes in Australian banana plantations. (Abstract) *Nematropica* 5(2):20.

Cardarelli, Nate F. and Julius Feldmesser. 1975. Controlled release nematicide development. Preliminary investigations. Proceedings Second International Controlled Release Pesticide Symposium, Univ. of Dayton, pp. 386-392.

Carvalho, Yvo de and Lincoln da Fonseca Zica. 1972. Efeito de alguns produtos quimicos no controle do nematoide das galhas (Meloidogyne spp.). Rev. Soc. Brasil. Fitopatologia 5:140.

Chhabra, H. K. and J. Singh. 1973. An instance of DBCP phytotoxicity to brinjal. Labdev: Journal of Science and Technology Part B-Life Sciences II(1/2):22-23.

Chhabra, H. K. and R. Mahajan. 1974. Effect of three granular nematicides in the control of root-knot and stunt nematodes infesting tomato. *Nematol. medit.* 2(2):113-115.

Cohn, E., Y. Oren, and L. Klein. 1971-1974. Control of the citrus nematode in established orchards. Institute of Plant Protection, Scientific Activities 1971-1974, p.127.

Colbran, R. C. 1974. Nematode control in ginger with nematocides, selection of planting material and sawdust mulch. *Queensl. J. Agric. Anim. Sci.* 31(3):231-236.

Cooke, D. A., R. A. Dunning, and G. H. Winder. 1974. The effect of nematicides, applied to the seed rows in spring, on growth and yield of sugar beet in Docking-disorder-affected fields. *Ann. appl. Biol.* 76(3):289-298.

Cooke, D. A. and M. R. Holden. 1975. A comparison of two methods of overall fumigation for the control of docking disorder of sugarbeet. *Plant Pathology* 24(3):134-139.

Cooke, D. A., A. L. Winfield, Kay M. Atkinson, Margaret E. John, and W. R. Wilson. 1976. Fumigation with D-D or Telone on soils prone to docking disorder. II. Effects on numbers of Trichodorus spp. and Longidorus spp. (Nematoda). *Ann. appl. Biol.* 82(1):109-115.

Cuany, A., C. Scotto La Massese, M. Ritter, L. Bonnel, P. Vergniaud, and A. Lecock. 1971. Possibilités et intérêt de désinfecter les sols pour le variétés de tomates a double fins. G. R. III<sup>o</sup> Journ. Phytot-Phytopharm-Circum-Medit, 7 pages.

- Cuany, A. and J. C. Lavergne. 1974. Répercussions biologiques et économiques d'un traitement au bromure de méthyle sur une culture de melons en présence de divers nématodes. *Phytiatrie-Phytopharmacie* 23:183-188.
- Daynard, T. B., C. R. Ellis, B. Bolwyn, and R. L. Misener. 1975. Effects of carbofuran on grain yield of corn. *Can. J. Plant Sci.* 55(2):637-639.
- Dhery, M., G. Germani, and A. Giard. 1975. Resultats de traitements nematicides contre la chlorose et le rabougrissement de l'arachide en Haute-Volta. *Cah. O.R.S.T.O.M., Ser. Biol.* X(3):161-167.
- Dickson, D. W. and J. T. Johnson. 1974. Effect of rates and methods of applying several nematicides on nematode populations and corn yields. *Proc. Soil Crop Sci. Soc. Fla.* 33:74-77.
- Domurat, Krystyna, Jadwiga Kozłowska, Ewa Mianowska, Elzbieta Papłinska, and Lucyna Wasilewska. 1974. Investigations of the effects of chemical agents on soil and plant nematodes. I. The effect of Tritox on nematodes of potato plantations. *Zeszyty Problemowe Postepow Nauk Rolniczych* 154:457-464.
- Dubey, H. D., A. Riera, and R. L. Rodríguez. 1975. Effect of the nematocides Nemagon and DD on mineralization, nitrification, soil microbial population, and soil fertility status of two tropical soils. *The Journal of Agriculture of the Univ. of Puerto Rico* LIX(1):43-50.
- Elgin, Jr., J. H. and D. W. Evans. 1975. Effects of greenhouse sprays on stem and root-knot nematodes. *Plant Dis. Reptr.* 59(1):14-16.
- Elliot, J. M., C. F. Marks, and C. M. Tu. 1974. Effects of the nematicides DD and Mocap on soil nitrogen, soil microflora, populations of Pratylenchus penetrans, and flue-cured tobacco. *Can. J. Plant Sci.* 54(4):801-810.
- Elliott, Alma P. 1975. The effect of DBCP on the nutrient uptake and growth of banana plants grown in a vermiculite medium. (Abstract) *Nematropica* 5(2):21.
- Elliott, Alma P. and J. E. Edmunds. 1975. The effect of DBCP vapour on the nutrient status of a sandy clay loam soil. (Abstract) *Nematropica* 5(2):21.
- Epstein, E. and E. Cohn. 1971-1974. Nematodes on flower crops. *Institute of Plant Protection scientific activities, 1971-1974*, p.130.

- Farkas, K. and S. Balazs. 1975. The Nematoda species of horse manure used for the cultivation of the field mushroom and possibilities of control. *Acta Phytopathologica Academiae Scientiarum Hungaricae* 10(1-2):153-163.
- Feldmesser, Julius. 1974. Progress report on controlled release of a nematicide. *Proceedings First Controlled Release Pesticide Symposium*, University of Akron, pp. 32-1 - 32-2.
- Feldmesser, J., S. A. Ostazeski, and A. M. Golden. 1975. Nematodes in forage grasses. (Abstract) *J. Nematol.* 7(4):321.
- Feldmesser, J., M. J. Thompson, W. E. Robbins, and R. P. Sponaugle. 1975. Secondary and tertiary straight- and branched-chain amides and amines: nematicides for Panagrellus and Meloidogyne. (Abstract) *J. Nematol.* 7(4):321-322.
- Feldmesser, J., M. J. Thompson, W. E. Robbins, and R. P. Sponaugle. 1976. Nematicidal activity of secondary and tertiary alkyl amides and amines. *Experientia* 32(4):466-467.
- Fischer, B. B. and A. H. Lange. 1975. Control of field bindweed in cropland with 1,3-Dichloropropene soil fumigants. *Down to Earth* 31(2): 19-24.
- Flint, D. R. 1974. The metabolism of nemacur in pineapple. *Proc. North Cent. Branch Entomol. Soc. Am.* 29:146.
- Forer, L. B., D. L. Trudgill, and T. J. W. Alphey. 1975. Some effects of oxamyl on the virus-vector nematodes Longidorus elongatus and Xiphinema diversicaudatum. *Ann. appl. Biol.* 81(2):207-214.
- Frederick, J. J. and A. C. Tarjan. 1975. Control of Pratylenchus brachyurus in rough lemon seedlings with Dowco 275 (Diethyl-Fluoro-Pyridyl-Phosphorothioate). *Nematropica* 5(1):10-13.
- Gowen, S. R. 1974. Some preliminary findings on the value of granular nematocides for improving banana production in the Windward Islands. *PANS (Pest Artic News Summary)* 20(4):400-402.
- \_\_\_\_\_. 1975. Nematicidal effects of foliar applications of oxamyl to banana seedlings. (Abstract) *Nematropica* 5(2):22.
- Greco, N., F. Lamberti, and A. Brandonisio. 1974. Chemical control of Pratylenchus dipsaci (Kuhn) Filipjev on onion in Apulia. *Nematol. medit.* 2(2):117-139.



- Greco, N., F. Lamberti, and R. Inserra. 1974. Trials of chemical control of Heterodera carotae Jones in Apulia. Nematol. medit. 2(1):13-20.
- Greco, N., F. Lamberti, and A. Brandonisio. 1976. Dichloropropene-Dichloropropane to control Heterodera carotae. Nematol. medit. 4(1):103-105.
- Griffin, G. D. 1975. Control of Heterodera schachtii with foliar application of nematicides. J. Nematol. 7(4):347-351.
- Griffin, G. D. and J. L. Anderson. 1975. Effect of herbicides on the pathogenicity of Meloidogyne hapla on alfalfa. (Abstract) Proceedings of the American Phytopathological Society 2:114.
- Grujicic, G. 1974. Effect of chemical preparation Temik 10 G (Aldicarb) on the inoculation capacity of the invasion larvae of the sugar beet nematode (Heterodera schachtii). Zast. Bilja 25(128-129):163-168.
- Guerout, R. 1975. Banana corm coating with nematicidal mud: A preplant treatment. (Abstract) Nematropica 5(2):22.
- \_\_\_\_\_. 1975. Use of new nematicides in Ivory Coast banana fields. (Abstract) Nematropica 5(2):23.
- \_\_\_\_\_. 1975. The soil and its importance on the effect of nematicidal treatments on banana yields. (Abstract) Nematropica 5(2):22-23.
- \_\_\_\_\_. 1976. Usefulness of plots without nematodes in pineapple experiments. (Abstract) Nematropica 6(1):1.
- Gushchin, B. E., A. G. Perlovskii, and M. I. Zhdanovskaya. 1975. The gall nematode. Zashch. Rast. 6:20-21.
- Hamlen, R. A. 1975. Evaluation of nematicides for control of Heterodera cacti affecting Zygocatus truncatus. Plant Dis. Repr. 59(8):636-637.
- Harris, R. H. G. 1975. Notes on two experiments with nematode control in sugarcane. Nematropica 5(2):40-44.
- \_\_\_\_\_. 1975. Studies of nematode populations in sugarcane soil profiles. Proceedings of the South African Sugar Technologists' Association 164-170.
- Heungens, A. 1974. New pesticides as a means to improve the productiveness of ornamental conifers. Med. Fac. Landbouww. Rijksuniv. Gent. 39(3):1399-1406.

- Hollis, J. P. and M. M. Joshi. 1975. Weed effect on chemical control of ring nematodes in rice. (Abstract) Proceedings of the American Phytopathological Society 2:44-45.
- Homeyer, B. 1973. Results of the application of Nematicur against nematodes in potatoes. Med. Fac. Landbouww. Rijksuniv. Gent. 38(Part 2):1251-1257.
- \_\_\_\_\_. 1974. Isufenphos, a new broad-spectrum soil insecticide. Med. Fac. Landbouww. Rijksuniv. Gent. 39(2-Part 1):789-800.
- Hough, A. and I. J. Thomason. 1975. Effects of aldicarb on the behavior of Heterodera schachtii and Meloidogyne javanica. J. Nematol. 7(3):221-229.
- Hough, A., I. J. Thomason, and W. J. Farmer. 1975. Behavior of aldicarb in soil relative to control of Heterodera schachtii. J. Nematol. 7(3):214-221.
- Hoveland, C. S., R. Rodriguez-Kabana, and C. D. Berry. 1975. Phalaris and tall fescue forage production as affected by nematodes in the field. Agron. J. 67(5):714-717.
- Husain, S. Israr and Anwar Masood. 1973. Effect of certain organic chemicals on the mortality of Helicotylenchus sp. Indian J. Nematol. 3(2):134-137.
- \_\_\_\_\_. 1975. Nematocidal action of plant extracts of plant parasitic nematodes. Geobios 2(2-3):74-76.
- Inserra, R., F. Lamberti, and N. Greco. 1974. Preliminary trials of chemical control of Ditylenchus dipsaci (Kühn) Filipjev on onion in Apulia. Nematol. medit. 2(1):29-41.
- Jamal, Ahmad and A. K. M. Ghouse. 1974. Effect of certain nematocides on seed germination. Geobios 1:112.
- Johnson, A. W., P. D. Dukes, and R. A. Flowers. 1973. Organic pesticides for control of root-knot nematodes on flue-cured tobacco. Tobacco Science XVII:153-154.
- Johnson, A. W. 1974. Relative efficacy of selected non-volatile nematicides for control of root-knot nematodes on flue-cured tobacco. Tobacco Science XVIII:132-133.
- Johnson, A. W., C. C. Dowler, and L. W. Morgan. 1975. Effects of soil chemical treatments on growth, multiple pest control, and yield of field corn. (Abstract) Proceedings of the American Phytopathological Society 2:135.

- Johnson, A. W. and D. L. Gill. 1975. Chemical control of foliar nematodes (Aphelenchoides fragariae) on 'fluffy ruffles' fern. Plant Dis. Reprtr. 59(9):772-774.
- Johnson, A. W., N. C. Glaze, and C. A. Jaworski. 1975. Combinations of specific pesticides for multiple pest control on tomato. J. Amer. Soc. Hort. Sci. 100(2):203-206.
- Johnson, A. W., D. R. Sumner, C. A. Jaworski, and R. B. Chalfant. 1975. Control of nematodes and soil-borne pathogenic fungi in okra with fumigation and film mulch. (Abstract) J. Nematol. 7(4):325.
- Johnson, J. T. and D. W. Dickson. 1973. Evaluation of methods and rates of application of three nematocide-insecticides for control of the sting nematode on corn, Belonolaimus longicaudatus. Proc. Soil Crop Sci. Soc. Fla. 32:171-173.
- Johnson, P. W. 1975. Effects of rate and depth of application of nematocide on nematode vertical distribution and tomato production in a sandy loam greenhouse soil. Can. J. Plant Sci. 55(4):1017-1021.
- Kampe, W. 1973. Effect of bidisin (chlorophenpropmethyl) on Avena fatua L. and yields of cereals and sugar beet. Pflanzenschutz-Nachrichten 26:299-316.
- Kavanagh, T. 1974. The influence of herbicides on plant disease. II. Vegetables, root crops, and potatoes. Sci. Proc. R. Dublin Soc. Ser. B 3(18):251-265.
- Kays, S. J., D. R. Sumner, A. W. Johnson, and C. A. Jaworski. 1975. Multiple cropping with trickle irrigation. Hort. Science 10(2):148.
- Khair, G. T. and R. W. McLeod. 1973. Field control of Meloidogyne javanica in tomato with non-volatile nematocides and its relation to in vitro results. Indian J. Nematol. 3(2):144-147.
- Khair, G. T. and W. Ralph. 1976. Efficiency of methyl bromide and ethylene oxide in elimination of root-knot nematodes on host plants. Plant Dis. Reprtr. 60(4):353-355.
- King, P. S. and R. Rodriguez-Kabana. 1975. Studies on the nematocidal properties of the fungicide hinosan. (Abstract) J. Nematol. 7(4):326.
- Kinloch, R. A. 1975. Response of soybean cultivars grown in root-knot nematode infested soil treated with Fumazone 86 and other nematocides. Down to Earth 31(2):10-13.

Kolbezen, M. J., D. E. Munnecke, W. D. Wilbur, L. H. Stolzy, E. J. Abu-El-Haj, and T. E. Szuszkiewicz. 1974. Factors that affect deep penetration of field soils by methyl bromide. *Hilgardia* 42(14):465-492.

Kontaxis, D. G. and Peter Yu. 1975. Sugarbeet cyst nematode control in Imperial Valley, California. (Abstract) *Proceedings of the American Phytopathological Society* 2:45.

Krishnamurthy, Rao B. H. and S. K. Prasad. 1972. An interesting case of a weedicide as a selective nematicide. *Labdev. J. Sci. Technol. Part B Life Sci.* 10(1):59-61.

Kyrou, N. C. 1975. The effects of soil treatments on root-knot nematodes and tomato yields under field conditions. *Geoponika (Ser. 3)* 21(233):87-89.

Lamberti, Franco and Matteo Cirulli. 1970. Prove preliminari di lotta a nematodi del gen. Meloidogyne su pomodoro con due nematocidi sperimentali. *L'Italia Agricola* 107(8):3-4.

\_\_\_\_\_. 1970-1971. Metodi per la sterilizzazione della superficie esterna di nematodi parassiti delle pinate. *Redia* LII:621-628.

Lamberti, Franco. 1971. Trials of chemical control of root-knot nematodes on tomato in Apulia. *Comptes Rendus des IIIemes Journees de Phytatrie et de Phytopharmacie Circum-Mediterraneenes* 140-146.

\_\_\_\_\_. 1971. First results of nematode control trial on bright tobaccos in Province of Lecce (Italy). *Rivista "II tabacco"* 738:5-10.

Lamberti, F., F. de Carlo, and G. Zacheo. 1971. L'influenza dei trattamenti nematocidi su alcune aratteristiche chimiche di tabacchi levantini. *Rivista "II tabacco"* 740:7-8.

Lamberti, F., O. Liguori, and C. Morbidelli. 1971. Ulteriori saggi di lotta nematocida su tabacco in provincia di Lecce. *Rivista "II tabacco"* 740:1-6.

Lamberti, Franco. 1972. Chemical control of root-knot nematode on tobacco in Apulia. *Med. Fac. Landbouww. Rijksuniv. Gent.* 37(2):790-797.

Lamberti, F. and M. di Vito. 1972. Sanitation of root-knot nematode infected olive-stocks. *Actas III Congr. Un. Fitopat. Medit.* 401-411.

Lamberti, Franco. 1973. Yield responses in relation to the chemical control of root-knot nematodes in Southern Italy. *OEPP/EPPO Bulletin* 3(1):55-66.

Lamberti, F., N. Greco, R. Insera, and A. Brandonisio. 1974. Trials with dichloropropene-dichloropropane to control Heterodera carotae Jones. Nematol. medit. 2(1):21-27.

Lamberti, F. and G. Renzoni. 1974. Chlorine content of soil treated for three years with halogenated fumigants. Nematol. medit. 2(1): 71-75.

Lamberti, Franco. 1975. 4 - Nematodi vettori di virus della vite e relativi metodi di lotta. Il Coltivatore e Giornale Vinicolo Italiano 1-3.

\_\_\_\_\_. 1975. Fumiganti e nematicidi sistemici nella lotta contro i fitoelmini ipogei. Laboratorio di Nematologia Agraria del C.N.R. Bari, Italia 20 pages.

Lear, B. 1975. Phytotoxicity associated with bromide uptake in plants grown in soil fumigated with brominated hydrocarbons. (Abstract) Nematopica 5(2): 24.

Lembright, H. W. 1976. Solutions to problems associated with the replanting of peaches. Down to Earth 32(1):12-21.

Maggenti, A. R. and W. H. Hart. 1975. Carbamate and phosphate nematicidal granules, drenches and dips for the control of Ditylenchus destructor on bulbous iris, variety wedgwood. Plant Dis. Repr. 59(3):233-235.

\_\_\_\_\_. 1975. Postplanting control of Ditylenchus dipsaci in narcissus with granular organic phosphates and carbamates. Plant Dis. Repr. 59(3):281-282.

Magnifico, V. and N. Vovlas. 1975. Herbicides and nematocides on celery seedbed preparation. Informatore Fitopatologico XXV(10):17-21.

Maloy, Otis C. and Robert E. Thornton. 1974. Soil fumigation to control root knot in potatoes. Cooperative Extension Serv., Coll. of Agric., Washington State University, Pullman EM 3814:3-7.

Marks, C. F. and J. M. Elliot. 1975. Control of the root-lesion nematode Pratylenchus penetrans in flue cured tobacco in Ontario. Can. J. Plant Sci. 55(1):309-314.

\_\_\_\_\_. 1976. Control of Pratylenchus penetrans in flue-cured tobacco with foliar applications of oxamyl. Plant Dis. Repr. 60(2):172-174.

- Martin, N. A. and G. W. Yeates. 1975. Effect of four insecticides on the pasture ecosystem. III. Nematodes, rotifers, and tardigrades. New Zealand Journal of Agriculture Research 18:307-312.
- Mathys, G. 1976. Standards recommended by EPPO for the fumigations of plants and parts thereof in gas-proof installations under atmospheric pressure and/or vacuum. Bull. OEPP 6(1):25-30.
- Maughan, G. L., R. A. Dunning, Kay M. Atkinson, and Margaret E. John. 1976. Fumigation with D-D or Telone on soils prone to docking disorder. I. Effects on yield of sugar beet and subsequent barley crops. Ann. appl. Biol. 82(1):97-100.
- McCarter, S. M., C. A. Jaworski, A. W. Johnson, and R. E. Williamson. 1976. Efficacy of soil fumigants and methods of application for controlling southern blight of tomatoes grown for transplants. Phytopathology 66(7):910-913.
- McElroy, F. D. 1975. Nematode control in established red raspberry plantings. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:445-446.
- McKenry, H. V. and P. Naylor. 1975. Red worms are sensitive to 1,3-dichloropropene nematicides. (Abstract) J. Nematol. 7(4):326-327.
- McLeod, R. W. and G. T. Khair. 1975. Effects of oximecarbamate, organophosphate and benzimidazole nematicides on life cycle stages of root-knot nematodes, Meloidogyne spp. Ann. appl. Biol. 79(3):329-341.
- Miline, D. L. and E. A. de Villiers. 1975. Foliar systemic nematicides for pineapple nematode control. (Abstract) J. Nematol. 7(4):327.
- Miller, Patrick M. 1976. Effects of plastic mulch on soil temperatures toxic to Pratylenchus penetrans. J. Nematol. 8(2):181-183.
- Miller, P. M., Harley Tomlinson, and G. S. Taylor. 1976. Reducing severity of ozone damage to tobacco and beans by combining benomyl or carboxin with contact nematicides. Plant Dis. Reprtr. 60(5):433-436.
- Minton, N. A. and L. W. Morgan. 1974. Evaluation of systemic and non-systemic pesticides for insect and nematode control in peanuts. Peanut Science 91-98.
- Minton, N. A. and M. B. Parker. 1975. Interaction of four soybean cultivars with subsoiling and a nematicide. J. Nematol. 7(1):60-64.
- \_\_\_\_\_ 1975. Effects of nematicides and subsoiling on yields of soybeans in three soil types in Georgia. (Abstract) J. Nematol. 7(4):327-328.

- Mojtahedi, Hassan and B. F. Lownsbery. 1975. Pathogenicity of Criconemoides xenoplax to prune and plum rootstocks. J. Nematol. 7(2):114-119.
- Moss, S. R., D. Crump, and A. G. Whitehead. 1975. Control of potato cyst-nematodes, Heterodera rostochiensis and H. pallida, in sandy, peaty and silt loam soils by oximecarbamate and organophosphate nematicides. Ann. appl. Biol. 81(3):359-365.
- Mumford, D. L. and G. D. Griffin. 1973. Evaluation of systemic pesticides in controlling sugarbeet leafhopper. Journal of the A.S.S.B.T. 17(4):354-357.
- Natour, R. M., J. M. Allow, and Z. A. Katcho. 1975. The effects of DBCP on citrus root nematode citrus growth and yield in Iraq. J. Nematol. 7(3):270-274.
- Nemec, S. and R. B. Malek. 1975. Effects of nematicides and strawberry growth on nematodes, especially Xiphinema americanum, in root-rot sites in Illinois. (Abstract) J. Nematol. 7(4):328.
- Nesmith, W. C. and W. M. Dowler. 1974. Some effects of soil fumigation related to peach tree short life. (Abstract) Proceedings of the American Phytopathological Society 1:164.
- \_\_\_\_\_ 1975. Soil fumigation and fall pruning related to peach tree short life. Phytopathology 65(3):277-280.
- Nieto, Luis E. and Rodolfo Barriga. 1975. Chemical control trials of potato-cyst nematode Heterodera spp. in Narino, Colombia. (Abstract) Proceedings of the American Phytopathological Society 2:78.
- Noveroske, R. L. 1975. Dowco 275, a new broad spectrum soil insecticide-nematicide. Down to Earth 30(4):16-21.
- O'Bannon, J. H., A. T. Tomerlin, and G. K. Rasmussen. 1975. Penetration of 1,2-dibromo-3-chloropropane in a Florida soil. J. Nematol. 7(3):252-255.
- Orion, D. 1971-1974. Search for compounds causing changes in the reproductive system of the root-knot nematode Meloidogyne javanica. Institute of Plant Protection scientific activities, 1971-1974, p.130.
- \_\_\_\_\_ 1974. An inhibitory effect of Phosfon D on the development of the root-knot nematode Meloidogyne javanica. Nematologica 20(4):415-418.
- den Ouden, H. 1974. Chemical control of Heterodera rostochiensis Woll. EPPO Bull. 4(4):519-521.

Overman, A. J. 1975. Nematicides in linear drip irrigation for full-bed mulch of tomato. Proc. Soil Crop Sci. Soc. Fla. 34:197-200.

\_\_\_\_\_ 1975. Efficacy of nematicides applied through micro-pore tape. (Abstract) Nematropica 5(1): 1.

Overman, A. J. and J. P. Jones. 1975. Carbofuran in systems approach to pest management in tomato. (Abstract) Nematropica 5(2):26-27.

\_\_\_\_\_ 1975. Field response of wilt-susceptible tomato to carbofuran at three levels of soil pH. (Abstract) J. Nematol. 7(4): 328.

Parker, M. B., N. A. Minton, O. L. Brooks, and C. E. Perry. 1975. Soybean yields and lance nematode populations as affected by subsoiling, fertility, and nematicide treatments. Agron. J. 67:663-666.

Philis, J. 1976. Occurrence and control of nematodes affecting carrot crops in Cyprus. Nematol. medit. 4(1):7-12.

Pitcher, R. S. 1975. Chemical and cultural control of nettlehead and related virus diseases of hop. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:447-448.

Potter, J. W. and C. F. Marks. 1976. Persistence of activity of oxamyl against Heterodera schachtii on cabbage. J. Nematol. 8(1):35-38.

\_\_\_\_\_ 1976. Efficacy of oxamyl against Heterodera schachtii on cabbage. J. Nematol. 8(1):38-42.

Powell, C. C., R. M. Riedel, and V. R. Walter. 1975. The effect of aldicarb on Aphelenchoides fragariae on Rieger begonia. Plant Dis. Repr. 59(4):370-372.

Powell, D. F. 1975. The effect of methyl bromide fumigation on the germination of onion seed and vigour of the seedlings. Pl. Path. 24(4): 237-241.

Prasad, K. S. Krishna and K. G. H. Setty. 1973. The effect of plant growth substances as soil drench on root-knot nematode (Meloidogyne incognita). Indian J. Nematol. 3(2):152-154.

Rao Venkata, A., V. Narasimhan, R. Rahagopalan, P. Vidhyasekaran, and R. S. Muthukrishnan. 1973. Efficacy of nematocides for the control of betelvine wilt. Indian J. Agric. Sci. 43(12):1072-1075.

Raski, D. J., N. O. Jones, J. J. Kissler, and D. A. Luvisi. 1975. Further results from deep-placement fumigation for control of nematodes in vineyards. Plant Dis. Repr. 59(4):345-349.



Rau, S. and P. K. Moberly. 1975. Nematicide application to ratoon crops of sugarcane grown on some sandy soils of the natal sugarbelt. Proceedings of the South African Sugar Technologists' Association 171-173.

Reddy, D. D. R. 1975. Comparisons of method of application and rate of granular nematicides for the control of Meloidogyne spp. on tobacco. Plant Dis. Reprtr. 59(1):83-85.

Reddy, D. D. R. and J. V. D. K. Kumar Rao. 1975. Effect of selected nonvolatile nematicides and benomyl on nodulation, root-knot nematode control, and yield of soybeans. Plant Dis. Reprtr. 59(7):592-595.

Reddy, D. D. R. 1976. Control of root-knot nematodes on tobacco with oxamyl through transplant water. Plant Dis. Reprtr. 60(5):430-431.

Renzoni, G. and F. Lamberti. 1974. Herbaceous graftings and chemical treatments to control root-knot nematodes (Meloidogyne spp.) on tomato. Nematol. medit. 2(2):83-90.

Rhoades, H. L. 1975. Efficacy of nematicides for controlling sting and root-knot nematodes on cucumbers. Proc. Soil Crop Sci. Soc. Fla. 34:185-187.

Rhoades, H. L. and R. A. Hamlen. 1975. Response of root-knot-infected caladiums, with and without hot water treatment, to foliar applications of oxamyl and phenamiphos. Plant Dis. Reprtr. 59(1):91-93.

Riazkirmani, M., M. Mashkoor Alam, Abrar M. Khan, and S. K. Saxena. 1975. Comparative efficacy of nematicides for the control of parasitic nematodes infesting certain vegetable and oil crops. Acta Botanica Indica 3(1):39-42.

Robertson, W. K., L. C. Hammond, H. W. Lundy, and D. W. Dickson. 1974. Effect of soil management practices on populations of nematode genera in corn (Zea mays L.). Proc. Soil Crop Sci. Soc. Fla. 33:80-82.

Roccia, A. O. and L. G. E. Lordello. 1974. Attempt at chemical control of nematodes in sugarcane culture. Soc. Bras. Nematol. 1:74-80.

Jimenez Roco, Mauricio. 1974. Eficacia de dos nemacidas en el control del nematodo cecidogeno Meloidogyne sp. en el cultivo del tomate en el Valle de Azapa. Idesia 3:93-98.

Rodriguez-Kabana, R. and P. A. Backman. 1974. Selective activity of two contact nematicides of Sclerotium rolfsii and Trichoderma spp. (Abstract) Proceedings of the American Phytopathological Society 1:70.

- Rodriguez-Kabana, R. and P. S. King. 1974. Studies on the nematicidal properties of hydrogen peroxide in soil. (Abstract) Proceedings of the American Phytopathological Society 1:166.
- Rodriguez-Kabana, R. and J. R. Adams. 1975. In vitro studies on the antifungal properties of the nematicide, ethoprop. (Abstract) J. Nematol. 7(4):329.
- Rodriguez-Kabana, R., P. A. Backman, and Peggy S. King. 1975. Applications of sodium azide for control of soilborne pathogens in potatoes. Plant Dis. Repr. 59(6):528-532.
- Rodriguez-Kabana, R. and W. D. Kelley. 1975. Comparison of the nematicidal effects on sodium azide and methyl bromide in pine nursery beds. (Abstract) Proceedings of the American Phytopathological Society 2:140.
- Rodriguez-Kabana, R. and P. S. King. 1975. Use of sodium azide for control of soil borne pathogens in potatoes. (Abstract) Proceedings of the American Phytopathological Society 2:139.
- Rodriguez-Kabana, R., P. A. Backman, G. W. Karr, Jr., and Peggy S. King. 1976. Effects of the nematicide Fensulfothion on soilborne pathogens. Plant Dis. Repr. 60(0):521-524.
- Rodriguez-Kabana, R., P. A. Backman, and Peggy S. King. 1976. Antifungal activity of the nematicide ethoprop. Plant Dis. Repr. 60(3):255-259.
- Roman, J. Xiomara Rivas, J. Rodriguez y D. Oramas. 1975. The effect of nematicide treatment on yield and production of raton crops in plantain. (Abstract) Nematropica 5(2):28.
1976. Chemical control of nematodes in plantains (Musa acuminata X M. balbisiana, AAB). The Journal of Agriculture of the University of Puerto Rico LX(1):36-44.
- Romascu, E., V. Lemeni, E. Ciobanu, and C. Popescu. 1974. The nematicidal activity of two chemicals (PEI-145 and PEI-150) developed in Romania in controlling the root knot nematode (Meloidogyne incognita Chitwood, 1949) in greenhouses. An. Inst. Cercet Prot. Plant 10:441-447.
- Sasser, J. N., K. R. Barker, and L. A. Nelson. 1975. Chemical soil treatments for nematode control on peanut and soybean. Plant Dis. Repr. 59(2):154-158.
- Shafiee, Mohamed Farouk and Sylvia Gutierrez Valliciergo. 1975. Utilizacion de nemagon (1,2 Dibromo-3 Cloropropano) como control de Radopholus similis en platano (Musa sp.). Sanidad Vegetal - CIENCIAS II(9):1-14.

Shukla, V. N. and Gopal Swarup. 1974. Effect of some fungicides on hatch of Meloidogyne incognita. Indian J. Nematol. 4(2):234-238.

Siddiqui, Z. A. and Abrar M. Khan. 1974. Chemical control of the stunt nematode in the nursery beds of cabbage and cauliflowers. Indian Phytopathology XXVII(3):367-370.

Sileo, L. and A. Gilman. 1975. Carbofuran-induced muscle necrosis in the earthworm. J. Invertebr. Pathol. 25(1):145-418.

Singh, I. and S. K. Prasad. 1972. Effect of some pesticides and growth regulators on Anguina tritici infesting wheat. Indian J. Entomol. 34(1):77-79.

\_\_\_\_\_. 1973. Effect of some nematicides on nematodes and soil micro-organisms. Indian J. Nematol. 3(2):109-133.

\_\_\_\_\_. 1974. Effect of some pesticides on nematodes associated with brinjal and tomato. Indian J. Nematol. 4(1):31-45.

Singh, N. D. 1975. Effects of chemicals and plastic mulch on nematode populations and yield of tomato. Nematropica 5(1):6-10.

\_\_\_\_\_. 1975. Effects of nematicides on the nematode populations and yield of tobacco. Nematropica 5(1):13-17.

Sivakumar, C. V., M. Meerzainudeen, P. Rajagopalan, and S. Kuppuswamy. 1973. Evaluation of certain systemic nematocides for the control of the root-knot nematode Meloidogyne incognita and the reniform nematode Rotylenchulus reniformis on okra. Madras Agric. J. 60(7):530-533.

Smith, P. C. 1975. Control of Xiphinema in South Africa. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:449.

Srivastava, A. S. and K. D. Upadhyay. 1974. Effect of different inoculum levels of Meloidogyne javanica (Treub) Chitwood, 1949 on the growth of brinjal (Solanum melongena L.) and its control with systemic nematicides. Phytoparasitica 2(2):61-66.

Starr, J. L. and W. F. Mai. 1975. Effect of adjuvants on the efficacy of oxamyl. Plant Dis. Repr. 59(6):510-512.

\_\_\_\_\_. 1976. Efficacy of pyroxychlor in controlling Pythium polymorphon in the P. polymorphon-Meloidogyne hapla root disease complex of celery. Plant Dis. Repr. 60(5):390-392.

Steele, Arnold E. and Larry R. Hodges. 1975. In-vitro and in-vivo effects of aldicarb on survival and development of Heterodera schachtii. J. Nematol. 7(3):305-312.

- Steele, Arnold E. 1976. Effects of oxime carbamate nematicides on development of Heterodera schachtii on sugarbeet. J. Nematol. 8(2): 137-141.
- Szczygiel, Adam and Jan Danek. 1974. Field experiments of the harmfulness of root parasitic nematodes to strawberries. Zeszyty Problemowe Postepow Nauk Rolniczych 154:151-157.
- Tanaka, K. 1975. Effect of benoym1 drugs on pine Bursaphelenchus lignicolus. Ann. Phytopathology Soc. Japan 41(1):92-93.
- Taylor, G. S. and P. M. Miller. 1975. Control of tobacco cyst nematode in Connecticut with oxamyl and ethoprop. (Abstract) Proceedings of the American Phytopathological Society 2:108.
- Taylor, G. S., P. M. Miller, and J. L. McIntyre. 1975. Chemical control of tobacco black shank in Connecticut. Plant Dis. Reptr. 59(5):434-438.
- Thomason, I. J. and M. V. McKenry. 1974. Part II. Organism-dosage-response studies in the laboratory with several nematode species. Hilgardia 42(11):422-438.
- \_\_\_\_\_. 1975. Chemical control of nematode vectors of plant viruses. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:423-439.
- Thompson, L. S. and C. B. Willis. 1975. Influence of fensulfothion and fenamiphos on root lesion nematode numbers and yield of forage legumes. Can. J. Plant Sci. 55(3):727-735.
- Timmer, L. W. 1975. Efficacy of DBCP treatment of clay soils for control of citrus nematode. (Abstract) Proceedings of the American Phytopathological Society 2:45.
- Townshend, J. L., C. F. Marks, and A. E. Neff. 1975. Effect of fumigation on growth of grape rootstocks on soil infested with root-lesion nematode. Plant Dis. Reptr. 59(10):776-779.
- Trudgill, D. L., K. Evans, and D. M. Parrott. 1974. Changes in the growth salt uptake and water retention of potatoes infested with potato cyst nematode and the influence of soil fumigation. Potato Res. 17(3):349.
- Trudgill, D. L. 1975. The effects of five nematicides and two fungicides on six species of Longidoridae. Proceedings 8th British Insecticide and Fungicide Conference 145-151.

di Vito, M., F. Lamberti, and R. Inserra. 1973. Preliminary trials of chemical control against Heterodera güttingiana Liebscher, a major parasite of pea in southern Italy. *Nematol. medit.* 1(2):125-138.

di Vito, M. and F. Lamberti. 1976. Efficacy of systemic nematicides in the control of Heterodera güttingiana on pea. *Nematol. medit.* 4(1):63-69.

Vovlas, N., F. Lamberti, and G. Laccone. 1973. Risultati preliminari di prove di lotta contro Ditylenchus dipsaci (Kühn) Filipjev sulla fragola nell'Italia meridionale. *Atti Giornate Fitopatologiche* 105-109

Vovlas, Nino and Franco Lamberti. 1974. Sensibility of some herbaceous crops in Thionazin. *Informatore Fitopatologico* XXIV(5):9-12.

\_\_\_\_\_. 1975. Effect of three nematicidal soil treatments on the growth of tobacco plants. *Nematol. medit.* 3(2):143-148.

\_\_\_\_\_. 1976. Studies on the systemic action of some chemicals in the control of root-knot nematodes. *Nematol. medit.* 4(1):111-113.

Walker, J. T., R. Motsinger, and J. Melin. 1975. Effects of repeated annual and semiannual nematicide applications to centipede grass. (Abstract) *J. Nematol.* 7(4):331.

Wasilewska, L., P. C. Oloffs, and J. M. Webster. 1975. Effects of carbofuran and a PCB on development of a bacteriophagous nematode, Acrobeloides nanus. *Canadian J. Zoology* 53(11):1709-1715.

Wehant, E. J., J. C. Alden, and H. R. Smith. 1975. Peach tree survival on a short-life site in Georgia after treatment with potassium azide. (Abstract) *J. Nematol.* 7(4):331.

Weingartner, D. P., J. R. Shumaker, and G. C. Smart. 1975. Chemical control of corky ringspot disease on potatoes in Florida, U.S.A. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:443-444.

Whitehead, A. G., Janet E. Fraser, Eileen M. French, and S. M. Wright. 1975. Chemical control of potato cyst-nematode, Heterodera pallida on tomatoes grown under glass. *Ann. appl. Biol.* 80(1):75-84.

Whitehead, A. G., D. J. Tite, Janet E. Fraser, and Eileen M. French. 1975. Incorporating granular nematicides in soil to control potato cyst-nematode, Heterodera rostochiensis. *Ann. appl. Biol.* 80(1):85-92.

Williams, C., W. Birchfield, J. K. Vidrine, and W. Hall. 1973. Studies on the control of root-knot nematode in soybeans. Rep. Proj. Dep. Agron. La. State Univ. Agric. Mech. Coll. Agric. Exp. Stn. 167-169.

Williams, C., W. Birchfield, W. Hall, and J. K. Viridine. 1974. Studies on the control of root-knot nematode in soybeans. Rep. Proj. Dep. Agron. La. State Univ. Agric. Mech. Coll. Agric. Exp. Stn. 183-185.

Witkowski, Tadeusz. 1974. Observations of the effect of contact herbicides on two saprobiotic nematode species. Zeszyty Problemowe Postepow Nauk Rolniczych 154:443-456.

Yakimenko, G. F., and V. P. Efremenko. 1973. Preplanting helminthization of the onion. Byull Vses. Inst. Gel'mintol. 11:98-100.

Yassin, A. M. 1974. Root-knot nematodes in the Sudan and their chemical control. Nematol. medit. 2(2):103-112.

Yeates, G. W., G. C. Crouchley, and J. T. Witchalls. 1975. Effect of soil fumigation on white clover growth in a yellow-grey earth infested with clover cyst nematode. New Zealand Journal of Agricultural Research 18(2):149-153.

Yeates, G. W., W. B. Healy, J. P. Widdowson, N. A. Thomson, and B. N. MacDiarmid. 1975. Influence of nematicides on growth of plots of white clover on a yellow brown loam. New Zealand Journal of Agricultural Research 18(4):411-416.

Zehr, Eldon I. 1975. Soil fumigation for control of Criconeimoides xenoplax and short life of peach trees. (Abstract) Proceedings of the American Phytopathological Society 2:143.

Zehr, Eldon I., R. Walker Miller, and Fred H. Smith. 1976. Soil fumigation and peach rootstocks for protection against peach tree short-life. Phytopathology 66(5):689-694.

#### MISCELLANEOUS CONTROL

Acosta, Nelia and Alejandro Ayala. 1976. Hot water and chemical dips for nematode control in tubers of Dioscorea rotundata Poir. The Journal of Agriculture of the University of Puerto Rico LX(3):395-402.

Cohn, E. 1971-1974. Biological control of the citrus nematode. Institute of Plant Protection scientific activities, 1971-1974, p.127.

Hackney, R. W. and O. J. Dickerson. 1975. Marigold, castor bean, and chrysanthemum as controls of Meloidogyne incognita and Pratylenchus alleni. J. Nematol. 7(1):84-90.

Heald, C. M. and J. R. Wayland. 1975. Factors affecting the control of Rotylenchulus reniformis with UHF electromagnetic energy. J. Nematol. 7(2):171-174.

\_\_\_\_\_. 1975. Ultra-high frequency electromagnetic energy as a means for nematode control. (Abstract) Nematologica 5(1):1.

Midha, S. K. and H. K. Chhabra. 1974. Effects of Tagetes erecta and Sesamum indicum on population of plant parasitic nematodes. Indian Journal of Horticulture 31(2):196-197.

Ohbayashi, N. and I. Chikaoka. 1973. Studies on the control of the northern root lesion nematode (Pratylenchus penetrans) which infects on Japanese radish by marigold. Bull Kanagawa Hortic. Exp. Stn. 21:91-102.

Stone, L. E. W. and D. P. Webley. 1975. The effect of heat on the hatch of potato cyst eelworms. Ann. appl. Biol. 24(2):74-76.

Tompsett, A. A. 1975. The effect of pre-warming, pre-soaking, and hot-water treatment on the growth of narcissus and control of stem eelworm (Ditylenchus dipsaci (Kühn) Filipjev). Acta Horticulture 47:165-170.

#### METHODOLOGY

Adamo, J. A., C. P. Madamba, and T. A. Chen. 1976. Extracting the rice white-tip nematode, Aphelenchoides besseyi, with match sticks. J. Nematol. 8(2):178-179.

Alam, M. Mashkoor. 1975. A simple device for rapid selection of nematodes from a mixed population in aqueous suspension. Nematologica 21(2):264-266.

Babu, P. 1974. Biochemical genetics of Caenorhabditis elegans. Molec. and Gen. Genet. 135(1):39-44.

Barker, K. R., D. W. Byrd, Jr., W. E. Griffin, C. A. Stone, and C. J. Nusbaum. 1975. A semi-automatic elutriator for extracting nematodes. (Abstract) J. Nematol. 7(4):320.

Baron, Jean-Claude. 1975. Methode d'obtention et etude immunologique des proteines solubles de juveniles d'une population naturelle de Meloidogyne. Cah. O.R.S.T.O.M., Ser. Biol. X(3):273-282.

Bedding, R. A. and R. J. Akhurst. 1975. A simple technique for the detection of insect parasitic rhabditid nematodes in soil. Nematologica 21(1):109-110.

- Brashears, A. D. and Calvin C. Orr. 1975. Applicator for liquid nematicides in research plots. *J. Nematol.* 7(3):315-316.
- Byrd, Jr., D. W., K. R. Barker, H. Ferris, C. J. Nusbaum, W. E. Griffin, R. H. Small, and Connie A. Stone. 1976. Two semi-automatic elutriators for extracting nematodes and certain fungi from soil. *J. Nematol.* 8(3):206-212.
- Caveness, F. E. 1975. A simple siphon method for separating nematodes from excess water. *Nematropica* 5(2):30-32.
- Chawla, M. L. and S. K. Prasad. 1974. Techniques in nematology. II. Comparative efficiency of sampling tools and nematode extraction methods. *Indian J. Nematol.* 4(2):115-123.
- Clark, S. A. and A. R. Stone. 1975. A simple method of preparing nematodes for scanning electron microscopy, using Spurr's low-viscosity epoxy resin. *Nematologica* 21(2):256-257.
- Coartney, J. S. and D. G. Larsen. 1973. Use of a microwave oven for sterilization of small quantities of soil. *Va. J. Sci.* 24(3):111.
- Debuert, K. H. and R. Gray. 1974. Determination of zinc in individual terrestrial nematodes. *Nematologica* 20(3):365-366.
- Doncaster, C. C. 1975. Some methods of mounting and maintaining live organisms for cinemicrography. *Nematologica* 21(1):5-11.
- Dukes, P. D., Alfred Jones, and F. P. Cuthbert, Jr. 1975. Mass evaluation of sweet potato seedlings for reaction to Fusarium wilt and root-knot nematodes. (Abstract) *Proceedings of the American Phytopathological Society* 2:133-134.
- Elgin, Jr., J. H., D. W. Evans, and L. R. Faulkner. 1975. Factors affecting the infection of alfalfa seedlings by Ditylenchus dipsaci. *J. Nematol.* 7(4):380-383.
- Ellenby, C. 1975. A simple method of comparing the rate of drying of nematode worms. *Nematologica* 21(1):115-116.
- Esser, R. P. 1974. Two permanent mounting methods compared after six years. *Proc. Helm. Soc. Wash.* 41(1):10-13.
- Ferris, H. 1976. Development of a computer-simulation model for a plant-nematode system. *J. Nematol.* 8(3):255-263.
- Granek, Irving. 1976. Electrical stimulation applied to second-stage larvae of Heterodera rostochienis to determine viability. *J. Nematol.* 8(1):91-92.



- de Guiran, G. 1975. A simple method for maintaining constant soil moisture stresses during experiments on nematodes. *Nematologica* 21(2):261-262.
- Günther, von Vurkhart. 1973. Selektive vitalfärbungen bei nematoden. Wissenschaftliche Zeitschrift Der Ernst-Moritz-Arndt-Universität Greifswald XXII(1/2):9-15.
- Harrison, Judith M. and C. D. Green. 1976. Comparison of centrifugal and other methods for standardization of extraction of nematodes from soil. *Ann. appl. Biol.* 82(2):299-308.
- Hendrickx, G. J., W. A. Coolen, and R. Moermans. 1976. Effect of nature and density of separating liquids on nematodes during the process of extraction by the centrifugation-flotation method. *Nematol. medit.* 4(1):31-40.
- Högger, C. H. and R. H. Estey. 1975. Preparation of Xiphinema americanum for scanning electron microscopy. (Abstract) *J. Nematol.* 7(4):324.
- Husain, S. Israr and Anwar Masood. 1974. Studies on the effect of piperazine citrate on nematode mortality and larval hatching of Meloidogyne incognita. *Indian J. Nematol.* 4(1):102-104.
- Jamison, K. B., W. F. Campbell, and G. D. Griffin. 1974. Application of microspectrophotometry to enzyme histochemistry of stem nematode-infected alfalfa. (Abstract) *Utah Academy of Sciences, Arts, and Letters Proceedings* 51(1):202.
- Joubert, J. and A. Dalmasso. 1974. Etat des travaux sur le virus du rattle methodes de lutte. *Common. Journ. Etud. Probl. Phytosanit. Actual. Cult. Pomme de Terre* 26-31.
- Kämpfe, L. 1974. Gesichtspunkte zum Aufbau einer "Nematodenbank". *Ber. 13. Tag. "Probleme der Phytonematologie"* GroB Lüsewitz 24-32.
- Kerry, B. R. 1975. The extraction of cysts of the cereal cyst nematode, Heterodera avenae, from soil. *Nematologica* 21(2):163-168.
- Mankau, R. 1975. A semiquantitative method for enumerating and observing parasites and predators of soil nematodes. *J. Nematol.* 7(2):119-122.
- Marks, C. F., J. M. Elliot, J. R. Rainforth, M. C. Watson, and B. Back. 1974. Aerial photography - an aid in surveying for damage by root-lesion nematode in flue-cured tobacco. *Can. Plant Dis. Surv.* 54(4):105-107.

- Marlatt, Robert B. 1975. Control of foliar nematode, Aphelenchoides besseyi in Ficus elastica 'Decora'. Plant Dis. Reprtr. 59(4):287.
- Miller, P. M. 1975. Effect of various containers on survival of Pratylenchus penetrans in soil. Plant Dis. Reprtr. 59(12):988-990.
- Noel, Gregory R. and A. R. Maggenti. 1976. Anesthetization of morphologically similar species with carbon dioxide for separation and culture. J. Nematol. 8(3):271-272.
- Ogiga, I. R. and R. H. Estey. 1974. The use of Meldola Blue and Nile Blue A, for distinguishing dead from living nematodes. Nematologica 20(3):271-276.
- Pinnock, Carole B., W. F. Hieb, and E. L. R. Stokstad. 1975. A mass culture bioassay method for Caenorhabditis briggsae using population growth rate as a response parameter. Nematologica 21(1):1-4.
- Proctor, Jean R. and C. F. Marks. 1974. The determination of normalizing transformations for nematode count data from soil samples and of efficient sampling schemes. Nematologica 20(4):395-406.
- Reversat, G. 1975. Monoxenic culture of Heterodera oryzae on rice. Ann. Zool. Ecol. Anim. 7(1):81-90.
- \_\_\_\_\_. 1975. Methodes pour la mesure de la consommation d'oxygene des nematodes par la technique du ludion. Cah. O.R.S.T.O.M., Ser. Biol. X(3):169-187.
- Rodriguez-Kabana, R. 1975. Halogen-silver staining techniques for demonstrating cuticular details of nematodes. (Abstract) Proceedings of the American Phytopathological Society 2:79.
- Rodriguez-Kabana, R. and Peggy S. King. 1975. Efficiency of extraction of nematodes by flotation-sieving using molasses and sugar and by elutriation. J. Nematol. 7(1):54-59.
- \_\_\_\_\_. 1976. Halogen staining techniques for demonstrating cuticular details in nematodes. Nematologica 6(1):35-40.
- Roth, F. and C. W. Boothroyd. 1975. A divided root system technique for the study of disease of mature corn roots. (Abstract) Proceedings of the American Phytopathological Society 2:105.
- Saigusa, Toshiro, Masao Ichimaru, and Masayuki Ikeda. 1974. Soil and plant sampling methods for golden nematode cysts especially during the florescence. Res. Bull. Pl. Prot. Japan 49(12):56-62.

Sano, Z. 1975. A modification of the sieve funnel technique for the quantitative extraction of living nematodes from soil. Jap. J. Nematol. 5:41-47.

Sayre, Richard M. and Shuh-wei Hwang. 1975. Freezing and storing Ditylenchus dipsaci in liquid nitrogen. J. Nematol. 7(2):199-202.

Schaad, N. W. and J. T. Walker. 1975. The use of density-gradient centrifugation for the purification of eggs of Meloidogyne sp. J. Nematol. 7(2):203-204.

Seinhorst, J. W. 1974. Separation of Heterodera cysts from dry organic debris using ethanol. Nematologica 20(3):367-369.

Sikora, R. A. 1975. A technique for eliminating bacteria from mycophagous nematode cultures. Nematologica 21(1):116.

Southey, J. F. 1974. Methods for detection of potato cyst nematodes. EPPO Bull. 4(4):463-473.

Steele, Arnold E. 1976. Improved methods of hatching Heterodera schachtii larvae for screening chemicals. J. Nematol. 8(1):23-25.

Tarjan, A. C., G. J. Edward, and J. J. Frederick. 1975. Detection of tree revitalization using a photo-resistor sensor. (Abstract) Nematropica 5(2):29.

Taylor, C. E. and D. J. F. Brown. 1974. An adaptable temperature controlled cabinet. Nematol. medit. 2(2):171-175.

Tuppen, Christine. 1975. Extraction of Longidorus and Xiphinema from soil: a further modification of Cobb's decanting and sieving technique. Nematologica 21(2):263-264.

Webb, R. M. 1975. A modified apparatus for the extraction of nematodes from sterile culture. Nematologica 21(3):408-409.

Willard, J. R. and M. S. Petrovich. 1975. Efficiency of the centrifugal-flotation method for extraction of nematodes from clay soils. Plant Dis. Repr. 59(4):314-318.

Wyss, Urs. 1975. A routine method for investigations on the histology of feeding sites of plant-parasitic nematodes. Nematologica 21(1):110-111.

Zacheo, G. and F. Lamberti. 1974. A rapid method for separating nematode eggs from soil and plant tissues. Nematol. medit. 2(1):55-59.

Zeikus, J. A. and H. C. Aldrich. 1975. Use of hot formaldehyde fixative in processing plant parasitic nematodes for electron microscopy. Stain Technol. 50(4):219-225.

#### MISCELLANEOUS

(Compilations, Reports, Surveys, Distribution, etc.)

Abivardi, C. and M. Sharafteh. 1973. A preliminary report on the occurrence of some unreported plant parasitic nematodes in Southern Iran. Z. Pflanzenkr. Pflanzenschutz 80(9-10):612-614.

Ahmad, Mohammad, Manzoor Saeed, and H. A. Khan. 1973. Plant parasitic nematode fauna of Sind. Pak. J. Sci. Ind. Res. 16(6):249-250.

Alphey, T. J. W. and B. Boag. 1975. A preliminary note on the geographical distribution of Trichodorids in the British Isles. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:343-345.

Anon. 1968. Weed control. National Academy of Sciences 2,471 pages.

\_\_\_\_\_. 1968. Plant-disease development and control. National Academy of Sciences 1,205 pages.

\_\_\_\_\_. 1969. Insect-pest management and control. National Academy of Sciences 3,508 pages.

\_\_\_\_\_. 1974. Survey on the following quarantine pests and diseases: Potato root eelworm (Heterodera rostochiensis Woll.). EPPO Publications, Series B 77:1-21.

\_\_\_\_\_. 1975. That we may eat. The 1975 Year Book of Agriculture, U.S. Department of Agriculture, 362 pages.

\_\_\_\_\_. 1975. Pest control: An assessment of present and alternative technologies. Contemporary pest control practices and prospects. National Academy of Sciences 1,506 pages.

\_\_\_\_\_. 1975. Corn/soybeans pest control. National Academy of Sciences 2,169 pages.

Anwar, S. A., G. Q. Chaudhary, and N. A. Chaudhary. 1973. Nematodes associated with corn and sorghum. J. Agric. Res. 11(4):101-102.

Arias, Maria. 1975. Geographical distribution of Xiphinema in Spain. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:357-358.

Arnett, Jr., J. D. 1975. Aerial search for pests: soybean cyst nematode. Soybean Dig. 35(10):20.

Arnett, Jr., J. D. 1976. Use of aerial photography in soybean cyst nematode surveys. Plant Dis. Reprtr. 60(1):3-4.

Baker, Kenneth F. and R. James Cook. 1973. Biological control of plant pathogens. W. H. Freeman and Co., San Francisco, 433 pages.

Baker, Kenneth F., George A. Zentmyer, and Ellis B. Cowling. 1975. Annual review of phytopathology. Annual Reviews Inc., Palo Alto, Calif. 13, 412 pages.

Barooti, S. 1974. Prevalence and host range of root-knot nematode Meloidogyne incognita in Esfahan area. Iran J. Plant Pathology 10(3-4):33.

Bello, A. and C. Belart. 1975. Cacopaurus pestis Thorne, 1943 (Nematoda: Criconematoidea) in Spain. Nematol. medit. 3(2): 167-171.

Bird, Julio and Karl Maramorosch. 1975. Tropical diseases of legumes. Academic Press, 171 pages.

Boag, B. and T. J. W. Alphey. 1975. A preliminary study of the factors influencing the distribution of Trichodorid species in the British Isles. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:347-348.

Bridge, John. 1976. Plant parasitic nematodes from the Lowlands and Highlands of Ecuador. Nematropica 6(1):18-23.

Brown, D. J. F. 1975. Geographical distribution of Xiphinema and Longidorus in the British Isles. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:349-350.

Brown, R. H. 1976. A bibliography of Australian plant nematology 1890-1974. Research Project Series 5:1-53.

Buchanan, R. E. and N. E. Gibbons. 1974. Bergey's manual of determinative bacteriology - Eighth Edition. The Williams & Wilkins Company, 1268 pages.

Chitwood, B. G. and M. B. Chitwood. 1974. Introduction to nematology. University Park Press, Baltimore, Maryland, 334 pages.

Clifford, H. T. and W. Stephenson. 1975. An introduction to numerical classification. Academic Press, 229 pages.

Edwards, D. I. and J. M. Epps. 1975. Annotated bibliography of nematodes of soybeans 1969-73. Agricultural Research Service, U.S. Dept. of Agriculture, ARS-NC-24, 16 pages.

Eriksson, K. B. 1975. Longidorus and Xiphinema in Sweden. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:353.

Ferris, Virginia R. and John M. Ferris. 1972. Distribution of free-living nematodes of the Belondiroidea in Indiana and the United States. Proceedings of the Indiana Academy of Science for 1971, 81:365-369.

Filip'ev, I. N. 1973. Free living nematodes in the collection of the Zoological Museum of the Imperial Academy of Sciences in Petrograd. Akademiya Nauk, Zoologicheskii Muzei, Ezhigodnik 21:59-116.

Geraert, E., A. Zepp, and N. Borazanci. 1975. Some plant nematodes from Turkey. Med. Fac. Landbouww. Rijksuniv. Gent. 40:511-515.

Glass, Edward H. 1975. Integrated pest management: Rationale, potential, needs, and implementation. Entomological Society of America Special Publication 75-2, 141 pages.

Godlewski, Henryk G., Maria H. Cynowska-Strugalska, and Barbara Penar. 1971. The histochemistry of glycogen and its related enzymes in normal and pathological tissues. Polish Medical Publishers - Warsaw, 118 pages + plates.

Golden, A. M. 1976. Book review - Pictorial key to genera of plant-parasitic nematodes. Proc. Helm. Soc. Wash. 43(1):94.

Good, J. M. 1973. Nematodes. In Soybeans: improvement, production, and uses 527-543.

Guerout, R. 1975. Nematodes of pineapple: A review. PANS 21(2): 123-140.

Harrington, Virginia. 1976. Nematology literature list, 1974. Agricultural Research Service, U.S. Department of Agriculture, Northeastern Region NE-8-2, 65 pages.

Heide, Alfred. 1975. Migratory root nematodes as pests of cereals in crop rotations: A survey. Arch. Acker-Pflanzenbau. Bodenkd. 19(5): 383-393.

Inserra, Renato, Giovanna Del Bene, Teresa Blevé-Zacheo, and Luigi Tarantino. 1972. Geographical distribution of Heterodera rostochiensis Woll. in Apulia. Informatore Fitopatologico XXII(15-16):9-12.

Inserra, R. 1973. Presence of Cacopaurus pestis in Italy. Nematol. medit. 1(1):60-62.

- Inserra, R., F. Lamberti, N. Volvas, and D. Dandria. 1975. Meloidogyne naasi in Southern Italy and Malta. Nematol. medit. 3(2):163-166.
- Janezic, F. 1974. Fourth contribution to the knowledge about plant galls in Slovenia, Yugoslavia. Zb. Bioteh. Fak. Univ. Ljublj. Kmetijstvo 23:75-97.
- Kasimova, G. A. 1975. Soil nematodes of the Azerbaijan - SSR. Izv. Akad. Nauk. Az. SSR Ser. Biol. Nauk. 1:79-84.
- Khan, A. M. and M. M. Alam. 1974. Incidence of the root-knot nematode, Meloidogyne javanica (Treub, 1885) Chitwood, 1949 in certain wild and cultivated plants, with some new host records. Geobios 1(5): 146-147.
- Khuong, N. B. and G. C. Smart, Jr. 1975. Nematodes associated with vegetable crops in two north Florida counties. Proc. Soil Crop Sci. Soc. Fla. 34:187-191.
- Kir'yanova, E. S. and L. M. Shagalina. 1974. Natural foci of phyto nematodes possible sources of nematode damage to cultivated plants. Izv. Akad. Nauk. Turkm. SSR. Ser. Biol. Nauk 2:73-74.
- Konarev, V. G. 1972. Cytochemistry and histochemistry of plants. Izdatel'stvo "Vysshaya Shkola" Moskva, 1966, 260 pages.
- Krall, E. 1976. Nomenclatorial compilation of plant and soil nematodes, by A. C. Tarjan and B. E. Hopper. Nematropica 6(1):42-44.
- Kume, Matazo and Katsuma Dan. 1968. Invertebrate embryology. National Library of Medicine, Public Health Serv., U.S. Dept. of Health, Education, and Welfare, & the Nat. Sci. Foundation, Wash., D.C. by the NOLIT, Publishing House, Belgrade, Yugoslavia, 1968, 605 pages.
- Lamberti, F. 1973. Appraisal of crop losses due to the root-knot nematode Meloidogyne spp. 2nd International Congress of Plant Pathology - University of Minnesota, Minneapolis, Minnesota, September 5-12, 1973, 1 page.
- Lamberti, F., T. Bleve-Zacheo, A. Saric, and R. Inserra. 1973. Contribution to the knowledge of nematodofauna of Dalmatian Islands. I. Longidoridae of Vis. Bisevo, Budikovac, and Korcula. Nematol. medit. 1(2):115-123.
- Lamberti, F. and N. Greco. 1975. A nematological survey of date palms and other major crops in Algeria. FAO Plant Protection Bulletin 23(5):156-160.

- Lamberti, F., C. E. Taylor, and J. W. Seinhorst. 1975. Nematode vectors of plant viruses. NATO Advanced Study Institutes Series, Series A: Life Sciences 2,460 pages.
- Lipa, J. J. 1975. An outline of insect pathology. Zarys Patologii Owadow, Warszawa 1967, 269 pages.
- Mai, W. F. and H. H. Lyon. 1975. Pictorial key to genera of plant-parasitic nematodes. Comstock/Cornell University Press, 219 pages.
- Matveeva, M. A. 1975. Incidence of nematodes in garden soils. J. Zoology 1:81-82.
- Miller, Paul R. and Hazel L. Pollard. 1976. Multilingual compendium of plant diseases. The American Phytopathological Society, 457 pages.
- Nicholas, Warwick L. 1975. The biology of free-living nematodes. Clarendon Press - Oxford, 215 pages.
- Nickle, W. R. 1976. Entomogenous nematodes by G. O. Poinar, Jr., 1975. Nematropica 6(1):41-42.
- Novaretti, W. R. T., A. O. Roccia, L. G. E. Lordello, and A. R. Monteiro. 1974. Contribution to the study of nematodes parasitic on sugarcane in Sao Paulo. Soc. Bras. Nematol. 1:27-32.
- O'Bannon, J. H., R. P. Esser, and R. N. Inserra. 1975. Bibliography of nematodes of citrus. Agricultural Research Service, U.S. Dept. of Agriculture ARS-S-68, 41 pages.
- Olthof, T. H. A., C. F. Marks, J. W. Potter, and J. L. Townshend. 1972. Plant parasitic nematodes of economic importance in Ontario. Proc. Entomol. Soc. Ont. 103:3-5.
- Oostenbrink, M. 1974. Reflections on Heterodera rostochiensis. EPPO Bull. 4(4):475-480.
- Pavlyuk, L. V. 1974. Comparative quantitative qualitative characteristics of phyto nematodes of rhomboid leaved ragwort spring Adonis and common valerina. Trudy Gel'mintol. Lab. 24:126-130.
- da Ponte, J. Julio and F. Edilson de Castro. 1975. Additional host plant list of the root-knot nematodes, Meloidogyne spp., reported in Ceara (Brasil) during 1969 to 1974. Fitossanidade 1(2):29-30.
- Rau, Jurgen. 1975. The distribution of virus-transmitting nematodes in undisturbed biotopes of lower Saxony. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:359.



- Jimenez, Roco Mauricio. 1974. Contribucion al conocimiento de los nematodos en los departamentos de Pisagua e Iquique - primera parte. *Idesia* 3:141-145.
- Saeed, M. and S. H. Ashrafi. 1973. On the occurrence of some plant-parasitic nematodes with special reference to new hosts in West Pakistan. *Pakistan J. of Scientific and Industrial Research* 16(3/4): 128-129.
- Saly, A. 1973. Nematode fauna of the soil in the research area of the international biological program in Bab near Nitra. *Acta. Fac. Rerum. Nat. Univ. Comenianae Zool.* 18:7-30.
- Samsoen, Luc and Etienne Geraert. 1975. La faune nematologique des rizieres du Cameroun. I. Ordre des Tylenchides. *Rev. Zool. Afr.* 89(3): 536-554.
- Shaflee, Mohamed Farouk and Eva Arteaga Hernandez. 1975. Incidencia de nematodos fitoparasitos en la provincia de la Habana. *Sanidad Vegetal Ciencias* 11(8):1-23.
- Shagalina, L. M. and A. V. Arutyunov. 1974. Distribution of northern gall nematode Meloidogyne hapla in the Turkmen-SSR. *Izv. Akad. Nauk. Turkm. SSR Ser. Biol. Nauk.* 1:75-81.
- Siggeirsson, Einar I. and Ir Hans R. van Riel. 1975. Plant-parasitic nematodes in Iceland. *Rannsóknastofnunin Neori As, Hveragerði, Island* 20:1-32.
- Sinclair, J. B. and M. C. Shurtleff. 1975. Compendium of soybean diseases. The American Phytopathological Society, Inc. 1-69.
- Smith, P. C. 1975. Distribution of Xiphinema spp. in South African vineyards. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:363-364.
- Solov'eva, G. I. 1972. Parasitic nematodes of woody and herbaceous plants. A review of the genus Paratylenchus Micoletzky, 1922 (Nematoda: Criconeematidae). Academy of Sciences of the USSR, Zoological Institute, 134 pages.
- Soota, T. D. and Y. Chaturvedi. 1971. Notes on some nematodes from the unnamed collections of the Zoological Survey of India. *Proc. Zool. Soc., Calcutta* 24:13-24.
- \_\_\_\_\_. 1972. Systematic studies on some more nematodes from the unnamed collections of the Zoological Survey of India. *Rec. Zool. Surv. India* 67:121-137.

- Støen, Magne. 1975. Known distribution of species of Longidorus and Xiphinema in Norway. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:351.
- Sturhan, D. 1973. Ergebnisse der forschungsreise auf die azoren 1969 Internationales Forschungsprojekt Makaronesischer Raum, II. Zur Nematodenfauna der Azoren. Boletim do Museu Municipal do Funchal XXVII(116):18-25.
- Sturhan, Dieter. 1973. Leaf and stem nematodes in the Azores, Madeira, and the Canary Islands. Agronomia Lusitana 35(1):21-26.
- Tarjan, A. C. and B. E. Hopper. 1974. Nomenclatorial compilation of plant and soil nematodes. Society of Nematologists, 419 pages.
- Venkitesan, T. S. 1972. On the occurrence of plant parasitic nematodes associated with different crops in Cannanore District, Kerala. Agric. Res. J. Kerala 10(2):179-180.
- Wasilewska, L. and J. M. Webster. 1975. Free-living nematodes as disease factors of man and his crops. Intern. J. Environmental Studies 7:201-204.
- Wright, C. A. 1974. Biochemical and immunological taxonomy of animals. Academic Press - London - New York, 490 pages.
- Yassin, A. M. 1974. A note on Longidorus and Xiphinema species from the Sudan. Nematol. mediterr. 2(2):141-147.
- \_\_\_\_\_. 1975. Longidorus and Xiphinema in the Sudan. NATO Advanced Study Institutes Series, Series A: Life Sciences 2:361.
- Yeates, G. W. 1975. Nematode genera from some New Zealand pastures. N. Z. Soil Bureau Scientific Report 21, Dept. of Scientific & Industrial Research, N. Z., 1-21.

## ACKNOWLEDGMENT

The author acknowledges the patient assistance of Miss Barbara Parker on this Literature List. Miss Parker is located in the same laboratory as the author.